

1663-15

4/5/1972

1/2

KILLS THE QUEEN AND ENTIRE COLONY OF SWEET-EATING ANTS  
 READY FOR USE IN HOME AND GARDEN  
**ANT CONTROL**  
**ANT CONTROL**

**FOR OUTDOOR USE:**

Place all 12 stakes around the outside of the home as follows:

1. Place one stake in the ground on each side of all outside doors.
2. Place one stake near each corner of the house.
3. Space remainder of stakes around the house at six-foot intervals. For larger homes, apartment houses or other buildings, additional ant stakes will be required. Ant stakes must not be placed farther than six feet apart.
4. Pour a cupful of warm water over each stake. Stir the contents of each stake with a nail or matchstick. Repeat this procedure when ants are unusually active.


**FOR ORNAMENTAL GARDEN USE:**

Grant's Ant Control helps promote better flower, shrub and tree culture, as ants carry Aphis and Scale. Grant's Ant Control, if used according to directions, help control this problem.


- In flower beds or rows, place stakes not more than six feet apart where ants are most active.
- To protect trees and shrubs place one or more stakes at the base of each.
- Follow step 4 given above and also sprinkle stakes occasionally when watering to improve effectiveness.

**GUARANTEE:** The enclosed card must be filed in and mailed to Grant Laboratories at the time of purchase in order to receive replacement protection. Should the contents fail to last six months, simply return the containers to the laboratory together with 30¢ in cash to defray mailing and handling costs, and a new set of Grant's Ant Control will be mailed free of charge.

**GRANT'S LABORATORIES**  
**OAKLAND, CALIFORNIA 94608**  
 A DIVISION OF LEISURE ENTERPRISES, INC.



# Grant's ANT CONTROL



**CAUTION: HARMFUL IF SWALLOWED  
KEEP OUT OF REACH OF CHILDREN**

ACTIVE INGREDIENTS (Arsenic Trioxide)	0.46%
INERT INGREDIENTS	99.54%
Total Arsenic as Metallic:	
all in water soluble form	0.35%

SEE ANTIDOTE AND OTHER CAUTIONS ON SIDE PANEL

**NET WT. 4 OZ.**

**NOTICE:**

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

**Do not reuse container. Destroy when empty.**

U. S. Pat. No. 2,547,314 Other Patents Pending  
Product of U. S. A. Copyright Printed in U. S. A.

**CAUTION:**

Grant's Ant Control is poisonous if taken internally. Avoid contamination of feed and foodstuffs. Keep away from children, pets, and incompetent persons. If swallowed, **CALL A PHYSICIAN.** This product is toxic to birds and other wildlife. Keep out of any body of water. Do not contaminate water by disposal of wastes, and apply this product only as specified on this label.

**ANTIDOTE:**

Give a tablespoon of salt in a glass of warm water and repeat until vomit fluid is clear. Then give two table-spoonfuls of Epsom Salts or Milk of Magnesia in water and plenty of milk and water. Have patient lie down and keep quiet. **CALL A PHYSICIAN IMMEDIATELY.**

ACCEPTED

2/2

APR 05 1972

ON FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
UNDER NO. 1663-15

2000

1000