

ARSENIC TRIOXIDE TECHNICAL

ACTIVE INGREDIENT:

Arsenic Trioxide 97.9%

INERT INGREDIENTS: 2.1%

TOTAL: 100.0%

Keep Out of Reach of Children



DANGER - POISON

An Insecticide for Formulation Only into Registered End-Use Ant Stake Products.

ACCEPTED

MAR 24 2004

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 1663-31

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-510-487-6070 for emergency medical treatment.

If swallowed	<ul style="list-style-type: none"> Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
If inhaled	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
If on skin or clothing	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice.
If in eyes	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call poison control center or doctor for treatment advice.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage. Signs and symptoms of exposure may include difficulty in swallowing, tightness in throat, severe abdominal pain, vomiting, diarrhea, thirst, scanty or suppressed urination, pain in limbs and muscle cramps, cold damp skin, weak pulse, shallow breathing, shock, convulsions, weakness, loss of appetite, hoarseness, sneezing, coughing, sore mouth, and nasal and throat congestion. Inflammation and ulceration of skin and mucous membranes can result from local contact or inhalation. Death may occur in acute cases, often within 24 hours.



Manufactured for
GRANT LABORATORIES, INC.
San Leandro, CA 94578

EPA Reg. No. 1663-31
EPA Est. No. 80121-BEL-001
Product of Belgium

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals:

DANGER

Fatal if swallowed, inhaled, absorbed through skin. Corrosive. Causes irreversible eye and skin damage. Do not breathe dust. Wear Personal Protective Equipment (PPE) as specified below. Do not get in eyes, on skin or on clothing. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Keep away from humans, domestic animals and pets. Avoid contamination of feed or foodstuffs.

Personal Protective Equipment

- Coveralls worn over long-sleeved shirt and long pants
- Eye protection (goggles, face shield or safety glasses)
- Dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C, or a NIOSH approved respirator with any N, R, P or HE filter)
- Socks
- Chemical-resistant footwear
- Chemical-resistant gloves

Environmental Hazards:

This pesticide is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or regional office of the EPA.

Physical and Chemical Hazards:

- Fire and Explosion:** Fire may cause arsenic trioxide to vaporize producing a highly toxic and irritant vapor of arsenic trioxide.
- Reactivity Hazards:** Contact of arsenic trioxide with zinc, aluminum, or brass under moist conditions may lead to the generation of arsine gas which is highly toxic and can be fatal if inhaled.
- Strong Reducer:** Violent reaction may occur if arsenic trioxide comes into contact with oxidizing agents.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner which is inconsistent with its labeling.

An Insecticide for Formulation Only into Registered End-Use Ant Stake Products.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, SOIL, FOOD, OR FEED BY STORAGE OR DISPOSAL.

- Container Storage:** Store in a cool dry place provided with automatic fire protection and which is constructed so as to allow for easy spill containment. Do not store near any oxidizing agents.
- Pesticide Disposal:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. Waste material must be disposed of in a Class I chemical landfill and must be transported as a RCRA hazardous waste and must be manifested. Contact state authorities or the regional EPA office for assistance. Waste minimization is important with this product. Avoid spills or leaving residues of product in the polyethylene liner bags.
- Container Disposal:** Drums may have the polyethylene bags removed and may be offered for reconditioning and recycling. The liner bags contain arsenic waste and must be disposed of in a Class I chemical landfill pursuant to all state and federal regulations. Contact state authorities or the regional EPA office for assistance.

NET WEIGHT 275.3 Lbs (125 Kg)

1663-31

2/24/2004

4