	1663-34	10/01/2003			
	U.S. E	ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs	EPA Reg. Number	Date of Issuance:	
SA SHITED	TARE C	Registration Division (H7505C) 401 "M" St., S.W.	1663-34	October 1, 2003	
A DANAL M	OTECTO Y	Washington, D.C. 20460	Term of Issuance: C	Term of Issuance: Conditional	
		OF PESTICIDE:	Name of Pesticide Pro	4	
<u>x</u> Registration Reregistration				Grant's Kills Ants® Ant & Spider	
(under FIFRA, as amended) Reregistration			Killer	-	
Name and	Address of Registrant (include 2	ZIP Code):			
14688 \	aboratories, Inc. Washington Avenue andro, CA 94578				
		ince from that accepted in connection with this r e. In any correspondence on this product always			
On the basi Rodenticide		registrant, the above named pesticide is hereby t	registered/reregistered under the F	ederal Insecticide, Fungicide and	
he Admini connection	strator, on his motion, may at any	in endorsement or recommendation of this produ- time suspend or cancel the registration of a pest under this Act is not to be construed as giving the	icide in accordance with the Act.	The acceptance of any name in	
This you:	s product is <u>condition</u> e	<u>llly</u> registered in accordance wi	th FIFRA sec. 3(c)(7)(A), provided that	
	Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of you product under FIFRA section 4.				
2.	Make the following la	abeling change:			
	a. Revise the EP	A Registration Number to read	"EPA Reg. No. 1663-	34"	
3.	Submit two (2) copies of your final printed label before you release the product for shipment. Please refer to the A-79 enclosure for a further description of final printed labeling.			-	
				i	
	Approving Official:	wh. Stanton for	Date:		

ĉ

:

(

Page 2 EPA Reg. No. 1663-34

1

Ĺ

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing amended labeling constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. 2/5

If you have any questions regarding this action, please contact Susan Stanton of my team at (703) 305-5218.

Sincerely,

George T. LaRocca Product Manager (13) Insecticide Branch Registration Division (7505C)

Enclosures

[FRONT PANEL]

~

.

GRANT'S KILLS ANTS® ANT & SPIDER KILLER



[Optional Marketing Statements]

- Recommended for Household and Commercial/Industrial Use in Non-Food/Feed Areas
- Contains Synergized Permethrin and Tetramethrin
- Provides Quick Killing Action and Residual Control .
- Economical Do-It-Yourself Pest Control .
- Use Indoors and Outdoors
- Kills Fire Ants •
- Kills Fleas Roaches Ants
- Kills on Contact Kills Fast
- Kills Hidden Bugs •
- Kills Bugs You See and Even the Ones You Don't •
- A broad spectrum insecticide highly effective against Ants, Carpenter Ants, Carpet Beetles, Centipedes, Cockroaches, Crickets, Earwigs, Firebrats, Fleas, Flour Beetles, Grain Beetles, Ground Beetles, Millipedes, Mole Crickets, Moths, Pillbugs, Scorpions, Silverfish, Sowbugs, Spiders, Termites, Ticks and many other similar crawling insects.
- Water-based Formula; Non-Staining ٠
- No Oily Residue; No Unpleasant Odor •
- Protects for up to 4 weeks
- **Kills** Carpenter Ants
- Unscented Formula

[NOTE TO EPA: Label may include graphics representing product use; e.g., listed insects]

ACTIVE INGREDIENTS:

Tetramethrin (CAS #7696-12-0)	0.10%
*Permethrin (CAS #52645-53-1)	0.25%
Piperonyl Butoxide, Technical (CAS #51-03-	6)0.50%
OTHER INGREDIENTS:	
TOTAL:	100.00%
*Cis/trans ratio: min. 35% (+/-) cis and max. 65	% (+/-) trans.

0.10%	ACCEPTED	
-6)0.50% <u>99.15</u> % 100.00%	OCT 2003	
5% (+/-) trans.	Under the Foderal Insecticida, Functoide, and Rodentiolde Act, as amended, for the pesticide registered under EPA Reg. No. 1663-34	
Keep Out of Re CAU'		

NET WEIGHT 17 OZ (482 g)

[BACK/SIDE/OTHER PANEL(S)]

GRANT'S KILLS ANTS® Ant & Spider Killer

a poison contr You may also	FIRST AID uct container or label with you when calling ol center or doctor, or going for treatment. contact x-xxx-xxxx for emergency tent information.
lf on skin or clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals CAUTION: Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling.

Environmental Hazards: This product is toxic to fish. Do not apply directly to water. Do not contaminate water by disposal of wastes.

Physical or Chemical Hazards: Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130 F may cause bursting. Do not use this product in or on electrical equipment due to the possibility of shock hazard.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not use in food/feed areas of food/feed handling establishments, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food/feed is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where food may be prepared or held.

In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

GRANT'S KILLS ANT'S ® Ant & Spider Killer may be used as a crack and crevice treatment or as a spot application in non-food/feed areas. All areas where insects hide or through which insects may enter should be treated.

For use in nonfood/nonfeed areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Not for use in Federally Inspected Meat and Poultry Plants.

Do not apply this product in occupied patient rooms or in any rooms/areas while occupied by patients, the elderly or the infirm. Do not apply to classrooms when in use. General Information: GRANTS KILLS ANTS® Ant & Spider Killer provides effective control of pests in and on buildings and structures and their immediate surroundings and on modes of transport. Permitted areas of use include, but are not limited to: apartment buildings, homes, hotels, hospitals, nursing homes, schools, industrial buildings, laboratories, mausoleums, private residences, utilities and the non-food/feed areas of food/feed handling establishments, and on: vessels, railcars, aircraft (cargo area only), buses, trucks and trailers.

Surface Spray Applications: Remove protective cap, hold container upright and direct spray away from face. Hold can 12-15 inches from surface being sprayed. Press valve down and spray as directed. Spray surface until slightly wet (at a rate of 4 oz. product to treat approximately 25 sq. ft. of surface area).

Crack & Crevice Injection: Remove protective cap, hold container upright and attach injection tube for injection into cracks and crevices where insects may be hiding, living and breeding. Place injection tip ½ inch into cracks, crevices, holes and other small openings where insects may be a problem. Release a onesecond spray per spot. In serious infestations, if possible, place spots approximately 12 inches apart. In light infestations or for preventative treatment, place spots approximately 3 feet apart. In long running cracks, move the injector tip along the crack while spraying. Move at the rate of 1 linear foot per second in heavy infestations and 3 feet per second in light infestations. See additional directions below for effective control of specified insects.

INDOORS:

Cockroaches (including adult and immature stages of both nonresistant and organophosphate and carbamate resistant strains); Ants, Booklice, Boxelder Bugs, Centipedes, Crickets, Dermestids, Firebrats, Fleas, Paimetto Bugs, Silverfish, Sowbugs, Ticks and Waterbugs: Apply thoroughly to all areas where these pests crawl and hide, especially in cracks and crevices, and hidden areas around sinks and storage areas, behind baseboards, around doors and windows, behind and under refrigerators, cabinets, sinks and stoves, the underside of shelves, drawers, bookcases, and in similar areas. When pests are driven out, spray directly.

Ants: Spray freely around ant trails, doors and windows, and other places where ants enter premises. Spray around nests hidden under steps, brickwork, concrete, etc. Break apart accessible nests and spray freely on and around debris.

Carpenter Ants: For effective control, locate and treat nests and surrounding areas. Apply around doors and svindows and other places where ants enter premises and where they crawl and hide. Inject into wall voids and infested wood through existing openings or newly drilled small holes.

Brown Dog Ticks and Fleas in Buildings: Apply to infested areas such as pet beds and resting quarters, nearby cracks and crevices, under the edges of rugs and floor coverings, between and under cushions of upholstered furniture and other areas where

EPA Reg. No. 1663-<u>34</u> 8/27/03 EPA Est. Page 2 of 3 Pages these pests may be present. Old bedding of pets should be removed and replaced with clean fresh bedding after treatment of pet areas. Do not use directly on pets.

Spiders: Apply along and behind baseboards, to window and door frames, corners, pipes, storage localities, attics, crawl spaces and other areas over which these pests may crawl.

Centipedes, Earwigs, Ground Beetles, Millipedes, Mole Crickets, Pillbugs, Sowbugs, Scorpions and Ticks: Apply around doors and windows and other places where these pests may enter premises. Treat baseboards, storage areas and other locations where these pests are found.

Pantry Pests -- Grain Beetles (Rusty, Merchant and Saw-Toothed), Flour Beetles (Red and Confused), Chocolate Moths, Cigarette Beetles, Clover Mites, Cluster Flies, Drugstore Beetles, Elmleaf Beetles, Rice Weevils, Lesser Grain Borers, Spider Beetles, and Tobacco Moths: Treat exposed stages. Remove all foodstuffs, utensils and shelf paper and any infested foodstuffs. Apply spray to shelves and in cracks and crevices behind and under cupboards and cabinets. Allow spray to dry prior to replacement of shelf paper, food and utensils.

Carpet Beetles (Black, Furniture and Varied): Spray on and under edges of floor coverings, under rugs and furniture and in closets or other localities where these insects are found.

Webbing Clothes Moths: Use this product as a crack and crevice treatment in closets and other storage space where these pests are found. This is an adjunct treatment and will not control moth larvae already on clothes. Do not apply to clothing.

OUTDOORS:

(

Point nozzle away from face. Hold can on slight downward angle. For best results, spray when air is calm. Spray with wind if breeze is blowing. Remove all exposed food and cooking utensils. Cover all food handling surfaces or wash thoroughly after treatment before use. Do not use on edible crops.

Pests on Outside Surfaces of Buildings: For control of building infestation due to Ants, Clover Mites, Crickets, Earwigs, Millipedes and Sowbugs (Pillbugs) -- Spray foundation of building where insects are active and may find entrance up to a height of 2 to 3 feet. Hold can two (2) to three (3) feet from surface to be treated and spray to slightly moisten surface. Apply as a residual spray to outside surfaces of buildings where insects tend to congregate. Spray areas include (but are not limited to) screens, window frames, eaves, porches, patios, garages and refuse dumps.

Crawling Insects: Ants, Cockroaches (including Asian Cockroaches), Crickets, Centipedes and Silverfish -- Hold can two (2) to three (3) feet from surface to be treated and spray infested surface of patio or picnic area, hitting as many insects as possible. Spray to slightly moisten the surface. Also spray legs of tables and chairs to repel ants. Spray ant hills for best control.

Ants, Lone Star Ticks, Dog Ticks, Crickets, Fleas and Earwigs: Apply thoroughly to infestation in bushes, grass or weeds. For ants, spray freely around ant trails and hills.

Fire Ants: To treat mounds, use soil injector. To maximize spray distribution, insert injector into the mound full length if possible. Inject the mound at 3-6 sites at a rate of 5-10 seconds spray per site. For very large mounds (over 36 inches in diameter), increase the number of injection sites. Space injection sites in a circular pattern on the mound surface with one site in the center. To quiet

active ants on mound surface, sweep surface with spray from a distance of 18 inches. For best results, apply in cool weather or in early morning or late evening hours. Treat new mounds as they appear.

STORAGE & DISPOSAL

Storage: Do not store near heat or open flame. Store in a cool, dry area away from children.

[When labeled for institutional/industrial/commercial use] **Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Replace cap and discard in trash. Do not incinerate or puncture. Can may be disposed of with other recyclables where local law permits.

[When labeled for residential/household use only] **Disposal:** Do Not Puncture or Incinerate! If empty -- Place in trash or offer for recycling if available. If partly

filled -- Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

GRANT LABORATORIES, INC. San Leandro, CA 94578

Salt Lealidio, CA 9457

Product of U.S.A.

EPA Reg. No. 1663-34 10/1/03