

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

March 19, 2023

Rebecca M. Horton Agent Grant Laboratories, Inc. 1000 Parkwood Circle, Ste. 700 Atlanta, GA 30339

Subject: Registration Review Label Mitigation for Permethrin and Tetramethrin

Product Name: Grant's Kills Ants Ant & Spider Killer

EPA Registration Number: 1663-34

Application Dates: 1/14/2021

Decision Numbers: 569650 and 569660

Dear Rebecca M. Horton:

The Agency, in accordance with the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, has completed reviewing all the information submitted with your application to support the Registration Review of the above referenced product in connection with the Permethrin and Tetramethrin Interim Decisions and has concluded that your submission is acceptable. The label referred to above, submitted in connection with registration under FIFRA, as amended, is acceptable.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 12 months from the date of this letter. After 12 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Page 2 of 2 EPA Reg. No. 1663-34 Decision No. 569650 and 569660

If you have any questions about this letter, please contact Carolyn Smith by phone at (202)566-2273, or via email at smith.carolyn@epa.gov.

Sincerely,

Marianne A. Walters, Team Leader

Marianne a. Walters

Risk Management and Implementation Branch 3

Pesticide Re-evaluation Division

Office of Pesticide Programs

Enclosure

GRANT'S KILLS ANTS® ANT & SPIDER KILLER

[Additional Brand Name: GRANT'S KILLS ANTS & SPIDERS]



[Optional Marketing Statements]

- Recommended for Household Use in Non-Food/Feed Areas
- Contains Synergized Permethrin and Tetramethrin
- Provides Quick Killing Action and Residual Control
- Economical Do-It-Yourself Pest Control
- Use Indoors and (or) Outdoors
- Kills Fire Ants
- Kills Fleas Roaches Ants
- Kills on Contact[!] Kills Fast
- Kills Hidden Bugs
- Kills Bugs You See and Even the Ones You Don't
- A broad spectrum insecticide highly effective against Ants, Carpenter Ants, Carpet Beetles, Centipedes, Cockroaches, Crickets, Earwigs, Firebrats, Fleas, Flour Beetles, Grain Beetles, Ground Beetles, Millipedes, Mole Crickets, Moths, Pillbugs, Scorpions, Silverfish, Sowbugs, Spiders, Ticks and many other similar crawling insects.
- Non-Staining
- No Oily Residue; No Unpleasant Odor
- Protects for up to 4 weeks
- Kills Carpenter Ants
- Unscented Formula
- Kills Ants, Carpenter Ants, Cockroaches, Spiders, Fleas, Brown Dog Ticks, Silverfish and other listed insects
- [Includes] [Convenient] Crack & Crevice Injection Tube. [when packaged accordingly for listed use]
- From AMDRO
- Guaranteed to Work! Or Your Money Back
- Guaranteed to Work!*
 - *Or Your Money Back

[NOTE TO EPA: Label may include graphics representing product use; e.g., listed insects]

ACTIVE INGREDIENTS:

Tetramethrin (CAS #7696-12-0)	0.10%
*Permethrin (CAS #52645-53-1)	
Piperonyl Butoxide (CAS #51-03-6)	
OTHER INGREDIENTS:	<u>99.15</u> %
TOTAL:	100.00%
*Cis/trans ratio: min. 35% (+/-) cis and max. 6	55% (+/-) trans.

Keep Out of Reach of Children CAUTION

See back panel for Additional Precautionary Statements and First Aid.

NET WEIGHT 17 OZ (482 g)

ACCEPTED

March 19, 2024

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under

EPA Reg. No. 1663-34

[BACK/SIDE/OTHER PANEL(S)]

GRANT'S KILLS ANTS® Ant & Spider Killer

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact x-xxx-xxxx (the National Pesticide Information Center at 1-800-858-7378) for emergency medical treatment information.

If on skin or clothing

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

PRECAUTIONARY STATEMENTS Hazards to Humans & Domestic Animals

CAUTION: Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Environmental Hazards: This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. Do not apply directly to or near water. Drift and runoff may be hazardous to fish in water adjacent to treated areas. Do not contaminate water when disposing of equipment, washwater, or rinsate. See Directions for Use for additional precautions and requirements. This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

Physical or Chemical Hazards: Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not use this product in or on electrical equipment due to the possibility of shock hazard.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For both indoor and outdoor use.

Use Restrictions

Do not apply this product in a way that will contact adults, children, or pets, either directly or through drift. Remove pets, birds, and cover fish aquariums before spraying. Do not allow adults, children, or pets to enter the treated area until sprays have dried. Do not apply when food is present. Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces, or wash them before use. For soil or foliar applications, do not apply within 25 feet of lakes, reservoirs, rivers, permanent streams, marshes or natural ponds, estuaries and commercial fish farm ponds. Do not spray the product into fish pools, ponds,

streams, or lakes. Do not apply directly into sewers or storm drains, or to any area like a drain or gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application. Do not apply directly to impervious horizontal surfaces such as sidewalks, driveways and patios except as a spot or crack-and-crevice treatment. Not for use in outdoor residential misting systems. Do not apply or irrigate to the point of runoff. Do not use treated article until spray has dried. Not for broadcast use on indoor sites. Spot treatments must not exceed two square feet in size (e.g., 2 ft. x 1 ft. or 4 ft x 0.5 ft.).



Do not allow to enter indoor or outdoor drains. *No permita la entrada a desagües internos o externos.*

GRANT'S KILLS ANTS® Ant & Spider Killer may be used as a crack and crevice treatment or as a spot application in non-food/feed areas. All listed areas where insects hide or through which insects may enter should be treated.

For residential use in nonfood/nonfeed areas.

Use Information: GRANT'S KILLS ANTS® Ant & Spider Killer provides effective control of pests in and on buildings and structures and their immediate surroundings, on modes of transport, vehicles and trailers, and in apartment buildings, homes, and private residences.

Surface Spray Applications: Remove protective cap, hold container upright and direct spray away from face. Hold can 12-15 inches from surface being sprayed. Press valve down and spray as directed. Spray surface until slightly wet (at a rate of 4 oz. product to treat approximately 25 sq. ft. of surface area).

Crack & Crevice Injection: Remove protective cap, hold container upright and attach injection tube for injection into cracks and crevices where insects may be hiding, living and breeding. Place injection tip ½ inch into cracks, crevices, holes and other small openings where insects may be a problem. Release a one-second spray per spot. In serious infestations, if possible, place spots approximately 12 inches apart. In light infestations or for preventative treatment, place spots approximately 3 feet apart. In long running cracks, move the injector tip along the crack while spraying. Move at the rate of 1 linear foot per second in heavy infestations and 3 feet per second in light infestations. Treat surfaces to ensure thorough coverage but avoid runoff. To treat insects harbored in voids and cracks-and-crevices, applications must be made in such a manner to limit dripping and avoid runoff

onto untreated structural surfaces and plants. See additional directions below for effective control of specified insects.

INDOORS:

Cockroaches (including adult and immature stages of both nonresistant and organophosphate and carbamate resistant strains); Ants, Booklice, Boxelder Bugs, Centipedes, Crickets, Dermestids, Firebrats, Fleas, Palmetto Bugs, Silverfish, Sowbugs, Ticks and Waterbugs: Apply thoroughly to areas where these pests crawl and hide, especially in cracks and crevices and hidden areas, around sinks and storage areas, behind baseboards, around doors and windows, behind and under refrigerators, cabinets, sinks and stoves, the underside of shelves, drawers, and bookcases. When pests are driven out, spray directly.

Ants: Spray around ant trails, doors and windows where ants enter premises. Spray around nests hidden under steps, brickwork and concrete. Break apart accessible nests and spray on and around debris.

Carpenter Ants: For effective control, locate and treat nests and surrounding areas. Apply around doors and windows where ants enter premises and where they crawl and hide. Inject into wall voids and infested wood through existing openings or newly drilled small holes.

Brown Dog Ticks and Fleas in Buildings: Apply to infested pet beds and resting quarters, nearby cracks and crevices, under the edges of rugs and floor coverings, between and under cushions of upholstered furniture where these pests may be present. Do not use directly on pets.

Spiders: Apply along and behind baseboards, to window and door frames, corners, pipes, storage localities, attics and crawl spaces over which these pests may crawl.

Centipedes, Earwigs, Ground Beetles, Millipedes, Mole Crickets, Pillbugs, Sowbugs, Scorpions and Ticks: Apply around doors and windows where these pests may enter premises. Treat baseboards and storage areas where these pests are found.

Pantry Pests -- Grain Beetles (Rusty, Merchant and Saw-Toothed), Flour Beetles (Red and Confused), Chocolate Moths, Cigarette Beetles, Clover Mites, Cluster Flies, Drugstore Beetles, Elmleaf Beetles, Rice Weevils, Lesser Grain Borers, Spider Beetles, and Tobacco Moths: Treat exposed stages. Remove all foodstuffs, utensils and shelf paper and any infested foodstuffs. Apply spray to shelves and in cracks and crevices behind and under cupboards and cabinets. Allow spray to dry prior to replacement of shelf paper, food and utensils.

Carpet Beetles (Black, Furniture and Varied): Spray on and under edges of floor coverings, under rugs and furniture and in closets where these insects are found.

Webbing Clothes Moths: Use this product as a crack and crevice treatment in closets and storage spaces where these pests are found. This is an adjunct treatment and will not control moth larvae already on clothes. Do not apply to clothing.

OUTDOORS:

Point nozzle away from face. Hold can on slight downward angle. For best results, spray when air is calm. Spray with wind if breeze is blowing. Remove all exposed food and cooking utensils. Cover all food handling surfaces or wash thoroughly after treatment before use. Do not use on edible crops. Do not make applications

during rain. Do not water the treated area to the point of run-off. Do not wet plants to point of runoff or drip.

All outdoor spray applications must be limited to spot or crackand-crevice treatments only, except for the following permitted uses:

- Application to pervious surfaces such as soil, lawn turf and other vegetation;
- Perimeter band treatments of 7 feet wide or less from the base of a man-made structure to pervious surfaces (e.g., soil, mulch or lawn);
- Applications to underside of eaves, soffits, doors, or windows permanently protected from rainfall by a covering, overhand, awning, or other structure;
- Applications around potential exterior pest entry points into man-made structures such as doorways and windows, when limited to a band not to exceed one inch;
- Applications to vertical surfaces (such as the side of a man-made structure) directly above impervious surfaces (e.g., driveways, sidewalks, etc.), up to 2 feet above ground level;
- 6) Applications to vertical surfaces directly above pervious surfaces, such as soil, lawn, turf, mulch or other vegetation) only if the pervious surface does not drain into ditches, storm drains, gutters, or surface waters.

Do not make applications during rain. Avoid making applications when rainfall is expected before the product has sufficient time to dry (minimum 4 hours). Rainfall within 24 hours after application may cause unintended runoff of pesticide application. Do not apply when windspeed is greater than 15 mph.

Pests on Outside Surfaces of Buildings: For control of building infestation due to Ants, Clover Mites, Crickets, Earwigs, Millipedes and Sowbugs (Pillbugs) -- Spray foundation of building where insects are active and may find entrance up to a height of 3 feet. Hold can two (2) to three (3) feet from surface to be treated and spray to slightly moisten surface. Apply as a residual spray to outside surfaces of buildings where insects tend to congregate. Apply as a spot or crack-and-crevice spray to screens, window frames, eaves, porches, patios, garages and refuse dumps.

Crawling Insects: Ants, Cockroaches (including Asian Cockroaches), Crickets, Centipedes and Silverfish -- Hold can two (2) to three (3) feet from surface to be treated and apply as a spot or crack-and-crevice spray to infested surface of patio or picnic area, hitting as many insects as possible. Spray to slightly moisten the surface. Also spray legs of tables and chairs to repel ants. Spray ant hills for best control.

Ants, Lone Star Ticks, Dog Ticks, Crickets, Fleas and Earwigs: Apply thoroughly to infestation in bushes, grass or weeds. For ants, spray freely around ant trails and hills.

Fire Ants: To treat mounds, use soil injector. To maximize spray distribution, insert injector into the mound full length if possible. Inject the mound at 3-6 sites at a rate of 5-10 seconds spray per site. For very large mounds (over 36 inches in diameter), increase the number of injection sites. Space injection sites in a circular pattern on the mound surface with one site in the center. To quiet active ants on mound surface, sweep surface with spray from a distance of 18 inches. For best results, apply in cool weather or in early morning or late evening hours. Treat new mounds as they appear.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **Pesticide Storage:** Do not store near heat or open flame. Store in a cool, dry area away from children.

Pesticide Disposal & Container Handling: Do Not Puncture or Incinerate! Non-refillable container. Do not reuse or refill this container. *If empty* -- Place in trash or offer for recycling if available. *If partly filled* – Do not pour or dispose down-the-drain or sewer. Call your local solid waste agency for local disposal instructions.

NOTICE: To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. To the extent consistent with applicable law, buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.



GRANT LABORATORIES, INC.

1000 Parkwood Circle, Suite 700 Atlanta, GA 30339

Product of U.S.A.

[Batch Code to be inserted at production.]