

KLENZADE™

TRICHLOR-O-CIDE XP-160

Powdered Sanitizer

For Industrial Use Only

ACTIVE INGREDIENTS:	
Sodium dichloro-s-triazinotriene (providing a minimum of 12% available chlorine)	28.0%
INERT INGREDIENTS:	71.0%
TOTAL	100.0%

Formula contains no phosphorus

**KEEP OUT OF REACH
OF CHILDREN
DANGER**

See additional precautions on side panel

A product of:
Econometrics Laboratory, Inc.
General Offices: St. Paul, Minnesota 55102
Sales Offices: 4 Corporate Park Drive, White Plains, New York 10604

STATEMENT OF PRACTICAL TREATMENT

INTERNAL: If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. GET MEDICAL ATTENTION IMMEDIATELY.

EYES: Flush with plenty of water. Get medical attention if irritation persists.

EXTERNAL: Wash with plenty of soap and water.

EPA Reg. No. 1677-91
EPA Est. No. 1677-NJ-1

25 LBS. NET WT.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Causes eye damage and skin irritation. Harmful if swallowed. Do not get in eyes or on clothing. Avoid skin contact. Avoid breathing dust. Wear goggles, face shield or safety glasses and rubber gloves when handling. After handling, wash thoroughly with water and soap. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Treated effluent may not be discharged into lakes, streams, ponds or public water without a valid discharge permit. For guidance contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS: Drying agent. Do not mix with acids, will cause hazardous vapors. Mix only with water according to label directions. Do not store or use in a manner that would contaminate food or feed.

DIRECTION FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DAIRY FARMS, DAIRY PLANTS & FOOD PROCESSING PLANTS: Clean utensils and equipment with an appropriate Klenzade detergent and rinse. Before use sanitize these items with a 100 ppm available chlorine solution of TRICHLOR-O-CIDE XP-160 for a two-minute exposure period. Allow to drain thoroughly. Note: DO NOT SHAK OVERNIGHT. See label below for solution directions.

POULTRY OPERATIONS: All utensils and pans should be thoroughly washed, rinsed and then sanitized with a 200 ppm available chlorine solution of Klenzade TRICHLOR-O-CIDE XP-160. Rinse thoroughly and waterlogged equipment with potable water before drying.

PROPORTIONS TO USE TABLE:
200 ppm available chlorine: Use 1 oz. per 5 gallons
100 ppm available chlorine: Use 1 oz. per 10 gallons

STORAGE AND DISPOSAL

Keep container closed. Store in cool dry area. Dispose of drum liner according to approved Federal, State or local procedures under the Resource Conservation & Recovery Act. If the container cannot be reused, dispose of in a sanitary landfill or by incineration if permitted by State and local authorities.

255811/12000002 Printed in U.S.A.

BEST DOCUMENT AVAILABLE