

Storage and Disposal:

DO NOT contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

Pesticide Disposal: Wastes resulting in the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: DO NOT reuse empty container. Triple rinse (or equivalent) and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerate, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Warranty and Limitation of Damages

Seller warrants that this material conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use and Buyer assumes the risk of any use contrary to such directions. SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR OF MERCHANTABILITY, AND NO AGENT OF SELLER IS AUTHORIZED TO DO SO. In no event shall Seller's liability for any breach of warranty exceed the purchase price of the material as to which a claim is made.

Buyers and users of this product are responsible for all loss or damage from use or handling of this product which results from conditions beyond the control of Seller, including, but not limited to, incompatibility with other products unless otherwise expressly provided in the Directions for Use of this product, weather conditions, cultural practices, moisture conditions or other environmental conditions outside of the ranges that are generally recognized as being conducive to good agricultural and/or horticultural practices.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

MAR 28 1995

Ecolab, Inc.
 Ecolab Center
 370 Wabash Street
 St. Paul, MN 55102

Attention: Ann M. Oxford
 Manager, Regulatory Services

Subject: Mikro-Quat
 EPA Registration No. 1677-21
 MOU Compliance Amendment dated January 9, 1995

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, will be acceptable provided that you make the labeling changes listed below before you release the product for shipment bearing the amended label.

1. Replace "Trichophyton interdigitale" with "Trichophyton mentagrophytes".
2. Specify the subtype for Influenza A.

A stamped copy of your labeling is enclosed for your records. Submit one (1) copy of the final printed label prior to release of the product for shipment.

If you have any questions concerning this letter, please contact Wanda Mitchell at (703) 305-6141.

Sincerely yours,

Marion J. Johnson, Jr.
 Product Manager (31)
 Antimicrobial Program Branch
 Registration Division (7505C)

CONCURRENCES

SYMBOL	7505C						
SURNAME	M. J. Johnson						
DATE	4/3/95						

1677-21

CENTER | PANEL 2

CENTER | PANEL 3

MIKRO-QUAT

DETERGENT • GERMICIDE • DEODORIZER • STAPHYLOCIDAL •
PSEUDOMONACIDAL • FUNGICIDAL • CLEANS, DISINFECTS AND
DEODORIZES IN ONE OPERATION • PLEASANT FRAGRANCE •
ECONOMICAL TO USE

ECOLAB®

Mikro-Quat

Detergent • Germicide • Deodorizer
Detergente • Germicida • Deodorizante

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner not specified on the label. Apply MIKRO QUAT to walls, floors, sinks, tubs, toilet parts, safes, furniture, linings and equipment with a mop or hand spray. Wash floors thoroughly. Preliminary removal of gross soils required. Prepare fresh solution for each use.

Use MIKRO QUAT in hospitals, hotels, restaurants, schools, homes, food processing plants, schools and animal facilities.

LIGHT-DUTY CLEANING AND SANITIZING - NON FOOD CONTACT SURFACES

Use 1.3 oz MIKRO QUAT per gallon of water (170 ppm) in a 10 minute contact time.

COMBINATION DISINFECTION AND CLEANING

Use 2.3 oz MIKRO QUAT per gallon of water (300 ppm) in a 10 minute contact time. Remove solution and entrapped soil with a mop or brush. Wash with clean water.

MIKRO QUAT has been shown to be effective against the following organisms at 2.3 oz per gallon in the

presence of protein (5 - 10% solution)	
<i>Vibrio cholerae</i>	<i>Staphylococcus aureus</i>
<i>Staphylococcus aureus</i>	<i>Escherichia coli</i>
<i>Salmonella typhosa</i>	<i>Staphylococcus aureus</i> (121 ppm)
<i>Typhoid fever bacillus</i>	<i>Vibrio cholerae</i>
VIRUCIDAL Disinfectant	<i>Poliovirus</i>
Influenza A	Herpes Simplex type 1
Newcastle D. Disease	Adenovirus type 3
	Herpes Simplex type 1
	HSV 1 AOS Virus

ACTIVE INGREDIENT

Axyl (50% C₁₄ 40% C₁₂ 10% C₁₆) dimethyl benzyl ammonium chloride

INERT INGREDIENTS*

*Active ingredients and buffering agents

KEEP OUT OF REACH OF CHILDREN

DANGER

See side panel for additional precautionary statements

TO REORDER THIS
AND CALL 1-800-35

23.6 picas

main panel 27 picas

ACCEPTED
with COMMENTS
in EPA Letter Dated:

MAY 28 1995

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended for the pesticide
registered under EPA Reg. No.

1617-2

RECOMMENDED MINIMUM TYPE
IS 8 PT. REGULAR FOR POS. TYPE
AND 8 PT. BOLD FOR REVERSE PRINTING

TYPE SMALLER THAN 8 PT. MAY RESULT
IN BROKEN, OR FILLED IN CHARACTERS