

40 Lbs. Net Wt.

1-024

DIRECTIONS FOR USE

STABILIZE with SOILAX POOL STABILIZER. Follow label instructions.

ADJUST pH to 7.2-7.8 if necessary by adding SOILAX POOL ACID to reduce pH or SOILAX POOL BUFFER to increase pH.

CHLORINATE pool with 3 1/2 oz SOILAX POOL SANITIZER per 10,000 gallons. Repeat this dosage until a chlorine residual of 1.0 to 1.5 parts per million (PPM) has been established as determined with a reliable test kit.

MAINTAIN residual chlorine at 1.0 to 1.5 PPM. 2 1/4 ounces SOILAX POOL SANITIZER supply 1.0 PPM chlorine to 10,000 gallons. Normally 2 1/4-3 1/2 oz. per 10,000 gallons added every other day will accomplish this although more may be required during exceptionally hot weather or heavy bather loads.

If algae develops in spite of adherence to the above instructions, the pool may be contaminated with urine or windblown organic matter such as fertilizer. In this case "Super Chlorinate" by adding 11 oz SOILAX POOL SANITIZER per 10,000 gallons and resume regular program when residual chlorine drops to 1.0 to 1.5 ppm.

RINSE EMPTY CONTAINER THOROUGHLY WITH WATER AND DISCARD.

FOLLOW LOCAL HEALTH AUTHORITIES RECOMMENDATIONS.

THIS PRODUCT IS TOXIC TO FISH. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Soilax **POOL** **SANITIZER**

REGISTERED TRADEMARK
ECONOMICS LABORATORY, INC.

ACCEPTED
67744
MAR 7 1975
UNDER THE FEDERAL INSECTICIDE
HERBICIDE AND RODENTICIDE ACT
AS AMENDED
FOR ECONOMIC POISON REGISTERED
UNDER NO.

CONCENTRATED CHLORINE FOR ALL SWIMMING POOLS

Keep container closed.
Store in cool, dry place.

ACTIVE INGREDIENT: 100%
Sodium Dichloro-s-Triazinetrione Dihydrate

EPA Reg. No. 1677-44AA

FOR INDUSTRIAL USE ONLY

PRECAUTIONS AND FIRST AID INSTRUCTIONS

DANGER: KEEP OUT OF REACH OF CHILDREN

Strong oxidizing agent. Harmful or fatal if swallowed. Do not get in eyes or on skin. Avoid breathing dust. Keep away from heat and open flames. Contact with heat, moisture, foreign materials or contamination from any source may result in fire. Do not use in a floating feeder.

FIRST AID

EXTERNAL — Flush with running water.
INTERNAL — Drink large amount of water, milk or egg whites. Follow with olive oil.
EYES — Flush with running water.
GET MEDICAL ATTENTION IMMEDIATELY



A product of

ECONOMICS LABORATORY, INC.

General Offices: St. Paul, Minn. 55102

Sales Offices: 4 Corporate Park Drive, White Plains, N.Y. 10604

PRINTED IN U.S.A.

40 Lbs. Net Wt.

Soilax

POOL

SANITIZE

**CONCENTRATED CHLORINE
FOR ALL SWIMMING POOLS**

Keep container closed.
Store in cool, dry place.

**ACTIVE INGREDIENT: 100%
Sodium Dichloro-s-Triazinetrione Dihydrate**

EPA Reg. No. 1677-44AA

FOR INDUSTRIAL USE ONLY

**PRECAUTIONS AND FIRST AID
DANGER: KEEP OUT**

Strong oxidizing agent. H
Do not get in eyes or on
Keep away from heat and
heat, moisture, foreign ma
any source may result in
feeder.

FIR
EXTERNAL — Flush with
INTERNAL — Drink large
whites. Fol

EYES — Flush with
GET MEDICAL ATTE



A product of
ECONOMICS LA

® General Offices: St. Paul, Minn. 55102 • Sales

POOL SANITIZER

ACCEPTED
677-44
MAR 7 1975
UNDER THE FEDERAL INSECTICIDE
AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO.

FOR USE IN POOLS

PRECAUTIONS AND FIRST AID INSTRUCTIONS

DANGER: KEEP OUT OF REACH OF CHILDREN

Irritant. Harmful or fatal if swallowed.
Avoid contact with eyes or on skin. Avoid breathing dust.
Keep away from heat and open flames. Contact with
flammable materials or contamination from
flammable materials may result in fire. Do not use in a floating

FIRST AID

IF ON SKIN: Wash with running water.
IF IN EYES: Flush with large amount of water, milk or egg
white. Flush with olive oil.
IF SWALLOWED: Drink large amount of water.
SEE A PHYSICIAN IMMEDIATELY.

AVOID CONTACT WITH EYES