

Oct. 6 1977

HERBICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTERED UNDER NO. 1677-53AA



42812

# TRICHLOR-O-CIDE

TRADE MARK

## formula XP-100 POWDERED • BACTERICIDE

EPA Reg. No. 1677-53AA

# DANGER

### HARMFUL IF SWALLOWED KEEP OUT OF REACH OF CHILDREN

#### See First Aid and other precautions on side panel.

<b>ACTIVE INGREDIENTS:</b>	
Sodium Dichloro-s-triazinetrione dihydrate (Providing 10% available chlorine)	20.25%
Sodium Metasilicate	10.00%
<b>INERT INGREDIENTS</b>	<b>69.75%</b>

## NET WEIGHT 25 LBS.

EPA Est. 1677-IL-2

**DIRECTIONS FOR USE**  
**DAIRY FARMS**  
Spray on floors, walls, and ceilings of milking parlors, feed rooms, and other areas where dairy animals are kept. See label for details. Do not use on animals.

**DAIRY PLANTS**  
Efficient bactericide for all types of dairy plants. See label for details. Do not use on animals.

**FOOD PROCESSING PLANTS**  
Use on floors, walls, and ceilings of food processing plants. See label for details. Do not use on food.

**INSTITUTIONS - FOOD SERVICE**  
Use on floors, walls, and ceilings of food service areas. See label for details. Do not use on food.

**POULTRY OPERATIONS**  
Use on floors, walls, and ceilings of poultry houses. See label for details. Do not use on birds.

**PROPORTIONS TO USE - TABLE**

Manufactured Exclusively by  
**ECONOMICS LABORATORY, INC.**  
Klenzade Products Division  
Osborn Building, St. Paul, MN 55102  
9226/0300/0874

# DANGER

MAY CAUSE BURNS OR DAMAGE TO THE EYES. DO NOT GET ON SKIN OR IN EYES. AVOID INHALATION OF DUST OR SPRAY MIST. AVOID CONTAMINATION OF FOOD.

### FIRST AID

**EXTERNAL:** IF CONTACT WITH EYES OCCURS, FLUSH WITH PLENTY OF WATER FOR 15 MINUTES. GET MEDICAL ATTENTION. IF CONTACT WITH SKIN OCCURS, FLUSH WITH PLENTY OF WATER.

**INTERNAL:** DRINK MUCILAGE, RAW EGG WHITE, MILK OR RICE GRUEL. FOLLOW WITH EMETIC (TABLESPOONFUL OF MUSTARD IN GLASS OF WATER).

### CALL A PHYSICIAN

**IMPORTANT: DO NOT MIX TRICHLOR-O-CIDE WITH ACID DETERGENTS.** CONTAINS STRONG OXIDIZING MATERIAL. AVOID HEAT, FLAMES, MOISTURE OR FOREIGN CONTAMINANTS. DO NOT RE-USE EMPTY CONTAINER. RINSE CONTAINER THOROUGHLY WITH WATER AND DISCARD OR DESTROY BY BURYING WITH WASTE OR BURNING. STAY AWAY FROM SMOKE OR FUMES.

CONTAINS 8.6% PHOSPHORUS-32 GMS PER GAL OF AVERAGE RECOMMENDED USE CONCENTRATION

110

## **DIRECTIONS FOR USE DAIRY FARMS**

Sanitize utensils and equipment before use with a 100 ppm solution of Klenzade Trichlor O Cide for a two minute exposure period. NOTE: DO NOT SOAK OVERNIGHT. Rinse with potable water prior to reuse. Always clean utensils and equipment with a Klenzade detergent before sanitizing.

## **DAIRY PLANTS**

Efficient bactericide for all types of milk processing equipment. See chart table for proper 100 ppm dilution. Apply sanitizing solution for a two minute exposure period. Rinse with potable water prior to reuse. Mixes easily with hot or warm water.

## **FOOD PROCESSING PLANTS**

Heavy duty sanitizer for tanks, vats, coolers, packaging machinery and all other types of food processing equipment. Leaves no residual film on sanitized surfaces. Use 100 ppm solution of Klenzade Trichlor O Cide for a two minute exposure period. Rinse with potable water prior to reuse.

## **INSTITUTIONS — FOOD SERVICE**

1. Scrape and pre wash dishes, glasses, utensils and equipment whenever possible.
2. Wash with appropriate Klenzade detergent.
3. Rinse with clean water.
4. Sanitize in a solution of 1/2 oz. of Klenzade Trichlor O Cide to 8 gallons of water (100 ppm available chlorine). Immerse all utensils for at least two minutes or for contact time specified by governing sanitary code.
5. Rinse with potable water prior to reuse.
6. Place sanitized utensils on rack or drainboard to air dry.

## **POULTRY OPERATIONS**

All utensils and pans should be thoroughly washed and then rinsed or sprayed with 200 ppm of Klenzade Trichlor O Cide. See Table. Utensils and pans must be rinsed with potable water before reuse. Poultry houses should be cleaned regularly and then sprayed with a solution of 5 ounces of Klenzade Trichlor O Cide to 4 gals. of water for the necessary 1000 ppm solution for spraying poultry houses.

### **PROPORTIONS TO USE — TABLE**

- 100 ppm use 1/2 oz. to each 8 gal. of water
- 200 ppm use 1 oz. to each 4 gals. of water
- 1000 ppm use 5 oz. to each 4 gals. of water

Manufactured Exclusively by  
**ECONOMICS LABORATORY, INC.**  
**Klenzade Products Division**

Osborn Building, St. Paul, MN 55102

9226/0300/0874



FUN  
FOR  
ED

# TRIC

# POW

# HA

# KEEP OU

# Se

# prec

## **ACTIVE INGRI**

## **Sodium Dich**

## **(Provic**

## **Sodium Met**

## **INERT INGRED**

# **NET**

DIRECTIONS FOR USE  
DAIRY FARMS

DAIRY PLANTS

FOOD PROCESSING PLANTS

INSTITUTIONS — FOOD SERVICE

POULTRY OPERATIONS

PROPORTIONS TO USE — TABLE

Manufactured Exclusively by  
**ECONOMICS LABORATORY, INC.**  
Klenzade Products Division  
Osborn Building St. Paul, MN 55102



FUNGICIDE AND BACTERICIDE ACT  
FOR ECONOMIC PEST CONTROL  
ED UNDER NO

42812

# TRICHLOR-O-CIDE

formula XP-100  
**POWDERED • BACTERICIDE**

**HARMFUL IF SWALLOWED**

**See First Aid and other  
precautions on side panel.**

**ACTIVE INGREDIENTS:**

Sodium Dichloro-s-triazinetriane dihydrate (Providing 10% available chlorine)	20.25%
Sodium Metasilicate	10.00%

**INERT INGREDIENTS**

69.75%

**NET WEIGHT 25 LBS.**

EPA EST. 0677112

EXTERNAL  
INTERNAL: [  
RAW EGG W  
SPUELL FOLL  
TABLESPOON  
IN GLASS OF V

CHLOR-O-CID  
TERGENTS. CO  
HEAT FLAME  
EFFECTIVE IN  
WATER WITH  
WATER WITH  
WATER WITH  
WATER WITH

INTERNAL USE  
EPA EST. 0677112



FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC PEST CONTROL REGISTERED  
EPA UNDER NO.

42812

# TRICHLOR-O-CIDE

formula XP-100  
**POWDERED • BACTERICIDE**

**DANGER**

**HARMFUL IF SWALLOWED**

**See First Aid and other  
precautions on side panel.**

**ACTIVE INGREDIENTS:**

Sodium Dichloro-s-triazinetriene dihydrate (Providing 10% available chlorine)	20.25%
Sodium Metasilicate	10.00%

**INERT INGREDIENTS**

69.75%

**NET WEIGHT 25 LBS.**

EPA Est. 1677 IL-2

**DANGER**

MAY CAUSE BURNS OR DAMAGE TO THE EYES. DO NOT GET IN EYES OR ON EYE. WASH IMMEDIATELY WITH PLENTY OF WATER.

**EXTERNAL:** IF CONTACT WITH EYES OCCURS FLUSH WITH PLENTY OF WATER FOR 15 MINUTES. GET MEDICAL ATTENTION. IF CONTACT WITH SKIN OCCURS FLUSH WITH PLENTY OF WATER.

**INTERNAL:** DRINK MUCILAGE RAW EGG WHITE MILK OR RICE GRUEL FOLLOW WITH EMETIC TABLESPOONFUL OF MUSTARD IN GLASS OF WATER.

**DO NOT MIX TRICHLOR-O-CIDE WITH ACID DETERGENTS. CONTAINS STRONG OXIDIZING MATERIAL. AVOID HEAT, FLAMES, MOISTURE OR FIBERIN CONTAMINANT. DO NOT REUSE EMPTY CONTAINER. REUSE CONTAINER THOROUGHLY WITH WATER AND DRAINAGE. KEEP FROM CHILDREN AND AWAY FROM FIRE.**

CONTAINS 10% PHOSPHORUS  
10% POTASSIUM PERCHLORATE  
10% POTASSIUM PERMANGANATE