



KLENZADE®

4-33-80 PM 3- 1677-56 1/6

42606

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

EPA Reg. No. 1677-56

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive, causes eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Harmful or fatal if swallowed.

PHYSICAL AND CHEMICAL HAZARDS: Mix only with water according to label directions.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

- all attached*
- Dairy and food processing equipment**
1. Rinse equipment with clean lukewarm water immediately after use. Flush thoroughly to remove all loose material.
 2. Brush-wash all surfaces with proper Klenzade detergent.
 3. Rinse thoroughly with hot (145°F.) water.
 4. Sanitize just before using equipment with K-San at 1 oz. to 2 gallons of water (100 ppm of sodium dodecylbenzene sulfonate). All surfaces should be exposed to the sanitizer for a period of not less than 2 minutes. Drain solution from equipment.

NOTE: FOR MECHANICAL OPERATIONS prepared use solutions may not be re-used for sanitizing but may be reused for other purposes such as cleaning. FOR MANUAL OPERATIONS fresh sanitizing solutions should be prepared as soon as they become diluted or soiled.

Institutional Applications DISHES, GLASSES, UTENSILS AND EQUIPMENT

1. Scrape and prewash dishes, glasses, utensils and equipment whenever possible.
2. Wash with appropriate Klenzade detergent.
3. Rinse with clear water.
4. Sanitize in a solution of 1 oz. K-SAN to 2 gallons of water (100 ppm of sodium dodecylbenzene sulfonate). Immerse all utensils for at least two minutes or for contact time specified by governing sanitary code.
5. Place sanitized utensils on rack or drainboard to air dry.

STORAGE AND DISPOSAL:

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

EPA Est. 1677-IL-2 (J), 1677-NJ-1 (W), 1677-TX-1 (D), 1677-GA-1 (M), 1677-CA-1 (S), 1677-MN-1 (E), 1677-PA-1 (B)

Superscript refers to first letter of date code.

K-SAN

Acid Sanitizer

BEST AVAILABLE COPY

ACTIVE INGREDIENT:	
Phosphoric Acid	22.0%
INERT INGREDIENTS:	78.0%
(Contains a non-ionic detergent)	

FOR AGRICULTURAL OR COMMERCIAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

DANGER

See side panel for additional precautions.

CONTAINS NOT MORE THAN 7.0% PHOSPHORUS, 1.15 GMS. PER GAL. OF AVERAGE RECOMMENDED USE CONCENTRATION.

FIRST AID

EXTERNAL: IMMEDIATELY FLUSH SKIN WITH PLENTY OF COOL RUNNING WATER FOR AT LEAST 15 MINUTES. WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING. REMOVE CONTAMINATED CLOTHING AND WASH BEFORE REUSE


EYES: IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. CALL A PHYSICIAN.

INTERNAL: IF SWALLOWED, DO NOT INDUCE VOMITING. IMMEDIATELY DRINK A LARGE QUANTITY OF WATER, THEN DRINK MILK OR MILK OF MAGNESIA. FOLLOW WITH OLIVE, MINERAL OR VEGETABLE OIL, OR RAW EGGS. CALL A PHYSICIAN IMMEDIATELY.

GET MEDICAL ATTENTION IMMEDIATELY FOR EMERGENCY MEDICAL INFORMATION, CALL TOLL-FREE 1-800-328-0026.

NET CONTENTS:

55 U.S. GALS. (208.2 l)



Manufactured by:
KLENZADE Division of Ecolab Inc.
 Ecolab Center
 St. Paul, Minnesota 55102 ©, 1988
 785790/33010688 Printed in U.S.A.

1. Rinse equipment with clean lukewarm water immediately after use. Flush thoroughly to remove all loose material.
2. Brush-wash all surfaces with proper Klenzade detergent.
3. Rinse thoroughly with hot (145 deg F) water.
4. Sanitize equipment prior to use. Use immersion, circulation or spray techniques as appropriate. For sanitizing by immersion or circulation, use K-SAN at 1 ounce to 2 gallons of water (100 ppm sodium dodecylbenzene sulfonate). For spray sanitizing, use K-SAN at 1 ounce to 1 gallon of water (200 ppm sodium dodecylbenzene sulfonate). All surfaces should be exposed to the sanitizer for a period of not less than 2 minutes. Drain solution from equipment.

NOTE: FOR MECHANICAL OPERATIONS prepared use solutions may not be reused for sanitizing but may be reused for other purposes such as cleaning.

FOR MANUAL OPERATIONS fresh sanitizing solution should be prepared as soon as they become diluted or soiled.

