



42606

EPA Reg. No. 1677-56

K-SAN

Acid Sanitizer

ACTIVE INGREDIENTS

Phosphoric Acid
Sodium Dodecylbenzene sulfonate

22.00%
2.75%
75.25%

INERT INGREDIENTS:

FOR AGRICULTURAL OR COMMERCIAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

DANGER

See side panel for additional precautions

CONTAINS NOT MORE THAN 7.0% PHOSPHORUS, 1.15 GMS PER GAL OF AVERAGE RECOMMENDED USE CONCENTRATION

DO NOT MIX WITH ANY OTHER CLEANING SOLUTIONS

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush immediately with cool water. Remove contact lenses. Continue flushing for 15 minutes, holding eyelids apart. Contact a physician.

IF ON SKIN: Flush immediately with cool water. Wash with plenty of soap and water. Get medical attention if irritation persists.

IF SWALLOWED: Rinse mouth at once. Then drink one or two glasses of water. DO NOT INDUCE VOMITING. Never give anything by mouth to an unconscious person.

CALL A POISON CONTROL CENTER OR PHYSICIAN IMMEDIATELY.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

FOR EMERGENCY MEDICAL INFORMATION, CALL TOLL-FREE: 1-800-328-0026

Manufactured by:

KLENZADE Division of Ecolab
Ecolab Center
St. Paul, Minnesota 55101

ACCEPTED
MAY 22, 1995
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 1677-56

NET CONTENTS:

55 U.S. GALS. (208.2 l)

BEST COPY AVAILABLE

192

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes eye and skin damage. Do not get in eyes, on skin or on clothing. Wear rubber gloves, chemical goggles and protective clothing. Harmful or fatal if swallowed. Avoid contamination of food. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Dairy and food processing equipment

1. Rinse equipment with clean lukewarm water immediately after use. Flush thoroughly to removed all loose material.
2. Brush-wash all surfaces with proper Klensade detergent.
3. Rinse thoroughly with hot (145 deg F) water.
4. Sanitize equipment prior to use. Use immersion, circulation or spray techniques as appropriate. For sanitizing by immersion or circulation, use K-SAN at 1 ounce to 2 gallons of water. For spray sanitizing, use K-SAN at 1 ounce to 1 gallon of water. All surfaces should be exposed to the sanitizer for at least one minute or contact time specified by governing sanitary code. Drain solution from equipment.

Institutional Applications

DISHES, GLASSES, UTENSILS AND EQUIPMENT

1. Remove gross food particles by a prescrape, preflush and when necessary a presoak treatment.
2. Wash with an appropriate detergent.
3. Rinse with clean water.
4. Sanitize in a solution of 1 oz. product to 2 gallons of water (100 ppm of sodium dodecylbenzene sulfonate). The sanitizer concentration can be verified with a Bar Star Sanitizer Test Kit. Immerse all utensils for at least one minute or contact time specified by governing sanitary code.
5. Place sanitized items on rack or drainboard to air dry.

NOTE: FOR MECHANICAL OPERATIONS prepared use solutions may not be reused for sanitizing but may be reused for other purposes such as cleaning. FOR MANUAL OPERATIONS fresh sanitizing solution should be prepared at least daily or more often if solution becomes diluted or soiled.

This product conforms to 21 CFR 178.1010(b)(7).

STORAGE & DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: (1 gal) Do not reuse empty containers. Wrap container and put in trash.

(5, 15, 30, 55 gal plastic) Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

EPA Est. 1677-IL-2 (J), 1677-NJ-1 (W), 1677-TX-1 (D), 1677-GA-1 (M), 1677-MN-1 (P), 1677-CA-1 (S), 1677-PR-1 (B).

The superscript refers to the first letter of the date code.