


Manufactured by Economics Laboratory, Inc., Klenzade Division, Osborn Bldg., St. Paul, Minnesota 55102



42341



KURB

Formula HC-65

REG. NO. 1677-62AA

FOR CONTROL OF BACTERIAL SLIME IN BREWERY PASTEURIZERS & WARMERS

ACTIVE INGREDIENTS:

1-alkyl (5% C ₈ , 8% C ₁₁ , 52% C ₁₂ , 19% C ₁₄ , 8% C ₁₆ , 9% C ₁₈) amino-3-aminopropane dicarboxylate15.5%
Isopropyl alcohol28.0%

INERT INGREDIENTS:58.5%
---------------------------	------------

DANGER

KEEP OUT OF REACH OF CHILDREN

HARMFUL IF SWALLOWED. MAY BE ABSORBED THROUGH SKIN. CAUSES SEVERE SKIN AND EYE DAMAGE. WEAR GOGGLES OR FACE SHIELD AND RUBBER GLOVES WHEN HANDLING CONCENTRATE. AFTER CONTAMINATION, WASH DO NOT GET IN EYES OR ON SKIN OR CLOTHING.

REG. NO. 1677-62AA

GENERAL DIRECTIONS

Manual Addition

1. In uses with either tunnel pasteurizers or container warmers, add 15 oz. Kurb to 200 gal. of water. This will provide an initial concentration of 600 ppm Kurb.
2. Kurb should be added on daily basis in proportion to the amount of make-up water required.
3. Kurb should be added to each compartment of the pasteurizer or warmer at the pump well to provide equal dispersion throughout.
4. It is recommended that Klench be used in conjunction with Kurb to provide corrosion protection.

Automatic Addition

Kurb may be added with a proportioner pump such as MIKRO MASTER 23D. Preset pump to yield a concentration of 400 ppm Kurb or 10 oz. to 200 gal. of water.

Dilution Table

10 oz. of Kurb HC-65 to 200 gal. of water equals 400 ppm Kurb. 15 oz. of Kurb HC-65 to 200 gal. of water equals 600 ppm Kurb.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, do not induce vomiting, drink large quantities of fluid and call a physician immediately.

FLAMMABLE

DO NOT USE NEAR OPEN FLAME. KEEP CONTAINER COVERED AND USE ONLY WITH ADEQUATE VENTILATION.

DO NOT REUSE EMPTY DRUM. RETURN TO DRUM RECONDITIONER OR DESTROY BY PERFORATING OR CRUSHING AND BURYING IN A SAFE PLACE.

42341-0175 Printed in U.S.A.

NET CONTENTS: 50 GALS.

Manufactured by Economics Laboratory, Inc., Klenzade Division, Osborn Bldg., St. Paul, Minnesota 55102



42341

KURB

formula HC-65

EPA REG. NO. 1677-62AA

FOR CONTROL OF BACTERIAL SLIME IN BREWERY PASTEURIZERS & WARMERS

ACTIVE INGREDIENTS:

1-alkyl(5% C ₈ , 6% C ₁₀ , 52% C ₁₂ , 19% C ₁₄ , 9% C ₁₆ , 9% C ₁₈) amino-3-aminopropane diacetate15.5%
Isopropyl alcohol26.0%

INERT INGREDIENTS:58.5%

DANGER

KEEP OUT OF REACH OF CHILDREN

HARMFUL IF SWALLOWED. MAY BE ABSORBED THROUGH SKIN. CAUSES SEVERE SKIN AND EYE DAMAGE. WEAR GOGGLES OR FACE SHIELD AND RUBBER GLOVES WHEN HANDLING CONCENTRATE. AVOID CONTAMINATION OF FOOD. DO NOT GET IN EYES OR ON SKIN OR ON CLOTHING.

EPA EST. 1677-IL-2

GENERAL DIRECTIONS

Manual Addition

1. To apply with either manual pasteurizer or warmer, add 10 oz. of Kurb to 200 gal. of water or add 15 oz. of Kurb to 200 gal. of water to provide a concentration of 400 ppm Kurb.
2. Kurb should be added on daily basis in proportion to the amount of make-up water required.
3. Kurb should be added to each compartment of the pasteurizer or warmer at the pump well to provide equal dispersion throughout.
4. It is recommended that Klench be used in conjunction with Kurb to provide corrosion protection.

Automatic Addition

Kurb may be added with a proportioner pump, such as MIKRO MASTER 230. Preset pump to yield a concentration of 400 ppm Kurb or 10 oz. to 200 gal. of water.

Dilution Table

10 oz. of Kurb HC-65 to 200 gal. of water equals 400 ppm Kurb. 15 oz. of Kurb HC-65 to 200 gal. of water equals 600 ppm Kurb.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, do not induce vomiting, drink large quantities of fluid and call a physician immediately.

FLAMMABLE

DO NOT USE NEAR OPEN FLAME. KEEP CONTAINER COVERED AND USE ONLY WITH ADEQUATE VENTILATION.

DO NOT REUSE EMPTY DRUM. RETURN TO DRUM RECONDITIONER OR DESTROY BY PERFORATING OR CRUSHING AND BURYING IN A SAFE PLACE.

1600-0303-0176 Printed in U.S.A.

NET CONTENTS: 50 GALS.