

registered under EPA Reg. No.

Butoxypolypropoxypolyethoxyethanol and polypropoxy polyethoxy ethanol-lodine complexes	11.5%
(providing 1.75% titratable iodine)	11.070
Citric Acid	4.8%
INERT INGREDIENTS:	83.7%
Total	100.0%

KEEP OUT OF REACH OF CHILDREN DANGER

See side panel for additional precautions.

PRECAUTIONARY STATEMENTS

ACTIVE INGREDIENTS.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: CAUSES EYE DAMAGE. PROTECT EYES WHEN HANDLING. DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING. HARMFUL IF SWALLOWED. AVOID CONTAMINATION OF FOODS.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish. Do not discharge into lakes, streams, ponds or public waterways unless in accordance with an NPDES permit. For guidance contact the regional office of the U.S. Environmental Protection Agency.

Manufactured by:

1

1.3.5.

Kienzade Division,

Economice Leboratory, Inc., Osborn Building, St. Paul, Minnesota 55102 ©, 1984 Termeviae trunk in USA FIRST AID

EXTERNAL: Immediately flush skin with planty of water. Remove and wash contaminated clo hing. EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention. INTERNAL: if swallowed, immediately drink a large quantity of milk, egg whites or gelatin solution. if these are not available, drink large quantities of water.

GET MEDICAL ATTENTION IMMEDIATELY FOR EMERGENCY MEDICAL INFORMATION, CALL TOLLFREE 1-800-328-0026.

BEST AVAILABLE COPY

NET CONTENTS:

55 U.S. GALS. (208.2 I)

DIRECTIONS FOR USE:

It is a violation of Federal Lawto use this production a manner inconsistent with its labeling.

Diractions for senitizing

- 1. Wash equipment prior to sanitizing with proper Klenzade detergents.
- 2. Rinse thoroughly with tep water.
- 3. Sarjitize equipment using to unce of Bevro Klane, ID-87, to each 5 balloos of water. The sanitizing concentration may be effectively and automatically controlled with the use of Mikro Master, Omni-Spray or Mikro-Feed equipment.
- 4. All surfaces should be exposed to the sanitizing solution for a period of not less than 2 minutes.

Sanitary filling operation

- Wash all equipment involved using proper Klenzade detergents and procedures as recommended by your Klenzade representatives.
- 2. Rinse thoroughly with potable water.
- Sanitize all filling and capping equipment continuously with 1 ounce of Bevro Klene, ID-81, to 5 gallons of water using proper Klenzade Mikro Master feeding equipment.

Final bottle and can treatment

Using Klenzade Mikro Master feeding equipment, treat final rinse with 1 ounce of Bevro Klene, ID-81, to 10 gallons final rinse water.

Dilution table

1 ounce of Bevro Klene, ID-81, to 10 gailons of water = 12.5 ppm titratable iodina.

1 ounce of Bevro Klene, ID-81, to 5 gallons of water = 25 ppm titrable iodine.

Always follow local health department recommendations.

STORAGE AND DISPOSAL

PESTICIDE DISPOSAL:

Do not contaminate water, food or feed by storage or disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructiona, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL:

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

KEEP FROM FREEZING

+14 20. 1677-63






BEST AVAILABLE COPY

EPA Reg. No. 1677-63



St. 7 1 Formula ID-81

Iodophor Detergent Sanitizer



ACTIVE INGREDIENT:

lodine*

INERT INGREDIENTS:

From Butoxypolypropoxypolyethoxyethanol and polypropoxypolyethoxyethanol-iodine complexes

KEEP OUT OF REACH OF CHILDREN DANGER

See side panel for additional precautions.

PRECAUTIONARY STATEMETTS

HAZARDS TO HUMANS A'ID DOMESTIC ANIMALS

DANGER: CAUSES SEVERE EYE DAMAGE AND SKIN IRRITATION DO NOT GET IN EYES, ON SKIN OR ON CLOTHING WEAR GOGGLES OR FACE SHIELD AND RUBBER GLOVES WHEN HANDLING, HARMFUL IF SWALLOWED WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING AVOID CONTAMINATION OF FOODS.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish. Do not uischame into lakes, streams, ponds or public waterways unless in accordance with an NPDES permit. For guidance contact the regional office of the U.S. Environmental Protection Agency

Manufactured by:

KLENZADE, Division of Ecolab Inc. Ecolab Center St. Paul, Minnesota 55102 ..., 1990 757070/5300-0890 Primed in USA

FIRST AID

EXTERNAL: Immediately flush skin with plenty of water. Remove and wash contaminated clothing. EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention. **INTERNAL:** If swallowed, immediately drink large quantities of water.

GET MEDICAL ATTENTION IMMEDIATELY FOR EMERGENCY MEDICAL INFORMATION, CALL TOLL-FREE 1-800-328-0026.

EPA Est. 1677-IL-2 (J), 1677-NJ-1 (W), 1677-TX-1 (D), 1677-GA-1 (M), 1677-CA-1 (S), 1677-MN-1 (P), 1677-PR-1 (B) Superscript refers to first letter of date code.

NET CONTENTS:



DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling

Directions for sanitizing food processing equipment

- 1 Wash equipment prior to sanitizing with proper Klenzade detergents
- 2 Rinse thoroughly with tap water
- 3 Sanitize equipment using 1 ounce Bevro Klene, ID-81, to each 5 gallons of water. Use immersion, spray or circulation techniques as appropriate to the equipment

The sanitizing concentration may be effectively and automatically controlled with the use of Mikro Master, Omni-Spray or Mikro-Feed equipment

4 All surfaces should be exposed to the sanitizing solution for a period of not less than 2 minutes. Drain thoroughly

NOTE: FOR MECHANICAL OPERATIONS, prepared use solutions may not be .9-used for sanitizing, but may be re-used for other purposes such as cleaning

canitary filling operation

- 1 Wash all equipment involved using proper Klenzade detergents and procedures as recommended by your Klenzade representatives.
- 2 Rinse thoroughly with potable water
- 3 Sanitize all filling and capping equipment continuously with 1 ounce of Beyro Klene, ID-81, to 5 gallons of water using proper Klenzade Mikro Master feeding equipment

Final bottle and can treatment

Using Klenzade Mikro Master feeding equipment, treat final rinse with 1 ounce of Bevro Klene, ID-81, to 10 gailons final rinse water

Dilution table

1.75-/0

1 ounce of Bevro Klene, ID-81, to 10 gallons of water = 12.5 ppm titratable iodine

- 1 ounce of Bevro Kiene, ID-81, to 5 gallons of water
- = 25 ppm titratable iodine

Always follow local health department recommenations.

STORAGE AND DISPOSAL PESTICIDE DISPOSAL:

Do not contaminate water, food or feed by storage or disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance

CONTAINER DISPOSAL:

Triple rinse (or equivalent) Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke

KEEP FROM FREEZING