Net Contents: 5 U.S. Gals.



FOR SWIMMING POOLS

ACTIVE INGREDIENT Sodium Hypochlorite8.4%

KEEP OUT OF REACH OF CHILDREN

CAUTION: FOR INDUSTRIAL USE ONLY

DO NOT MIX WITH ANYTHING BUT WATER

RINSE EMPTY CONTAINER THOROUGHLY WITH WATER AND DISCARD

See Side Panel For First Aid and Additional Precautions

A product of ECONOMICS LABORATORY, INC.

General Offices: St. Paul, Minn. 55102 • Sales Offices: 4 Corporate Park Drive, White Plains, N.Y. 10604

May be harmful if swallowed. Avoid contact with skin and eyes. Irritating to lungs.

EXTERNAL: In case of contact with skin or eyes, flush with plenty of water.

INTERNAL: Drink mucilage, raw egg whites, milk or rice gruel. Follow with emetic (tablespoon of mustard in glass of water).

GET MEDICAL ATTENTION IMMEDIATELY

Do not use SOILAX LIQUID POOL SANITIZER with acid detergents. To do so will release hazardous gases. KEEP IN COOL, DARK PLACE. LIGHT AND HEAT WILL REDUCE STRENGTH. Do not store SOILAX LIQUID POOL SANITIZER longer than six months from date of manufacture. Degrades with age. Use a test kit and increase dosage as necessary to obtain required level of chlorine. This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

CAUTION:

FIRST AID

DIRECTIONS FOR USE:

STABILIZE with SOILAX POOL STABI-LIZER. Follow label instructions

ADJUST pH to 7.2-7.8, if necessary, by adding SOILAX POOL ACID to reduce pH or SOILAX POOL BUFFER to increase pH.

CHLORINATE pool with 8 oz. of SOILAX LIQUID POOL SANITIZER per 10,000 gailons. Repeat this dosage until available chlorine of 1.0-1.5 parts per million (ppm) has been established, as determined with a reliable test kit.

MAINTAIN available chlorine at 1.0 to 1.5 ppm. 8 oz. of SOILAX LIQUID POOL SANITIZER supplies 0.5 ppm chlorine to 10,000 gallons. If SOILAX POOL STABI-LIZER or its equivalent is not used, 0.6 to 1.0 ppm available chlorine is sufficient.

SUPERCHLORINATE pool as required by adding 80 oz. of SOILAX LIQUID POOL SANITIZER per 10,000 gallons, which provides 5.25 ppm available chlorine. Bathers should not be allowed to re-enter the pool until the chlorine residual falls below 3 ppm. Resume regular program when chlorine residual drops to 1.0-1.5 ppm.

> EPA Reg. No. 1677-76 EPA Est. 1677-MN-1