

Soilax



Kills the following flying and crawling insects.
Houseflies, Mosquitoes,
Gnats, Wasps, Roaches,
Ants, Earwigs, Spiders,
Grain Mites, Saw bugs
and Centipedes.

ACTIVE INGREDIENTS

^t -Resmethrin-[5-(phenylmethyl)-3-isopropyl]-2,2-dimethyl-3-(2-methyl-1-propenyl)cyclopropane-carboxylate	0.530%
Related compounds	0.068%
Aromatic petroleum hydrocarbons	0.664%
INERT INGREDIENTS	98.768%
TOTAL	100.000%
* Cis/trans isomers ratio max 30% (± 10% of 1 min 70 : 1 + trans)	
^t U.S. Patent No. 3,465,007 and 3,512,916 SPP 1382 [®] brand of resmethrin. Enichem, Inc., Corp.	

KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional precautionary statements
FOR INDUSTRIAL USE ONLY

NET CONTENTS:
1 lb. (454 g)

Soilax PROFESSIONAL INSECTICIDE

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION Avoid contact with eyes, skin or clothing. In case of contact immediately flush eyes and skin with plenty of water and seek medical attention or dilution persists. Harmful if swallowed. Do not eat or remove exposed food. Avoid contamination of eating utensils. Food processing surfaces should be cleaned before spraying or before reusing. When using this product in food processing facilities apply only when facility is not in operation to hospital patients should be removed from room prior to treatment. Room should be ventilated for 2 hours after spraying. Do not return patients to room until after ventilation.

Remove pets, birds and cover aquariums before spraying.

PHYSICAL OR CHEMICAL HAZARDS

Container under pressure. Do not puncture. Do not use near heat or open flame. Exposure to temperature above 113°F (45°C) cause explosion.

DIRECTIONS FOR USE

In accordance with Federal Law it is illegal to use this product in a manner inconsistent with its labeling.

SHAKE well before each use. Remove protective cap. Aim spray beam away from person. Push button to spray.

TO KILL HOUSEFLIES, MOSQUITOES AND GNATS: Close windows and doors. Point nozzle upward. Direct spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed.

TO KILL WASPS: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

TO KILL CRAWLING INSECTS: Roaches, earwigs, grain mites, saw bugs, spiders and centipedes. Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards and stonework. Spray directly on insects where possible. Repeat as necessary.

DISPOSAL

Empty container and dispose in trash collection.

EPA Reg. No. 1677-85
EPA Est. No. 10-900-OH-1



A product of ECONOMICS LABORATORY, INC
General Offices: St. Paul, Minn. 55102



A product of ECONOMICS LABORATORY, INC
General Offices: St. Paul, Minn. 55102