

KLENZADE®

43547

TRICHLOR-O-CIDE® XP-160

Powdered Sanitizer

ACCEPTED

AUG 11 1988

Under the Federal Insecticide, Fungicide, and
Rodenticide Act, as amended, for the
pesticide registered under
EPA Reg. No. 1677-91

ACTIVE INGREDIENT:

Sodium dichloro-s-triazinetrione dihydrate (providing a minimum of 15% available chlorine).....29.0%

INERT INGREDIENTS.....

71.0%

Formula contains no phosphorus.

KEEP OUT OF REACH OF CHILDREN DANGER

See additional precautions on side panel

EPA REG. NO. 1677-91

EPA Est. 1677-IL-2 (J), 1677-NJ-1 (W),
1677-TX-1 (D), 1677-GA-1 (M),
1677-CA-1 (S), 1677-MN-1 (E),
1677-PR-1 (B)

Superscript refers to first letter of date code.

STATEMENT OF PRACTICAL TREATMENT

INTERNAL: If swallowed, drink promptly a large quantity of water. Do not induce vomiting. Avoid alcohol. GET MEDICAL ATTENTION IMMEDIATELY
EYES: Flush with plenty of water for at least 15 minutes. Get prompt medical attention.

EXTERNAL: Wash with plenty of soap and water. Get medical attention if irritation persists.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

**FOR EMERGENCY MEDICAL INFORMATION, CALL
TOLL-FREE: 1-800-328-0026**

NET WEIGHT:

425 U.S. LBS. (191.25 k)

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes eye and skin damage. Harmful or fatal if swallowed. Do not get in eyes or on clothing. Avoid skin contact. Avoid breathing dust. Wear goggles and rubber gloves when handling. After handling, wash thoroughly with soap and water.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge into lakes, streams, ponds or public waterways unless in accordance with a NPDES permit. For guidance, contact the regional office of the U.S. Environmental Protection Agency

PHYSICAL OR CHEMICAL HAZARDS

Oxidizing agent. Do not mix with acids, will cause hazardous vapors. Mix only with water according to label directions. Do not store or use in a manner that would contaminate food or feed

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

DAIRY, BEVERAGE AND FOOD PROCESSING PLANTS:

Remove gross food particles and soil by pre-flushing the surface(s) to be sanitized. Clean utensils and equipment thoroughly with an appropriate detergent and rinse with potable water. Before use, sanitize these items with a 100 ppm available chlorine (1 oz. per 12 gallons) solution of TRICHLOR-O-CIDE XP-160 for a two minute exposure period. Use immersion, spray or circulation techniques as appropriate to the equipment. Allow to drain thoroughly. **Note: DO NOT SOAK OVERNIGHT.**

Note: For mechanical operations, prepared use solutions may not be re-used for sanitizing, but may be re-used for other purposes such as cleaning

STORAGE AND DISPOSAL

PESTICIDE DISPOSAL:

Do not contaminate water, food or feed by storage or disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Do not clean equipment or dispose of equipment wash waters in a manner that will contaminate water resources.

CONTAINER DISPOSAL:

Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by state and local authorities. If drum is contaminated and cannot be reused, dispose of in the same manner.

Manufactured by:

KLENZADE, Division of Ecolab Inc.
Ecolab Center
St. Paul, MN 55102 ©, 1989

107298/5305/1788

Printed in U.S.A.

to be used to sanitize eggs.

ACCEPTED

AUG 11 1968

U.S. - The Federal Insecticide, Fungicide, and
Rodenticide Act is amended, by the
pesticide registered under
EPA Reg. No. 1677-91

[illegible]