

PM31, 1677-109

Fabric Mildew Preventative 75820

Inhibits and Controls Growth of Fungi

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. For effective mildew prevention use NOMOLD as directed.

- For 2-week protection, use ½ ounce per 100 pounds of fabric (dry weight).
- For 3-week protection, use 1½ ounces per 100 pounds of fabric (dry weight).
- 2½ ounces per 100 pounds of fabric (dry weight) will give long-lasting protection, for 30 days or more, against mildew.

Dilute the required amount of NOMOLD in 1 to 2 gallons of cold to warm water; then add to the washwheel—in the last operation—water level 6 to 10 inches.

After addition of the NOMOLD run operation for a minimum of 5 minutes. The sour can be added at the same time.

Renew treatment after every washing.

NOMOLD is based on a highly active TWIN CHAIN quaternary ammonium compound. It prevents musty odors and discoloration on all fabrics due to the presence of molds, mildew and fungi. The mildew inhibition property of NOMOLD lasts a minimum of four weeks when used as directed. NOMOLD is designed for professional and institutional laundry use by addition to the final rinse or sour.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes severe eye and skin damage. Harmful or fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear safety glasses or goggles and rubber gloves when handling. Wash after handling. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove contaminated clothing and wash before re-use.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol.

CALL A POISON CONTROL CENTER OR PHYSICIAN IMMEDIATELY FOR EMERGENCY MEDICAL INFORMATION CALL TOLL-FREE 1-800-328-0026


NOTE TO PHYSICIAN: Probable mucosal damage may contra-indicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsions may be needed.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

PLASTIC CONTAINERS: Triple rinse for equivalent. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.



ACCEPTED
NOV 03 1993
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 1677-109

Non

ACTIVE INGREDIENT:
Didecyl Dimethyl Ammonium
INERT INGREDIENTS

KEEP OUT OF REACH OF DANGER

See Left Panel for First Aid a/

FOR INDUSTRIAL USE O

EPA REG NO. 1677-109
EPA EST NO. 6836-1L-1
The Superscript refers to first



Textile Care Division
Ecolab Inc., Ecolab Center, St. Paul, MN 55102
1-800-553-8683

BES
NET CONTENTS: 30 (