

PYRETHRIN SPRAY

ACTIVE INGREDIENTS:

Pyrethrins.....	0.100%
*Piperonyl butoxide, technical	0.200%
N-octyl bicycloheptene dicarboximide.....	0.333%
INERT INGREDIENTS**	99.367%
TOTAL:	100.00%

*Equivalent to 0.16% (butylcarbityl) (6-propylpiperonyl) ether and 0.04% related compounds.

**Contains Petroleum Distillate

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

ACCEPTED
 JUL - 1 2003
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 1677-111

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Harmful if swallowed. Do not apply directly to food. In commercial food handling facilities cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After space spraying food processing plants, thoroughly wash all equipment, benches shelving, etc., where exposed food will be handled with an effective cleaning compound followed by a potable water rinse.

FIRST AID

IF SWALLOWED: Call a poison control center or doctor for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Remove pets, birds and cover fish aquariums before spraying.

PHYSICAL AND CHEMICAL HAZARDS

Do not store, pour, or spill near heat or open flame. Keep containers closed.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on the label.

This spray is especially designed for use in food storage warehouses, dry milk plants, meat packing plants, flour mills, breweries, potato flaking plants and warehouses, grain bins and elevators, restaurants, grocery stores, and food handling or processing plants.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

FLEAS (INFESTING PREMISES): Remove and destroy animals' bedding and spray sleeping quarters freely, forcing the spray into all cracks in the floor and about the room. Repeat when re-infested. Do not remain in treated areas. Ventilate the area after treatment is completed.

ROACHES, WATERBUGS: Apply in all cracks and crevices in woodwork, underneath sinks, dark places behind pipes, and all places where roaches and waterbugs infest, contacting as many insects as possible. Repeat the operation as often as necessary. Do not remain in treated areas. Ventilate the area after a treatment is completed.

CLOTHES MOTHS, CARPET BEETLES: Spray all articles to be protected, giving particular attention to folds and seams. Interior surfaces of storage containers such as closets, chests, and trunks should be sprayed regularly. The treatment should be repeated every 30 days, unless the articles are stored in moth-tight containers. Do not remain in treated areas. Ventilate the area after treatment is completed.

GRANARY WEEVIL, RICE WEEVIL, CONFUSED FLOUR BEETLE, GRAIN MITES (ACCESSIBLE STAGES): Wet surfaces thoroughly and treat all infested surface areas, insect runways and hiding places at the rate of 1 gallon of this material to 1,000 sq. ft. of area, or to the point of run-off. Repeat when necessary. Do not remain in treated areas. Ventilate the area after treatment is completed.

FOR FOGGING FLIES, GNATS & MOSQUITOES: Close all doors and windows. Determine the number of cubic feet of space to be treated. Point nozzle upward and direct the aerosol mist to all parts of the area to be treated. Point nozzle upward and direct the aerosol mist to all parts of the area to be treated. Fog particularly well in areas in which insects are most likely to congregate or rest. Fog at the rate of 1 1/2 to 2 ounces per 1,000 cu. ft. of space. Keep the treated area closed if possible for 15 minutes. After treatment, air out thoroughly and sweep up and remove dead insects. Do not remain in treated areas. Ventilate the area after treatment is completed.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store only in original container, in a dry place inaccessible to children and pets.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

EPA Reg. No. 1677-111

EPA Est. No. 1015-MO-1, 1677-1MN (P)

Ecolab Inc., Pest Elimination Division
370 Wabasha Street N.
St. Paul, MN 55102-1390 U.S.A