

Solid Sani-Glide


Sanitizing Conveyor Lubricant

Non-Food Contact Surface Sanitizer and Conveyor Lubricant/Detergent for the Dairy, Beverage and Food Processing Industries

Active Ingredients:

o-Phenylphenol.....	7.5%
o-Benzyl-p-chlorophenol.....	7.4%
Other Ingredients *	85.1%
Total	100.0%

* Contains lubricity and cleaning agents.



KEEP OUT OF REACH OF CHILDREN

DANGER

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: CORROSIVE: Causes irreversible eye damage or skin burns. Harmful if swallowed or absorbed through skin or inhaled. Do not get in eyes, on skin or on clothing. Avoid breathing spray mist. Wear goggles or face shield (safety glasses), protective clothing (long-sleeve shirt and long pants, socks, plus shoes and chemical resistant gloves, such as barrier laminante or butyl rubber, nitrile rubber, neoprene rubber, polyvinyl chloride, or viton). Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Prolonged or frequently repeated skin contact may cause an allergic reaction in some individuals. Remove contaminated clothing and wash before reuse.

Follow manufacturer's instructions for cleaning/maintaining personal protective equipment. If no such instructions for washables, use detergent and hot water. Keep and wash personal protective equipment separately from other laundry.

PHYSICAL AND CHEMICAL HAZARDS

Do not store at elevated temperatures over 120 °F. Do not remove container lid until just prior to use.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

2/3

IF INHALED: Move the person to fresh air. If the person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

Have the product label with you when calling a poison control center or doctor, or going for treatment.

FOR EMERGENCY MEDICAL INFORMATION, CALL TOLL-FREE 1-800-328-0026

Have the product label with you when calling a poison control center or doctor, or going for treatment.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SOLID SANI-GLIDE is specially formulated for environmental sanitation of conveyors in the dairy, beverage and food processing industries.

SOLID SANI-GLIDE contains a multiple phenolic system active as a sanitizer against gram positive and gram negative bacteria including the pathogenic organisms *Listeria monocytogenes* (ATCC 49594) and *Salmonella typhimurium* on inanimate, non-food contact surfaces.

SOLID SANI-GLIDE provides lubricity and cleaning ability and foam control at high use dilutions. SOLID SANI-GLIDE keeps conveyors free of slime and soil buildups.

For best results, spray-clean conveyors with a suitable detergent to remove soil and slime build up. For Non-Food Contact sanitizing spray-apply a 0.30% by weight (1 ounce to 2.5 gallons of water, 1:334) dilution of SOLID SANI-GLIDE in water through an ECOLAB Inc. solid lubricant dispenser, such as the Solid Choice Dispensing System. Allow a minimum of 5 minutes contact time.

For heavy duty lubrication/cleaning spray-apply up to a 0.75% by weight (1 ounce to 1.0 gallons of water, 1:133) dilution of SOLID SANI-GLIDE in water.

No need to rinse with potable water or remove product as SOLID SANI-GLIDE can be continuously applied to conveyors to prevent slime and soil buildup.

SOLID SANI-GLIDE is effective in water up to 80 ppm hardness as calcium carbonate (4.7 grains per gallon) at 0.30% by weight.

DIRECTIONS FOR DISPENSER LOADING:

Remove container lid. Invert container over solid lubricant dispenser. Puncture bottom of container with air point tool, checking to be sure container lid has been removed. Use air point tool to push SOLID SANI-GLIDE into the solid lubricant dispenser.

The solid lubricant dispenser will automatically dissolve and feed SOLID SANI-GLIDE once the dispenser parameters have been established by your ECOLAB Inc. Representative.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Do not store at elevated temperatures over 120 °F. Do not remove container lid until just prior to use.

PESTICIDE DISPOSAL:

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional office for guidance.

CONTAINER DISPOSAL:

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

FOR INDUSTRIAL USE ONLY

Net Contents: 30 LBS. (13.6 kg)

EPA Reg. No. 1677-130

EPA Est. 1677-IL-2 (J), 1677-NJ-1 (W), 1677-TX-1 (D), 1677-GA-1 (M), 1677-CA-1 (S),
1677-MN-1 (P), 1677-PR-1 (B), 1677-CA-2 (R), 1677-OH-1 (H), 1677-WV-1 (V)
Superscript refers to first letter of date code.

Ecolab Inc.
370 Wabasha Street N.
St. Paul, MN 55102