

1677-225

10/22/2009

1 of 3

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460



Office of Pesticide Programs

FILE COPY

Rhonda Schulz
Associate Director, Product Registration & Compliance
Ecolab Inc.
370 N. Wabasha St.
St. Paul, MN 55102

OCT 22 2009

Subject: Trichlor-O-Cide
EPA Registration No. 1677-225
Application Date: August 10, 2009
Receipt Date: August 13, 2009

Dear Ms. Schulz:

The following amendment, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable:

- Revision to Storage and Disposal Section per PR Notice 2007-5
- Editorial change to "Egg Sanitization" section

General Comments:

A stamped copy of the accepted labeling is enclosed. Submit one copy of your final printed label before distributing or selling the product bearing the revised labeling.

Should you have any questions or comments concerning this letter, please contact Wanda Henson at 703-308-6345.

Sincerely,

for Wanda Henson

Emily H. Mitchell
Product Manager (32)
Regulatory Management Branch II
Antimicrobials Division (7510P)

2 of 3

Trichlor-O-Cide 5606

SANITIZER


Active Ingredient:

Sodium dichloro-s-triazinetrione dihydrate 99.0%

Other Ingredients 1.0%

Total 100.0%

Available Chlorine: 55.5%



**KEEP OUT OF REACH OF CHILDREN
DANGER**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: CORROSIVE: Causes irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin, or on clothing. Do not breathe dust, vapor, or spray mist. Wear goggles, face shield, or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

PHYSICAL OR CHEMICAL HAZARDS

STRONG OXIDIZING AGENT: Use only clean, dry utensils. Mix only into water. Contamination with moisture, dirt, organic matter or other chemicals or any other foreign matter may start a chemical reaction with generation of heat, liberation of hazardous gases and possible generation of fire and explosion. Avoid any contact with flaming or burning material such as a lighted cigarette. Do not use this product in any chlorinating device which has been used with any inorganic or unstabilized chlorinating compounds (e.g., calcium hypochlorite). Such use may cause fire or explosion.

ENVIRONMENTAL HAZARDS (only required for containers 50 pounds and larger):

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

EMERGENCY HANDLING

In case of contamination or decomposition do not reseal container. If possible, isolate container in open, well-ventilated area. Flood with a large volume of water. Dispose of contaminated material in an approved landfill area.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

FOR EMERGENCY MEDICAL INFORMATION, CALL TOLL-FREE 1-800-328-0026

Have the product container label with you when calling a poison control center or doctor, or going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

3083

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DAIRY, BEVERAGE AND FOOD PROCESSING PLANTS:

Remove gross food particles and soil by a pre-flush or pre-scrape and, when necessary, presoak the surface(s) to be sanitized. Clean utensils and equipment thoroughly with an appropriate detergent and rinse with potable water. Before use, sanitize these items with a 50 to 100 ppm available chlorine (0.5 oz to 1 oz. product per 44 gallons water) solution of *Trichlor-O-Cide 5600* for a two minute exposure period. Use immersion, spray or circulation techniques as appropriate to the equipment. Allow to drain thoroughly and air dry. Note: DO NOT SOAK OVERNIGHT.

NOTE: FOR MECHANICAL OPERATIONS prepared use solution may not be reused for sanitizing but may be reused for other purposes such as cleaning.
FOR MANUAL OPERATIONS fresh sanitizing solutions should be prepared at least daily or more often if the solution becomes diluted or soiled.

FOOD SHELL EGG SANITIZATION

Only clean, whole eggs can be used for sanitizing. Dirty, cooked, or punctured eggs cannot be used. Thoroughly mix 0.5 to 1 oz. of this product with 44 gallons of warm water to provide a 50 to 100 ppm available chlorine solution. The sanitizer temperature should not exceed 130 deg F. Spray the warm sanitizer so that the eggs are thoroughly wetted. Allow the eggs to dry before casing or breaking. Do not apply a potable water rinse. The solution should not be reused to sanitize eggs.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Product should be stored in a dry location.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal:

(10 lb plastic tub) – Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Offer for recycling, if available, or discard in trash.

(100 lb bag in a box) - Completely empty the liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in trash. Offer box for recycling, if available, or discard in trash.

For more information or technical assistance, call toll-free 1-800-35-CLEAN (352-5326).

Net Contents:
10 U.S. lbs (4.5 kg)
100 U.S. lbs (45.4 kg)

Ecolab Inc.
370 North Wabasha Street
St. Paul, MN 55102

EPA Reg. No. 1677- 225
EPA Est.: 1677-IL-2(J), 1677-TX-1(D)
1677-GA-1(M), 1677-MN-1(P),
1677-CA-1(S), 1677-CA-2(R),
1677-WV-1(V), 69470-WV-1(C)
Superscript refers to first letter of date code

