

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

MAR 1 8 2014

Ecolab Inc.

370 North Wabasha Street St. Paul, Minnesota 55102 Attn: Ronald Derbyshire

Subject:

Revised Label Peroxide Multi Surface Cleaner and Disinfectant

EPA Reg. No. 1677-238

Amendment Letter Dated November 7, 2013

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) is acceptable. The following label changes are acceptable:

- Addition of a Use Dilution Secondary Container label
- Updating Storage and Disposal language
- Addition of Container sizes

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. The next label printing of this product must use this labeling unless subsequent changes have been approved. You must submit one (1) copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you have any questions concerning this letter, please contact Seiichi Murasaki at murasaki.seiichi@epa.gov or (703) 347-0163.

Sincerely,

Marshall Swindell

Product Manager (33)

Regulatory Management Branch 1 Antimicrobials Division (7510P)

Peroxide Multi Surface Cleaner and Disinfectant

Disinfectant Glass and Surface Cleaner

(Note to agency: Text appearing in parentheses is optional text)

(ALL-IN-ONE) (MULTI-SURFACE (DISINFECTANT) (SANITIZER), (CLEANER), (VIRUCIDAL), (FUNGICIDAL), (BACTERICIDAL), (GERMICIDAL), (HOSPITAL USE DISINFECTANT), (DEODORIZER) (ODOR COUNTERACTANT), (ODOR NEUTRALIZER), (NON-DULLING TO FLOORS) (FLOOR FINISHES), (CLEANS, DISINFECTS & DEODORIZES) (SANITIZES)

For Hospital, Health Care, Commercial, Institutional, Industrial

Active Ingredients:

Hydrogen Peroxide......8.0%

Other Ingredients:92.0%

KEEP OUT OF REACH OF CHILDREN

ACCEPTED

03/18/2014

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered unde EPA Reg. No. 1677-238

DANGER

PRECAUTIONARY STATEMENTS

Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed or absorbed through skin. Do not get in eyes, skin or on clothing. Wear protective eyewear such as safety glasses and chemical resistant gloves when handling the concentrate. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. After the product has been diluted according to use directions Personal Protective equipment is not required.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

If on skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

11/7/2013

EMERGENCY HEALTH INFORMATION: 1-866-897-8061 (Outside United States and Canada) **CALL:** 1-952-852-4656 (in USA)

See side panel for additional precautionary statements

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical devices prior to sterilization or high-level disinfection.

This product [insert name] is a (hospital-use) disinfectant (germicidal) (multi-surface) cleaner (and odor counteractant) designed for (daily) general cleaning and disinfecting of hard, non-porous environmental surfaces.

This product [insert name] is recommended for (daily) cleaning and disinfecting of washable hard non-porous (environmental) surfaces including:

- Non-food contact counter tops, sinks, exterior surfaces of refrigerators, coolers, freezers, stovetops, appliances, non-food contact equipment, shelves, racks and carts
- Telephones and computer keyboards
- Tables, chairs, desks, bedframes, walls, cabinets, doorknobs, and garbage cans
- Highchairs
- Shower stalls, tubs, tiles, shower doors, shower curtains, shower fixtures, restroom fixtures, exterior surfaces of toilets, urinals, restroom floors
- Windows and mirrors
- Fiberglass sinks, tubs and showers
- Floors (tile, finished)
- Vinyl, painted surfaces, plastic surfaces, glass, glazed tile, linoleum, plastic (such as polyethylene, polypropylene, polyvinylchloride), glazed porcelain, stainless steel and glass.

This product [insert name] is recommended for use as a non-food contact sanitizer

Areas of Use: daycares, schools and colleges, veterinary clinics and animal life science laboratories, animal care and farm premise locations, industrial facilities, dietary areas, beverage and food processing plants, restaurants, hotels, motels, office buildings, recreational facilities, medical facilities, hospitals, kitchens, nursing homes, assisted living facilities, medical and dental offices, retail and wholesale establishments, cruise ships, casinos, correctional facilities, athletic facilities, health clubs.



For use as a (Daily) (Multi-Surface) Cleaner/Disinfectant or (Daily) Restroom Cleaner/Disinfectant: Dilute according to use directions. Pre-Clean heavily soiled areas. Apply Use Solution by coarse trigger sprayer to hard, non-porous surfaces. Spray 6-8 inches from the surface; making sure to wet surfaces thoroughly. All surfaces must remain wet for the required time indicated in the directions for use. Wipe surfaces (allow to air dry). Rinsing is not necessary on non-food contact surfaces. Do not use this product to clean or disinfect glassware, dishes, or silverware.

BACTERICIDAL in 5 minutes at 1:32 dilution (4 oz/gal) in 400 ppm hard water against the following pathogenic bacteria according to the AOAC Germicidal Spray Test modified in the presence of 5% blood serum.

Pseudomonas aeruginosa (ATCC 15442) Staphylococcus aureus (ATCC 6538) Salmonella enterica (ATCC 10708) Klebsiella pneumonia (ATCC 4352) Shigella flexneri (ATCC 9380) Streptococcus pyogenes (ATCC 19615) Shigella dysenteriae (ATCC 29026) Listeria monocytogenes (ATCC 7644) Bordetella pertussis (ATCC 9797)

Antibiotic-Resistant Bacteria:

Staphylococcus aureus (VISA) (ATCC 700788)
Staphylococcus aureus (CA-MRSA) (ATCC BAA-1683)
Staphylococcus aureus (MRSA) (ATCC 33592)
Klebsiella pneumonia (Carbapenemase producer) (KPC) (ATCC BAA-1705)
Enterococcus faecalis (VRE) (ATCC 51299)

BACTERICIDAL in 3 minutes at 1:32 dilution (4 oz/gal) in 400 ppm hard water against the following pathogenic bacteria according to the AOAC Germicidal Spray Test modified in the presence of 5% blood serum.

Proteus mirabilis (ATCC 7002)

BACTERICIDAL in 90 seconds at 1:32 dilution (4 oz/gal) in 400 ppm hard water against the following pathogenic bacteria according to the AOAC Germicidal Spray Test modified in the presence of 5% blood serum.

Staphylococcus aureus (ATCC 6538)
Enterobacter aerogenes (ATCC 13048)
Samonella enterica (ATCC 10708)
Escherichia coli (ATCC 11229)
Pseudomonas aeruginosa (ATCC 15442)
Enterococcus faecalis (ATCC 29212)

For use as a Virucide: Dilute at 1:32 (4 oz) per gallon of water. Pre-Clean heavily soiled areas. Apply Use Solution by coarse trigger sprayer to hard, non-porous environmental surfaces. Spray 6-8 inches from the surface; making sure to wet surfaces thoroughly. All surfaces must remain wet for the required time indicated in the directions for use. Wipe surfaces (allow to air dry).

VIRUCIDAL in 5 minutes at 1:32 dilution (4 oz/gal) in 400 ppm hard water against the following viruses according to the Virucidal Qualification Test modified in the presence of 5% blood serum.

Adenovirus type 5(ATCC VR-5) Influenza A Virus H1N1 Norovirus (Feline Calicivirus ATCC VR-782) Rhinovirus Type 37 (ATCC VR-1147) Poliovirus (chat strain) Herpes Simplex Virus Type 2 (ATCC VR-734) Hepatitis B Virus Murine Norovirus (Strain MNV-1.CW1) Respiratory Syncytial Virus (ATCC VR-26) Vaccinia Virus (ATCC VR-119) Human Coronavirus (SARS) (ATCC VR-740) Rotavirus (Strain WA) Canine Parvovirus (ATCC VR-2017) Canine Distemper Virus (ATCC VR-128) Newcastle Disease Virus (ATCC VR-108) Herpes Simplex Virus Type 1 (ATCC VR-733) Bordetella pertussis (ATCC 12743)

VIRUCIDAL in 1 minute at 1:32 dilution (4 oz/gal) diluted in 400 ppm hard water against the following viruses according to the Virucidal Qualification Test modified in the presence of 5% blood serum.

HIV Type 1

For use as a (Daily) (Multi-Surface) Cleaner/Disinfectant or (Daily) Restroom Cleaner/Disinfectant: Dilute at 1:21.3 (6 oz) per gallon of water. Pre-Clean heavily soiled areas. Apply Use Solution by coarse trigger sprayer to hard, non-porous environmental surfaces. Spray 6-8 inches from the surface; making sure to wet surfaces thoroughly. All surfaces must remain wet for the required time indicated in the directions for use. Wipe surfaces (allow to air dry). Rinsing is not necessary on non-food contact surfaces. Do not use this product to clean or disinfect glassware, dishes, or silverware.

BACTERICIDAL in 5 minutes at 1:21.3 (6 oz/gal) diluted in 200 ppm hard water against the following pathogenic bacteria according to the AOAC Germicidal Spray Test modified in the presence of 5% blood serum.

Escherichia coli (O157:H7) (ATCC 43895) Enterobacter aerogenes (ATCC 13048)

11/7/2013

BACTERICIDAL in 3 minutes at 1:21.3 (6 oz/gal) diluted in 200 ppm hard water against the following pathogenic bacteria according to the AOAC Germicidal Spray Test modified in the presence of 5% blood serum.

Pseudomonas aeruginosa (ATCC 15442) Staphylococcus aureus (ATCC 6538) Salmonella enterica (ATCC 10708) Klebsiella pneumonia (ATCC 4352) Serratia marcescens (ATCC 14756) Bordetella bronchiseptica (ATCC 31437)

Antibiotic-Resistant Bacteria:

Staphylococcus aureus (CA-MRSA) (BAA-1683) Staphylococcus aureus (MRSA) (ATCC 33592)

BACTERICIDAL in 90 seconds at 1:32 dilution (4 oz/gal) in 200 ppm hard water against the following pathogenic bacteria according to the AOAC Germicidal Spray Test modified in the presence of 5% blood serum.

Listeria monocytogenes (ATCC 7644)

For use as a Virucide: Dilute at 1:32 (4 oz) per gallon of water. Pre-Clean heavily soiled areas. Apply Use Solution by coarse trigger sprayer to hard, non-porous environmental surfaces. Spray 6-8 inches from the surface; making sure to wet surfaces thoroughly. All surfaces must remain wet for 3 minutes. Wipe surfaces (allow to air dry).

VIRUCIDAL in 3 minutes at 1:32 (4 oz/gal) diluted in 200 ppm hard water against the following viruses according to the Virucidal Qualification Test modified in the presence of 5% blood serum.

Herpes Simplex Virus Type 1

VIRUCIDAL in 3 minutes at 1:21.3 (6 oz/gal) diluted in 200 ppm hard water against the following viruses according to the Virucidal Qualification Test modified in the presence of 5% blood serum.

Influenza A Virus H1N1 Norovirus (Feline Calicivirus ATCC VR-782) Rhinovirus Type 37 (ATCC VR-1147) 11/7/2013

FUNGICIDAL in 5 minutes at 1:32 dilution (4 oz/gal) in 400 ppm hard water against the following fungi according to the AOAC Fungicidal Test modified in the presence of 5% blood serum, per the following contact times.

Candida albicans (ATCC 10231)

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS:

Personal Protection: Clean-up must always be done wearing protective gloves, gowns, masks and eye protection.

Cleaning Procedure: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product.

Contact Time: Allow surface to remain wet for 1 minute to kill HIV-1, 5 minutes to kill HBV. Disposal of Infectious Material: Blood, body fluids, cleaning materials and other clothing must be autoclaved and disposed of according to local regulations for infectious waste disposal.

VETERINARY OFFICES: Remove all animals and feeds from premises, animal transportation vehicles, crates, etc. remove all litter, droppings and manure from floors, walls and surfaces of facilities occupied or traversed by animals. Empty all feeding and watering appliances. Saturate surfaces with a use-solution 1:32 (4 oz/gal) for a period of 5 minutes. Wipe or allow to air dry. Saturate all animal handling and restraining equipment as well as forks, shovels, and scrapers used to remove litter and manure. Rinse all surfaces that come in contact with food, including equipment used for feeding and watering, with potable water before reuse. Ventilate buildings and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried.

DISINFECTION AND DEODORIZING OF ANIMAL HOUSING FACILITIES (BARNS,

KENNELS, CAGES, HUTCHES, ETC): Remove animals and feed from facilities. Remove litter. waste matter, and gross soils. Empty all troughs, rack and other feeding and watering equipment. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate all halters, ropes, and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure. Disinfect surfaces according to tables (A)(B)(C). Ventilate buildings and other closed spaces. Thoroughly scrub all treated feed racks, mangers, troughs, automatic feeders, fountains, and waterers with soap or detergent, and rinse with potable water before reuse. Allow to air dry before reintroducing animals.

TABLE A			
Hard Water = 400 ppm			
4 oz/ gal	Efficacy testing contact time results	Organisms	
Antibacterial efficacy (1997)	5 min	Pseudomonas aeruginosa	
(according to the AOAC		(ATCC 15442)	
Germicidal Spray Test		Staphylococcus aureus (ATCC	
modified in the presence of 5%		6538)	
blood serum)	·	Salmonella enterica (ATCC 10708)	
		Klebsiella pneumonia (ATCC	
		4352)	
		Shigella flexneri (ATCC 9380)	
		Streptococcus pyogenes (ATCC 19615)	
		Shigella dysenteriae (ATCC 29026)	
		Listeria monocytogenes (ATCC	
		7644	
		Staphylococcus aureus (VISA) (ATCC 700788)	
		Staphylococcus aureus (CA-	
		MRSA)(ATCC BAA-1683)	
		Staphylococcus aureus (MRSA)	
		(ATCC 33592)	
		Klebsiella pneumonia	
		(Carbapenemase	
		producer)(KPC) (ATCC BAA-	
		1705)	
		Enterococcus faecalis (VRE)	
		(ATCC 51299)	
	,	Bordetella pertussis (ATCC	
		9797)	
Anti-Viral efficacy (according to	5 min	Vaccinia Virus (ATCC VR-119)	
the Virucidal Qualification Test	3111111	Respiratory Syncytial Virus	
modified in the presence of 5%:		(ATCC VR-26)	
		, ,	
blood serum)		Hepatitis B Virus	
		Human Coronavirus	
		(SARS)(ATCC VR-740)	
		Canine Parvovirus (ATCC VR-	
and the second of the second o		2017)	
		Bordetella pertussis (ATCC 12743)	
		Canine Distemper Virus (ATCC	
		VR-128)	
		Newcastle Disease Virus (ATCC	
		VR-108)	
		Poliovirus (chat strain)	
		Murine Norovirus (Strain MNV-	
		1.CW1)	
		Rotavirus (Strain WA)	
		Norovirus (Feline Calicivirus	

EPA Reg. No. 1677-238	11/7/2013
OF A GIANT AND OTHER PROPERTY OF THE SECOND STREET, AND A SECOND STREET,	4 = 0.0 \ /5 = 0.0 \

EPA Reg. No. 1677-238		11//
		ATCC VR-782) Herpes Simplex Virus Type 1 (ATCC VR-733) Rhinovirus Type 37 (ATCC VR- 1147) Influenza A Virus H1N1 Adenovirus type 5(ATCC VR-5) Herpes Simplex Virus Type 2 (ATCC VR-734)
Anti-Viral efficacy (according to the Virucidal Qualification Test), modified in the presence of 5% blood serum)	1 min	HIV Type 1
Antifungal efficacy (according to the AOAC Fungicidal test modified in the presence of 5% blood serum)	5 min	Candida albicans(ATCC 10231)
Non-Food Contact Sanitizing	90 seconds	Staphylococcus aureus (ATCC 6538) Enterobacter aerogenes (ATCC 13048) Samonella enterica (ATCC 10708) Escherichia coli (ATCC 11229) Pseudomonas aeruginosa (ATCC 15442) Enterococcus faecalis (ATCC 29212)
Antibacterial efficacy (according to the AOAC Germicidal Spray Test modified in the presence of 5% blood serum)	3 min	Proteus mirabilis (ATCC 7002)

TABLE B		
Hard Water = 200 ppm		
6 oz/gal	Efficacy testing contact time results	Organisms
Antibacterial efficacy (according to the AOAC Germicidal Spray Test modified in the presence of 5% blood serum)	3 min	Pseudomonas aeruginosa (ATCC 15442) Staphylococcus aureus (ATCC 6538) Salmonella enterica (ATCC 10708) Klebsiella pneumonia (ATCC 4352) Staphylococcus aureus (CA-MRSA)(BAA-1683) Staphylococcus aureus (MRSA) (ATCC 33592) Serratia marcescens (ATCC 14756) Bordetella bronchiseptica (ATCC 31437)
Antibacterial efficacy (according to the AOAC Germicidal Spray Test modified in the presence of 5%, blood serum)	5 mins	Escherichia coli (O157:H7)(ATCC 43895) Enterobacter aerogenes (ATCC 13048)
Anti-Viral effect (according to the Virugidal Qualification Test modified in the presence of 5% blood serum)	3 min	Norovirus (Feline Calicivirus ATCC VR-782) Rhinovirus Type 37 (ATCC VR- 1147) Influenza A Virus H1N1

TABLE C			
Hard Water = 200 ppm			
4 oz/gal	Efficacy testing contact time results	Organisms	
Anti-Viral cilicacy (according to the Virusidal Quallication Test) modified in the presence of 5%, blood serum)	3 min	Herpes Simplex Virus Type 1	
Non-Food Contest Sentitying	90 seconds	Listeria monoc 7644)	ytogenes (ATCC

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store this product in a cool, dry area, away from direct sunlight and heat.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING AND DISPOSAL:

(For containers 5 gallons or less.) Non-refillable container. Do not reuse or refill this container. Triple rinse as follows: Fill container ¼ full with water and recap. Shake for 10 seconds. Drain for 10 seconds after the flow begins to drip. Follow Pesticide Disposal instructions for rinsate disposal. Repeat procedure two more times. Then offer for recycling or reconditioning if appropriate or puncture and dispose of in a sanitary landfill or by incineration.

(For containers >5-55 gallons.) Non-refillable container. Do not reuse or refill this container. Triple rinse as follows: Empty remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat procedure two more times. Then offer for recycling or reconditioning if appropriate or puncture and dispose of in a sanitary landfill or by incineration.

(300 gallon tote) Verify that the tote is empty. Do not rinse or clean. Seal tote and contact Ecolab for return.

Net Contents: 2.5 U.S. Gal. 1.3 L 1 U.S. Gal. 5 U.S. Gal., 55 U.S. Gal. tote

FOR COMMERCIAL USE

Manufactured by: Ecolab Inc. 370 N. Wabasha Street St.-Paul, MN 55102 EPA Reg. No. 1677-238
EPA Est. No.: 1677-MN-1 (P), 60156-IL-1 (SI), 1677-CA-2 (R), 1677-TX-1 (D), 1677-OH-1 (H), 1677-IL-2 (J), 1677-CA-1 (S), 1677-GA-1 (M), 1677-WV-1 (V), 58046-TX-2 (X) Superscript refers to first letter of date code

11/7/2013

Optional Marketing Language

Note: Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text.]

Makes x gallons of use solution when diluted according to label directions.

Claims (for cleaning, deodorizing, stain removal):

- New
- New Formula
- Streak-Free [Glass Cleaner]
- · Great on Glass
- Multi-Surface [Cleaner] [Spray]
- Daily-Use Multi-Surface [Cleaner] [Spray]
- Multi-Purpose [Cleaner] [Spray]
- Daily-Use Multi-Purpose [Cleaner] [Spray]
- No streaking
- No residue
- No dulling residue
- No filming
- · Fresh Scent
- Fragrance Free (one alternate CSF will have 0% fragrance)
- Leaves [kitchen(s)] [bathroom(s)] [restroom(s)] [surfaces] [clean and] sanitary
- Leaves [kitchen(s)] [bathroom(s)] [restroom(s)] [surfaces] [clean and] fresh
- Breaks down allergens
- Cleans to a streak-free shine
- Cleans to a streak-free shine [glass] [windows] [mirrors] [surfaces] [faucets]
 [countertops] [exterior surfaces of appliances] [stainless steel] [glass furniture] [and shiny surfaces]
- Cleans [kitchen] [commercial] [industrial] [institutional] [hard] surfaces to a streak-free shine
- Cleans everyday [kitchen] dirt, grease and food stains
- Cleans tough messes
- Powerful cleaner plus the power of peroxide
- Cuts through [tough] grease and grime
- Degreaser
- Degreases
- Deodorizes
- Deodorizes and has a clean, fresh scent
- Eliminates odors caused by [bacteria]
- Removes food stains
- Removes odors
- Removes streaks [residue]
- Removes and/or cleans and/or- cuts through –and/or [tough] stains
 - o bathroom [restroom] dirt and/or stains [while leaving a streak-free shine]
 - o grime [while leaving a streak-free shine]
 - o [tough] and/or- [greasy] and/or- [kitchen] dirt and/or soil(s) [while leaving a streak-free shine]

Claims (sanitizing)

Sanitizes hard, nonporous surfaces

Claims (disinfection)

- Antibacterial [action]
- Bacteria-fighting or Germ-fighting formula
- Bactericidal
- Restroom and/or- Bathroom disinfectant
- Broad spectrum disinfectant [cleaner]
- · Cleans and disinfects
- Cleaner and disinfectant in one
- Cleans –and/or- disinfects [bathroom] [school] [classroom] [restroom] [kitchen] [home] [household] [office] [work or- office [place] [environment]] [place]
- Disinfects
- Disinfects and deodorizes by killing common [household] germs and controlling their odors
- Disinfects as it cleans
- Disinfects as it kills bacteria
- Disinfects nonporous [hard] surfaces
- [Effective] [bathroom and/or-restroom-and/or-kitchen-and-or-household-and/or-office-and/or-workplace] disinfectant –and/or-cleaner
- [Effective] disinfectant [in presence of 5% serum load or- organic soil]
- Germicide or- Germicidal
- Kills Pandemic 2009 H1N1 influenza A virus (formerly called swine flu).
- Kills Pandemic 2009 H1N1 influenza A virus. Meets AOAC efficacy standards for hospital disinfectants
- Removes stains and disinfects
- This [cleaner] [disinfectant] combines cleaning and disinfecting [in one product] [in one step]
- This product is a cleaner disinfectant which combines cleaning, disinfecting and stain removal in one product
- [This product] The power to clean [tough] [bathroom –and/or- restroom –and/or- school –
 and/or- classroom –and/or- kitchen –and/or- household and/or- office –and/orworkplace] [grime] [dirt] [soils] and kill bathroom germs –and/or- bacteria

Claims (Fungicidal,)

- Kills yeast and mold
- Fungicidal -or- Fungicide
- Antifungal

Claims – General

- New [and –or- Improved] [!] to be used for first 6 months only
- [Removes] [Eliminates] [Attacks] [Gets rid of] [Melts away] tough [[bathroom –and/or-restroom –and/or- kitchen and/or- hotel room –and/or- office –and/or- workplace] [dirt] [soils] [grime]] [!]
- Tough on [soap scum and/or–and/or- grease]
- Commercial Product[s]

11/7/2013

USE LOCATIONS: [Where to use this product] [For use around -or- in -or- throughout the]

- Airplane[s]
- Airport[s]
- Ambulance[s]
- Animal Laboratory [Laboratories]
- Athletic Facilities
- Bar[s]
- Barber Shop[s]
- Bathroom[s]
- Boat[s]
- Business[es]
- Bus[es]
- Cafeteria[s]
- Camp Ground[s]
- Clinic[s]
- College[s]
- Commercial Kitchen[s]
- Convenience Store[s]
- Correctional Facility [Facilities]
- Daycare Center[s]
- [Dental –and/or- Medical] Office[s]
- [Dentist's –or- Doctor's –or- Physician's] Office[s]
- Emergency (Police)(EMS)(Fire)(Rescue) Vehicles
- Exercise Facility [Facilities]
- Factories
- Farm[s]
- Fitness Center[s]
- Food Processing Plant[s]
- Health Club[s]
- Hospital[s]
- Hotel[s]
- Institutions
- Institutional Kitchen[s]
- Kennel[s]
- Kitchen[s]
- Laundromat[s]
- Locker Room[s]
- Medical Related Facilities
- Motel[s]
- Nurseries
- Nursing Home[s]
- Office [Building][s]
- Pet Animal Quarter[s]
- Pet Shop[s]
- Poultry Farm[s]
- Prison[s]
- Public Facility [Facilities]
- Public Restroom[s]
- Recreational Center[s] –or- Facility [Facilities]
- Rehabilitation Center[s] or- Facility [Facilities]
- Restaurant[s]

11/7/2013

EPA Reg. No. 1677-238

- Salon[s] [Beauty]
- Schools –and/or- Universities
- Ship[s]
- Shower and/or Bath Area[s]
- Tanning Salon[s]
- Taxi[s]
- Train[s]
- Transportation Terminal[s]
- Veterinary Clinic[s]
- Zoo[s]

USE SITES: [Use] On [hard,] [nonporous surfaces] [the product will not damage]

- [Bath] Tubs
- Bathroom Tile
- Bed Frame
- Beds [Medical] [Hospital]
- Bed Rail[s]
- Cabinets
- Cages
- Chairs
- Conductive Flooring
- Countertops
- Defibrillator[s]
- [Classroom] Desks
- Diaper Pail[s]
- Doorknobs
- Examination Table[s]
- Exercise Equipment
- Exhaust [Fan] [Hood]
- Faucets
- Fixtures [Chrome] [Steel]
- Floors [No Wax and/or- Washable]
- Garbage [Can] [Pail]
- Gurney[s]
- Highchairs [Non-Food Contact Areas]
- Kennel Run[s]
- Kitchen
- Kitchen Tile
- Light Fixtures
- [Medical] [Hospital] Lamp[s]
- Patio Furniture [Except Cushions and Wood Frames]
- Picnic Table [Non Wood]
- Recycling Bin[s]
- Rehabilitation Areas
- Shower curtain[s]
- Shower [stalls]
- Sink[s]
- Stand[s]
- Stethoscope[s]
- Stretcher[s]
- Table[s]

- Telephone[s]
- Toilet[s] Bowl[s] [exterior][rims]
- Tubs
- Urinal[s]
- Vanity [Top]
- Walker[s]
- Wheelchair[s]
- [Washable] Kitchen Surfaces
- [Washable] Cupboards
- [Washable] Door[s]
- [Washable] Railings
- [Washable] Trim[ming]
- [Washable] Walls
- Window[s] [Sills]

USE SURFACES:

- Baked Enamel
- Chrome
- Corian
- Enamel
- Formica
- Glass [Surface][s]
- Glazed [Ceramic] Tile
- Glazed Enameled Surface[s]
- Glazed Porcelain
- Laminate[s]
- Laminated Surface[s]
- Linoleum
- Marlite
- Metal [Blinds]
- Mirrors
- Plastic
- Plastic Laminate
- Porcelain
- Resilient Flooring
- Sealed Fiberglass
- Sealed Granite
- Stainless Steel
- Synthetic or- Cultured Marble
- Upholstery [vinyl] [plastic]
- Vinyl Tile
- Woodwork [Finished]

11/7/2013

SECONDARY/USE DILUTION CONTAINER LABEL

(Note to reviewer: This secondary/use dilution container label will be used when the product is diluted up to 6 oz per gallon of water.)

Peroxide Multi Surface Cleaner and Disinfectant (Concentrate Ingredient Statement)				
Active Ingredients: 8.0% Hydrogen Peroxide 8.0% Inert (Other) Ingredients: 92.0% Total: 100.0%				
Diluted product in this container up to 6 oz per gallon water.				
Diluted product in this container is oz. per gallon water.				
KEEP OUT OF REACH OF CHILDREN				
USE DILUTION PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION PRECAUTIONARY STATEMENTS Causes moderate eye irritation. Avoid contact with eyes or clothing. Remove and wash contaminated clothing before reuse. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.				
FIRST AID If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.				
If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.				
Follow the directions for use listed on the concentrate label when applying this product. EPA Reg. No. 1677-238				