

1677-238

11/7/2014

1/17



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

November 7, 2014

Nicole Damon
Associate Regulatory Specialist I
EcoLab
370 North Wabasha Street
St. Paul, Minnesota 55102

Subject: Label Amendment – Minor label changes to use directions, claims, etc.
Product Name: Peroxide Multi Surface Cleaner and Disinfectant
EPA Registration Number: 1677-238
Application Date: August 4, 2014
Decision Number: 494426

Dear Ms. Damon:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.


Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

2/17

Page 2 of 2
EPA Reg. No. 1677-238
Decision No. 494426

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, please contact Elizabeth Watkins by phone at 703-347-0241, or via email at Watkins.Elizabeth@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "Seiichi Murasaki". The signature is stylized with a large initial "S" and a long, sweeping underline.

Seiichi Murasaki
Acting Product Manager 33
Regulatory Management Branch I
Antimicrobials Division (7510P)
Office of Pesticide Programs

3/17

Peroxide Multi Surface Cleaner and Disinfectant

Disinfectant Glass and Surface Cleaner

(Note to reviewer: Text appearing in parentheses is optional text)

(ALL-IN-ONE) (MULTI-SURFACE (DISINFECTANT) (SANITIZER), (CLEANER), (VIRUCIDAL), (FUNGICIDAL), (BACTERICIDAL), (GERMICIDAL), (HOSPITAL USE DISINFECTANT), (DEODORIZER) (ODOR COUNTERACTANT), (ODOR NEUTRALIZER), (NON-DULLING TO FLOORS) (FLOOR FINISHES), (CLEANS, DISINFECTS & DEODORIZES) (SANITIZES)

For Hospital, Health Care, Commercial, Institutional, Industrial

Active Ingredient:

Hydrogen Peroxide 8.0%

Other Ingredients: 92.0%

Total: 100.0%

ACCEPTED
11/07/2014
<small>Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 1677-238</small>

KEEP OUT OF REACH OF CHILDREN

DANGER

**PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals**

Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed or absorbed through skin. Do not get in eyes, skin or on clothing. Wear protective eyewear such as safety glasses and chemical resistant gloves when handling the concentrate. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. After the product has been diluted according to use directions Personal Protective equipment is not required.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

If on skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor or going for treatment.

EMERGENCY HEALTH INFORMATION: 1-866-897-8061 (Outside United States and Canada)
CALL: 1-952-852-4656 (in USA)

See side panel for additional precautionary statements

This product (insert name) is recommended for (daily) cleaning and disinfecting of washable hard non-porous (environmental) surfaces including:

- Non-food contact counter tops, sinks, exterior surfaces of refrigerators, coolers, freezers, stovetops, appliances, non-food contact equipment, shelves, racks and carts
- Telephones and computer keyboards
- Tables, chairs, desks, bedframes, walls, cabinets, doorknobs, and garbage cans
- Highchairs
- Shower stalls, tubs, tiles, shower doors, shower curtains, shower fixtures, restroom fixtures, exterior surfaces of toilets, urinals, restroom floors
- Windows and mirrors
- Fiberglass sinks, tubs and showers
- Floors (tile, finished)
- Vinyl, painted surfaces, plastic surfaces, glass, glazed tile, linoleum, plastic (such as polyethylene, polypropylene, polyvinylchloride), glazed porcelain, stainless steel and glass.

This product (insert name) *is recommended for use as a non-food contact sanitizer*

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical devices prior to sterilization or high-level disinfection.

This product (insert name) is a (hospital-use) disinfectant (germicidal) (multi-surface) cleaner (and odor counteractant) designed for (daily) general cleaning and disinfecting of hard, non-porous environmental surfaces.

Areas of Use: schools and colleges, veterinary clinics and animal life science laboratories, animal care and farm premise locations, industrial facilities, dietary areas, beverage and food processing plants, restaurants, hotels, motels, office buildings, recreational facilities, medical facilities, hospitals, kitchens, nursing homes, assisted living facilities, medical and dental offices, retail and wholesale establishments, cruise ships, casinos, correctional facilities, athletic facilities, health clubs.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For use as a (Daily) (Multi-Surface) Cleaner: Dilute at (0.5 - 6 oz/gal) OR (0.5 oz/gal) OR (1 oz/gal) OR (0.5-1 oz/gal). Apply with a cloth, mop, sponge, or coarse sprayer (or autoscrubber). Rinsing is not necessary on non-food contact surfaces. Do not use this product to clean glassware, dishes, or silverware.

Non-Food Contact One Step Cleaner/Sanitizer (kills 99.9%) (reduces) in 90 seconds at 1:32 dilution (4 oz/gal) in 400 ppm hard water against the following pathogenic bacteria according to the Non-food Contact Sanitizer Test Method modified in the presence of 5% fetal bovine serum.

Staphylococcus aureus (ATCC 6538)
Enterobacter aerogenes (ATCC 13048)
Salmonella enterica (ATCC 10708)
Escherichia coli (ATCC 11229)
Pseudomonas aeruginosa (ATCC 15442)
Enterococcus faecalis (ATCC 29212)

Non-Food Contact One Step Cleaner/Sanitizer in 90 seconds at ~~4:32~~ 1:21.3 dilution (6 oz/gal) in 200 ppm hard water against the following pathogenic bacteria according to the Non-food Contact Sanitizer Test Method modified in the presence of 5% fetal bovine serum.

Listeria monocytogenes (ATCC 7644)

Non-Food Contact Sanitizer: Add 4 - 6 oz/gal to sanitize hard, nonporous non-food contact surfaces against (*Staphylococcus aureus* (ATCC 6538), *Enterobacter aerogenes* (ATCC 13048), *Salmonella enterica* (ATCC 10708), *Escherichia coli* (ATCC 11229), *Pseudomonas aeruginosa* (ATCC 15442), and *Enterococcus faecalis* (ATCC 29212). Add 6 oz/gal in 200 ppm hard water to sanitize hard, nonporous non-food contact surfaces against *Listeria monocytogenes* (ATCC 7644).

Pre-Clean heavily soiled areas. Apply sanitizer use-solution with a cloth, mop, sponge, coarse sprayer or by immersion. Treated surfaces must remain wet for 90 seconds. Wipe dry with a sponge, mop, or cloth (or allow to air dry).

For use as a (Daily) (Multi-Surface) Cleaner/Disinfectant or (Daily) Restroom

Cleaner/Disinfectant: Dilute (according to use directions) OR (at 1:21.3 (6 oz/gal)) OR (at 1:32 (4 oz/gal)). Pre-Clean heavily soiled areas. Apply Use Solution by coarse trigger sprayer to hard, non-porous surfaces. Spray 6-8 inches from the surface; making sure to wet surfaces thoroughly. All surfaces must remain wet for the required time indicated in the directions for use. Wipe surfaces (or allow to air dry). Rinsing is not necessary on non-food contact surfaces. Do not use this product to clean or disinfect glassware, dishes, or silverware.

BACTERICIDAL (kills) in 5 minutes at 1:32 dilution (4 oz/gal) in 400 ppm hard water against the following pathogenic bacteria according to the AOAC Germicidal Spray Test modified in the presence of 5% blood serum.

Pseudomonas aeruginosa (ATCC 15442)
Staphylococcus aureus (ATCC 6538)
Salmonella enterica (ATCC 10708)
Klebsiella pneumonia (ATCC 4352)
Shigella flexneri (ATCC 9380)
Streptococcus pyogenes (ATCC 19615)

EPA Reg. No. 1677-238
Shigella dysenteriae (ATCC 29026)
Listeria monocytogenes (ATCC 7644)
Bordetella pertussis (ATCC 12743)

11/06/2014

6/17

Antibiotic-Resistant Bacteria:

Staphylococcus aureus (VISA) (ATCC 700788)
Staphylococcus aureus (CA-MRSA) (ATCC BAA-1683)
Staphylococcus aureus (MRSA) (ATCC 33592)
Klebsiella pneumonia (Carbapenemase producer) (KPC) (ATCC BAA-1705)
Enterococcus faecalis (VRE) (ATCC 51299)

BACTERICIDAL (kills) in 5 minutes at 1:21.3 dilution (6 oz/gal) in 200 ppm hard water against the following pathogenic bacteria according to the AOAC Germicidal Spray Test modified in the presence of 5% blood serum.

Escherichia coli (O157:H7) (ATCC 43895)
Enterobacter aerogenes (ATCC 13048)

BACTERICIDAL (kills) in 3 minutes at 1:32 dilution (4 oz/gal) in 400 ppm hard water against the following pathogenic bacteria according to the AOAC Germicidal Spray Test modified in the presence of 5% blood serum.

Proteus mirabilis (ATCC 7002)

BACTERICIDAL (kills) in 3 minutes at 1:21.3 dilution (6 oz/gal) in 200 ppm hard water against the following pathogenic bacteria according to the AOAC Germicidal Spray Test modified in the presence of 5% blood serum.

Pseudomonas aeruginosa (ATCC 15442)
Staphylococcus aureus (ATCC 6538)
Salmonella enterica (ATCC 10708)
Klebsiella pneumonia (ATCC 4352)
Serratia marcescens (ATCC 14756)
Bordetella bronchiseptica (ATCC 31437)

Antibiotic-Resistant Bacteria:

Staphylococcus aureus (CA-MRSA) (BAA-1683)
Staphylococcus aureus (MRSA) (ATCC 33592)

For use as a Virucide*: Dilute (according to use directions) OR (at 1:32 (4 oz/gal)) OR (at 1:21.3 (6 oz/gal)). Pre-Clean heavily soiled areas. Apply Use Solution by coarse trigger sprayer to hard, non-porous environmental surfaces. Spray 6-8 inches from the surface, making sure to wet surfaces thoroughly. All surfaces must remain wet for the required time indicated in the directions for use. Wipe surfaces (or allow to air dry).

VIRUCIDAL* (kills) in 5 minutes at 1:32 dilution (4 oz/gal) in 400 ppm hard water against the following viruses according to the Virucidal Qualification Test modified in the presence of 5% blood serum.

*Adenovirus type 5 (ATCC VR-5)
*Influenza A Virus H1N1
*Norovirus (Feline Calicivirus ATCC VR-782)
*Rhinovirus Type 37 (ATCC VR-1147)

7/17

- *Poliovirus (chat strain)
- *Herpes Simplex Virus Type 2 (ATCC VR-734)
- *Hepatitis B Virus
- *Murine Norovirus (Strain MNV-1.CW1)
- *Respiratory Syncytial Virus (ATCC VR-26)
- *Vaccinia Virus (ATCC VR-119)
- *Human Coronavirus (SARS) (ATCC VR-740)
- *Rotavirus (Strain WA)
- *Canine Parvovirus (ATCC VR-2017)
- *Canine Distemper Virus (ATCC VR-128)
- *Newcastle Disease Virus (ATCC VR-108)
- *Herpes Simplex Virus Type 1 (ATCC VR-733)

VIRUCIDAL* (kills) in 3 minutes at 1:32 (4 oz/gal) diluted in 200 ppm hard water against the following viruses according to the Virucidal Qualification Test modified in the presence of 5% blood serum.

- *Herpes Simplex Virus Type 1

VIRUCIDAL* (kills) in 3 minutes at 1:21.3 (6 oz/gal) diluted in 200 ppm hard water against the following viruses according to the Virucidal Qualification Test modified in the presence of 5% blood serum.

- *Influenza A Virus H1N1
- *Norovirus (Feline Calicivirus ATCC VR-782)
- *Rhinovirus Type 37 (ATCC VR-1147)

VIRUCIDAL* (kills) in 1 minute at 1:32 dilution (4 oz/gal) diluted in 400 ppm hard water against the following viruses according to the Virucidal Qualification Test modified in the presence of 5% blood serum.

- *HIV Type 1

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS:

Personal Protection: Clean-up must always be done wearing protective gloves, gowns, masks and eye protection.

Cleaning Procedure: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product.

Contact Time: Allow surface to remain wet for 1 minute to kill HIV-1, 5 minutes to kill HBV.

Disposal of Infectious Material: Blood, body fluids, cleaning materials and other clothing must be autoclaved and disposed of according to local regulations for infectious waste disposal.

FUNGICIDAL (kills) in 5 minutes at 1:32 dilution (4 oz/gal) in 400 ppm hard water against the following fungi according to the AOAC Fungicidal Test modified in the presence of 5% blood serum, per the following contact times.

Candida albicans (ATCC 10231)

VETERINARY OFFICES: Remove all animals and feeds from premises, animal transportation vehicles, crates, etc. remove all litter, droppings and manure from floors, walls and surfaces of facilities occupied or traversed by animals. Empty all feeding and watering appliances.

Saturate surfaces with a use-solution 1:32 (4 oz/gal) for a period of 5 minutes. Wipe or allow to air dry. Saturate all animal handling and restraining equipment as well as forks, shovels, and scrapers used to remove litter and manure. Rinse all surfaces that come in contact with food, including equipment used for feeding and watering, with potable water before reuse. Ventilate buildings and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried.

DISINFECTION AND DEODORIZING OF ANIMAL HOUSING FACILITIES (BARNs, KENNELS, CAGES, HUTCHES, ETC): Remove animals and feed from facilities. Remove litter, waste matter, and gross soils. Empty all troughs, rack and other feeding and watering equipment. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate all halters, ropes, and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure. Saturate surfaces with a use-solution (4-6 oz/gal) for a period of 5 minutes. Apply use-solution by coarse trigger sprayer to hard, non-porous surfaces. Spray 6-8 inches from the surface; making sure to wet surfaces thoroughly. (See list of viruses under disinfection directions for use.) Ventilate buildings and other closed spaces. Thoroughly scrub all treated feed racks, mangers, troughs, automatic feeders, fountains, and waterers with soap or detergent, and rinse with potable water before reuse. Allow to air dry before reintroducing animals.

TABLE A		
Hard Water = 400 ppm		
4 oz/ gal	Efficacy testing contact time results	Organisms
Antibacterial efficacy (according to the AOAC Germicidal Spray Test modified in the presence of 5% blood serum)	5 min	<i>Pseudomonas aeruginosa</i> (ATCC 15442) <i>Staphylococcus aureus</i> (ATCC 6538) <i>Salmonella enterica</i> (ATCC 10708) <i>Klebsiella pneumonia</i> (ATCC 4352) <i>Shigella flexneri</i> (ATCC 9380) <i>Streptococcus pyogenes</i> (ATCC 19615) <i>Shigella dysenteriae</i> (ATCC 29026) <i>Listeria monocytogenes</i> (ATCC 7644) <i>Staphylococcus aureus</i> (VISA) (ATCC 700788) <i>Staphylococcus aureus</i> (CA-MRSA) (ATCC BAA-1683) <i>Staphylococcus aureus</i> (MRSA) (ATCC 33592) <i>Klebsiella pneumonia</i> (Carbapenemase producer)(KPC) (ATCC BAA-1705) <i>Enterococcus faecalis</i> (VRE) (ATCC 51299) <i>Bordetella pertussis</i> (ATCC 12743)
Anti-Viral efficacy (according to the Virucidal Qualification Test modified in the presence of 5% blood serum)	5 min	* <i>Vaccinia Virus</i> (ATCC VR-119) * <i>Respiratory Syncytial Virus</i> (ATCC VR-26) * <i>Hepatitis B Virus</i> * <i>Human Coronavirus (SARS)</i> (ATCC VR-740) * <i>Canine Parvovirus</i> (ATCC VR-2017) * <i>Canine Distemper Virus</i> (ATCC VR-128) * <i>Newcastle Disease Virus</i> (ATCC VR-108) * <i>Poliovirus</i> (chat strain) * <i>Murine Norovirus</i> (Strain MNV-1.CW1) * <i>Rotavirus</i> (Strain WA) * <i>Norovirus</i> (Feline Calicivirus ATCC VR-782) * <i>Herpes Simplex Virus Type 1</i> (ATCC VR-733) * <i>Rhinovirus Type 37</i> (ATCC VR-1147) * <i>Influenza A Virus H1N1</i> * <i>Adenovirus type 5</i> (ATCC VR-5) * <i>Herpes Simplex Virus Type 2</i> (ATCC VR-734)
Antifungal efficacy (according to the AOAC Fungicidal test modified in the presence of 5% blood serum)	5 min	<i>Candida albicans</i> (ATCC 10231)
Non-Food Contact Sanitizing (in the presence of 5% fetal bovine serum)	90 seconds	<i>Staphylococcus aureus</i> (ATCC 6538) <i>Enterobacter aerogenes</i> (ATCC 13048) <i>Salmonella enterica</i> (ATCC 10708) <i>Escherichia coli</i> (ATCC 11229) <i>Pseudomonas aeruginosa</i> (ATCC 15442) <i>Enterococcus faecalis</i> (ATCC 29212)
Antibacterial efficacy	3 min	<i>Proteus mirabilis</i> (ATCC 7002)

10/17

(according to the AOAC Germicidal Spray Test modified in the presence of 5% blood serum)		
Anti-Viral efficacy (according to the Virucidal Qualification Test modified in the presence of 5% blood serum)	1 min	*HIV Type 1

TABLE B		
Hard Water = 200 ppm		
6 oz/gal	Efficacy testing contact time results	Organisms
Antibacterial efficacy (according to the AOAC Germicidal Spray Test modified in the presence of 5% blood serum)	5 mins	<i>Escherichia coli</i> (O157:H7)(ATCC 43895) <i>Enterobacter aerogenes</i> (ATCC 13048)
Antibacterial efficacy (according to the AOAC Germicidal Spray Test modified in the presence of 5% blood serum)	3 min	<i>Pseudomonas aeruginosa</i> (ATCC 15442) <i>Staphylococcus aureus</i> (ATCC 6538) <i>Salmonella enterica</i> (ATCC 10708) <i>Klebsiella pneumonia</i> (ATCC 4352) <i>Staphylococcus aureus</i> (CA-MRSA)(BAA-1683) <i>Staphylococcus aureus</i> (MRSA) (ATCC 33592) <i>Serratia marcescens</i> (ATCC 14756) <i>Bordetella bronchiseptica</i> (ATCC 31437)
Anti-Viral efficacy (according to the Virucidal Qualification Test modified in the presence of 5% blood serum)	3 min	*Norovirus (Feline Calicivirus ATCC VR-782) *Rhinovirus Type 37 (ATCC VR-1147) *Influenza A Virus H1N1

TABLE C		
Hard Water = 200 ppm		
4 oz/gal	Efficacy testing contact time results	Organisms
Anti-Viral efficacy (according to the Virucidal Qualification Test modified in the presence of 5% blood serum)	3 min	*Herpes Simplex Virus Type 1

TABLE D		
Hard Water = 200 ppm		
6 oz/gal	Efficacy testing contact time results	Organisms
Non-Food Contact Sanitizing (in the presence of 5% fetal bovine serum)	90 seconds	<i>Listeria monocytogenes</i> (ATCC 7644)

11/17

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store this product in a cool, dry area, away from direct sunlight and heat.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING AND DISPOSAL:

(For containers 5 gallons or less.) Non-refillable container. Do not reuse or refill this container. Triple rinse as follows: Fill container 1/4 full with water and recap. Shake for 10 seconds. Drain for 10 seconds after the flow begins to drip. Follow Pesticide Disposal instructions for rinsate disposal. Repeat procedure two more times. Then offer for recycling or reconditioning if appropriate or puncture and dispose of in a sanitary landfill or by incineration.

(For containers >5-55 gallons.) Non-refillable container. Do not reuse or refill this container. Triple rinse as follows: Empty remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat procedure two more times. Then offer for recycling or reconditioning if appropriate or puncture and dispose of in a sanitary landfill or by incineration.

(300 gallon tote) Verify that the tote is empty. Do not rinse or clean. Seal tote and contact Ecolab for return.

Net Contents:
1.3 L
2 L
1 U.S. Gal.
2 U.S. Gal.
2.5 U.S. Gal.
5 U.S. Gal.
55 U.S. Gal.
tote

FOR COMMERCIAL USE

Manufactured by:
Ecolab Inc.
370 N. Wabasha Street
St. Paul, MN 55102

EPA Reg. No. 1677-238
EPA Est. No.: 1677-MN-1 (P), 60156-IL-1 (SI), 1677-CA-2 (R),
1677-TX-1 (D), 1677-IL-2 (J),
1677-GA-1 (M), 1677-WV-1 (V), 58046-TX-2 (X)
Superscript refers to first letter of date code

Optional Marketing Language

Note: *Bold, italicized text is information for the reader and is not part of the label. (Note to reviewer: Text appearing in parentheses is optional text)*

Makes x gallons of use solution when diluted according to label directions.
Intentionally filled to 2 gallons.

Claims (for cleaning, deodorizing, stain removal):

- New
- New Formula
- Streak-Free (Glass Cleaner)
- Great on Glass
- Multi-Surface (Cleaner) (Spray)
- Daily-Use Multi-Surface (Cleaner) (Spray)
- Multi-Purpose (Cleaner) (Spray)
- Daily-Use Multi-Purpose (Cleaner) (Spray)
- No streaking
- No residue
- No dulling residue
- No filming
- Fresh Scent
- Fragrance Free (*one alternate CSF will have 0% fragrance*)
- Leaves (kitchen(s)) (bathroom(s)) (restroom(s)) (surfaces) clean (and sanitary)
- Leaves (kitchen(s)) (bathroom(s)) (restroom(s)) (surfaces) clean (and fresh)
- Breaks down allergens
- Cleans to a streak-free shine
- Cleans to a streak-free shine (glass) (windows) (mirrors) (surfaces) (faucets) (countertops) (exterior surfaces of appliances) (stainless steel) (glass furniture) (and shiny surfaces)
- Cleans (kitchen) (commercial) (industrial) (institutional) (hard) surfaces to a streak-free shine
- Cleans everyday (kitchen) dirt, grease and food stains
- Cleans tough messes
- Powerful cleaner plus the power of peroxide
- Cuts through (tough) grease and grime
- Degreaser
- Degreases
- Deodorizes
- Deodorizes and has a clean, fresh scent
- Eliminates odors caused by (bacteria)
- Removes food stains
- Removes odors
- Removes streaks (residue)
- Removes – and/or – cleans – and/or – cuts through –and/or – (tough) stains
 - bathroom (restroom) dirt – and/or – stains (while leaving a streak-free shine)
 - grime (while leaving a streak-free shine)
 - (tough) – and/or- (greasy) – and/or- (kitchen) dirt – and/or – soil(s) (while leaving a streak-free shine)

Claims (sanitizing)

- Sanitizes hard, nonporous surfaces

Claims (disinfection)

- Antibacterial (action)
- Bacteria-fighting – or – Germ-fighting formula
- Bactericidal
- Restroom – and/or- Bathroom disinfectant
- Broad spectrum disinfectant (cleaner)
- Cleans and disinfects
- Cleaner and disinfectant in one
- Cleans –and/or- disinfects (bathroom) (school) (classroom) (restroom) (kitchen) (home) (household) (office) (work – or- office (place) (environment)) (place)
- Disinfects
- Disinfects and deodorizes by killing common (household) germs and controlling their odors
- Disinfects as it cleans
- Disinfects as it kills bacteria
- Disinfects nonporous (hard) surfaces
- (Effective) (bathroom – and/or-restroom-and/or-kitchen-and-or-household-and/or-office-and/or-workplace) disinfectant –and/or-cleaner
- (Effective) disinfectant (in presence of 5% serum load – or- organic soil)
- Germicide – or- Germicidal
- Kills Pandemic 2009 H1N1 influenza A virus (formerly called swine flu).
- Kills Pandemic 2009 H1N1 influenza A virus. Meets AOAC efficacy standards for hospital disinfectants
- Removes stains and disinfects
- This (cleaner) (disinfectant) combines cleaning and disinfecting (in one product) (in one step)
- This product is a cleaner disinfectant which combines cleaning, disinfecting and stain removal in one product
- (This product) The power to clean (tough) (bathroom –and/or- restroom –and/or- school –and/or- classroom –and/or- kitchen –and/or- household – and/or- office –and/or- workplace) (grime) (dirt) (soils) and kill bathroom germs –and/or- bacteria

Claims (Fungicidal,)

- Kills yeast and mold
- Fungicidal –or- Fungicide
- Antifungal

Claims – General

- New (and –or- Improved) (!) **to be used for first 6 months only**
- (Removes) (Eliminates) (Attacks) (Gets rid of) (Melts away) tough ((bathroom –and/or- restroom –and/or- kitchen – and/or- hotel room –and/or- office –and/or- workplace) (dirt) (soils) (grime)) (!)
- Tough on (soap scum – and/or–and/or- grease)
- Commercial Product(s)

USE LOCATIONS: (Where to use this product) (For use around –or- in –or- throughout the)

- Airplane(s)

14/17

- Airport(s)
- Ambulance(s)
- Animal Laboratory (Laboratories)
- Athletic Facilities
- Bar(s)
- Barber Shop(s)
- Bathroom(s)
- Boat(s)
- Business(es)
- Bus(es)
- Cafeteria(s)
- Camp Ground(s)
- Clinic(s)
- College(s)
- Commercial Kitchen(s)
- Convenience Store(s)
- Correctional Facility (Facilities)
- (Dental –and/or- Medical) Office(s)
- (Dentist's –or- Doctor's –or- Physician's) Office(s)
- Emergency (Police)(EMS)(Fire)(Rescue) Vehicles
- Exercise Facility (Facilities)
- Factories
- Farm(s)
- Fitness Center(s)
- Food Processing Plant(s)
- Health Club(s)
- Hospital(s)
- Hotel(s)
- Institutions
- Institutional Kitchen(s)
- Kennel(s)
- Kitchen(s)
- Laundromat(s)
- Locker Room(s)
- Medical Related Facilities
- Motel(s)
- Nurseries
- Nursing Home(s)
- Office (Building) (s)
- Pet Animal Quarter(s)
- Pet Shop(s)
- Poultry Farm(s)
- Prison(s)
- Public Facility (Facilities)
- Public Restroom(s)
- Recreational Center(s) –or- Facility (Facilities)
- Rehabilitation Center(s) – or- Facility (Facilities)
- Restaurant(s)
- Salon(s) (Beauty)
- Schools –and/or- Universities
- Ship(s)

- Shower – and/or – Bath Area(s)
- Tanning Salon(s)
- Taxi(s)
- Train(s)
- Transportation Terminal(s)
- Veterinary Clinic(s)
- Zoo(s)

USE SITES: (Use) On (hard,) (nonporous surfaces) (the product will not damage)

- (Bath) Tubs
- Bathroom Tile
- Bed Frame
- Beds (Medical) (Hospital)
- Bed Rail(s)
- Cabinets
- Cages
- Chairs
- Conductive Flooring
- Countertops
- Defibrillator(s)
- (Classroom) Desks
- Diaper Pail(s)
- Doorknobs
- Examination Table(s)
- Exercise Equipment
- Exhaust (Fan) (Hood)
- Faucets
- Fixtures (Chrome) (Steel)
- Floors (No Wax – and/or- Washable)
- Garbage (Can) (Pail)
- Gurney(s)
- Highchairs (Non-Food Contact Areas)
- Kennel Run(s)
- Kitchen
- Kitchen Tile
- Light Fixtures
- (Medical) (Hospital) Lamp(s)
- Patio Furniture (Except Cushions and Wood Frames)
- Picnic Table (Non Wood)
- Recycling Bin(s)
- Rehabilitation Areas
- Shower curtain(s)
- Shower (stalls)
- Sink(s)
- Stand(s)
- Stethoscope(s)
- Stretcher(s)
- Table(s)
- Telephone(s)
- Toilet(s) Bowl(s) (exterior) (rims)
- Tubs

16/17

- Urinal(s)
- Vanity (Top)
- Walker(s)
- Wheelchair(s)
- (Washable) Kitchen Surfaces
- (Washable) Cupboards
- (Washable) Door(s)
- (Washable) Railings
- (Washable) Trim(ming)
- (Washable) Walls
- Window(s) (Sills)

USE SURFACES:

- Baked Enamel
- Chrome
- Corian
- Enamel
- Formica
- Glass (Surface)(s)
- Glazed (Ceramic) Tile
- Glazed Enameled Surface(s)
- Glazed Porcelain
- Laminate(s)
- Laminated Surface(s)
- Linoleum
- Marlite
- Metal (Blinds)
- Mirrors
- Plastic
- Plastic Laminate
- Porcelain
- Resilient Flooring
- Sealed Fiberglass
- Sealed Granite
- Stainless Steel
- Synthetic – or- Cultured Marble
- Upholstery (vinyl) (plastic)
- Vinyl Tile
- Woodwork (Finished)
- Not recommended for use on Marble

17/17

SECONDARY/USE DILUTION CONTAINER LABEL

(Note to reviewer: This secondary/use dilution container label will be used when the product is diluted up to 6 oz per gallon of water. Use dilution is to be prepared by end user. This secondary/use dilution label will only be used by the end user and will not be sold or distributed.)

Peroxide Multi Surface Cleaner and Disinfectant

(Concentrate Ingredient Statement)

Active Ingredients:

Hydrogen Peroxide8.0%

Inert (Other) Ingredients:92.0%

Total:100.0%

Diluted product in this container up to 6 oz per gallon water.

Diluted product in this container is _____ oz. per gallon water.

KEEP OUT OF REACH OF CHILDREN

**USE DILUTION PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

PRECAUTIONARY STATEMENTS

Causes moderate eye irritation. Avoid contact with eyes or clothing. Remove and wash contaminated clothing before reuse. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

Follow the directions for use listed on the concentrate label when applying this product.

Use solution prepared by end user. **NOT TO BE SOLD OR DISTRIBUTED.**