

1677-239

3/4/2015

1/8



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

March 4, 2015

Tamera McKeehan
Sr. Regulatory Specialist 1
Ecolab
3570 N. Wabasha Street
St. Paul, MN 55102

Subject: Label Amendment – To update label language
Product Name: SANITIZING WASH AND WALK
EPA Registration Number: 1677-239
Application Date: February 13, 2015
Decision Number: 500587

Dear Ms. McKeehan:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.


Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance

Page 2 of 2
EPA Reg. No. 1677-239
Decision No. 500587

2/8

with FIFRA section 6. If you have any questions concerning this letter, please contact Emilia Oiguenblik at (703) 347 0199 or Velma Noble at (703) 308-6233.

Sincerely,



Velma Noble

Product Manager (31)
Regulatory Management Branch I
Antimicrobials Division (7510P)

Enclosure: Stamped label

SANITIZING WASH 'N WALK

No-rinse floor cleaner/sanitizer

Cleaner – Sanitizer – One-Step Cleaner/Sanitizer – Odor Reducer - No-Rinse Non-Food Use - Floor Cleaner/Sanitizer

(For Institutional, Industrial and Commercial Use)


Schools – Restaurants – Food Services – Food Retail – Dairies – Beverage and Food Processing Plants – Farm Premises – Poultry Premises – Poultry Hatcheries – Animal Housing Facilities

Active Ingredient:

N,N-Bis(3-aminopropyl)laurylamine2.06%

Inert Ingredients:.....97.94%

Total:.....100.00%



**KEEP OUT OF REACH OF CHILDREN
DANGER**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Causes irreversible eye damage. Do not get in eyes or on clothing. Wear protective eyewear such as goggles. Harmful if absorbed through skin or inhaled. Avoid breathing vapor or spray mist. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

FOR EMERGENCY MEDICAL INFORMATION, CALL TOLL-FREE

1-800-328-0026

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

DO NOT MIX WITH ANYTHING BUT WATER

(NOTE to reviewer: language in parenthesis is interchangeable)

Optional Marketing Language:

- (Product) improves the coefficient of friction on kitchen (food service area) floors
- Proven to increase the coefficient of friction thereby reducing risk of slips and falls
- Kills 99.9% of *Staphylococcus aureus* (ATCC 6538), *Enterobacter aerogenes* (ATCC 13048), *Escherichia coli* (ATCC 11229), *Escherichia coli* O157:H7 (ATCC 43895), *Listeria monocytogenes* (ATCC 49594) and *Salmonella typhimurium* (ATCC 13311)
- Enzymatic (non-food contact) floor cleaner specifically formulated to cut kitchen (food service area) grease
- (Product) is a daily floor cleaner
- (Product) reduces grease build up on grout lines and improves their appearance
- Reduces (Helps prevent) cross-contamination from treated area to treated area
- Reduces (Helps prevent) cross-contamination from treated area to treated area in animal areas and packaging and storage areas of beverage and food processing plants
- Reduces feeding and breeding grounds for fruit flies when used as a drain (and floor) cleaner and sanitizer
- Reduces odor-causing bacteria
- Reduces odors caused by bacteria
- Reduces odors and odor causing bacteria in restroom areas
- When used on a regular basis, (Product) keeps floor bacteria levels under control
- 4 applications in 1 product (floor cleaner, floor sanitizer, drain cleaner, and drain sanitizer)

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Non-Food Contact Surface Sanitizing:

When used as directed, (Product) reduces (kills) 99.9% of *Staphylococcus aureus* (ATCC 6538), *Enterobacter aerogenes* (ATCC 13048), *Escherichia coli* (ATCC 11229), *Escherichia coli* O157:H7 (ATCC 43895), *Listeria monocytogenes* (ATCC 49594) and *Salmonella typhimurium* (ATCC 13311) on non-food contact surfaces when used at 2 oz (Product) per 1 gallon of water in up to 500 ppm hard water.

(Product) is a one-step (non-food contact) cleaner/sanitizer. For heavy soils, a pre-cleaning step is required. (Product) can also be used to remove heavy soil (for a separate pre-cleaning step).

To clean and sanitize hard, non-porous surfaces only such as floors, and drain covers, add 2 oz. (Product) per 1 gallon of water. A solution of 2 oz. (Product) per 1 gallon of water is an effective non-food contact sanitizer against the following pathogenic organisms:

Staphylococcus aureus (ATCC 6538)
Enterobacter aerogenes (ATCC 13048)
Escherichia coli (ATCC 11229)
Escherichia coli O157:H7 (ATCC 43895)
Listeria monocytogenes (ATCC 49594)
Salmonella typhimurium (ATCC 13311)

Apply sanitizer use-solution by flooding the floor or liberally applying with a mop. Scrub with a deck brush (or autoscrubber), and squeegee to drain. Treated surfaces must remain wet for 5 minutes. Allow to air dry. DO NOT RINSE.

Prepare fresh solution each time floor is cleaned.

When used as directed, (Product) reduces (kills) 99.9% of *Staphylococcus aureus* (ATCC 6538), *Enterobacter aerogenes* (ATCC 13048), *Salmonella Typhimurium* (ATCC 13311) and *Listeria monocytogenes* (ATCC 45594), when foamed into drains at 2 oz. (Product) per 1 gallon of water in up to 500 ppm hard water.

Cleaning Sink Drains, Floor Drains and Trunk Lines:

For heavily soiled drains, a pre-cleaning step is required. For drain cleaning, dilute 2 oz. (Product) per 1 gallon of water. Apply solution to all hard, non-porous drain surfaces by pouring or foaming to thoroughly wet all surfaces. DO NOT RINSE. For optimal floor cleaning results, it is recommended to use (Product) daily (twice a day).

Foaming Sanitizer for Sink Drains, Floor Drains and Trunk Lines:

A solution of 2 oz. (Product) per 1 gallon of water is an effective foaming sanitizer in sink drains, floor drains and trunk lines against the following pathogenic organisms:

Staphylococcus aureus (ATCC 6538)
Enterobacter aerogenes (ATCC 13048)
Listeria monocytogenes (ATCC 49594)
Salmonella typhimurium (ATCC 13311)

Preclean drain prior to sanitization. Apply foam into drain using a foaming generator or similar device. Hold foaming discharge nozzle (wand) to drain opening or in drain opening to assure that foam does not back up out of drain.

Foam must completely fill pipe. Allow foam to remain on drain surface for 5 minutes. Repeat as needed to control listed organisms. When using (Product) to clean and sanitize drains, it is recommended to use it daily (twice a day).

Removing Breeding Grounds for Small Flies:

Routine (daily) cleaning and sanitizing drains (and) (floors) removes the breeding grounds for *Drosophila spp.* (fruit flies) and the Phoridae family in restaurants, kitchens, food service areas, dishwashing areas, and bar and wait station areas. Remove food and food packaging prior to use. Cover exposed food handling surfaces. After removing

6/8

gross filth, apply a solution of 2 oz. (Product) per 1 gallon use solution to surfaces and locations where flies may breed. Apply by pouring, mopping or sponging onto the surface. Repeat application as needed. Do not contaminate food or food packaging.

For Control of Small Flies on Surfaces:

For control of small flies: *Drosophila spp.* (fruit flies) and the Phoridae family. To control flies on non-food contact surfaces such as floors and walls in restaurants, kitchens, food service areas, dishwashing areas and bar and wait station areas. Remove food and food packaging prior to use. Cover exposed food handling surfaces. After removing gross filth, apply a solution of 2 oz. (Product) per 1 gallon use solution to surfaces and locations where flies may breed. Apply by pouring, mopping or sponging onto the surface. Repeat application as needed. Do not contaminate food or food packaging.

For Control of Small Flies in Drains:

For control of small flies: *Drosophila spp.* (fruit flies) and the Phoridae family. Foam or pour a solution of 2 oz. (Product) per 1 gallon use solution into drain during time of lowest level of drain use. Add 14 oz. of use solution daily to each drain to maintain fly control. Apply around the edge of the drain and coat all sides of inside of drain.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store this product in a cool, dry area, away from direct sunlight and heat. Store at or below 100°F. (Do not store above 100°F (for extended periods of time.))

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

Container Handling and Disposal: RESIDUE REMOVAL INSTRUCTIONS:

(Non-refillable sealed container) Do not reuse or refill this container. Wrap empty container and place in trash.

(For containers 5 gals. or less.) Non-refillable container. Do not reuse or refill this container. Triple rinse as follows: Fill container ¼ full with water and recap. Shake for 10 seconds. Drain for 10 seconds after the flow begins to drip. Follow Pesticide Disposal instructions for rinsate disposal. Repeat procedure two more times. Then offer for recycling or reconditioning if appropriate or puncture and dispose of in a sanitary landfill or by incineration.

(For containers >5-55 gals.) Non-refillable container. Do not reuse or refill this container. Triple rinse as follows: Empty remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat procedure two more times. Then offer for recycling or reconditioning if appropriate or puncture and dispose of in a sanitary landfill or by incineration.

SECONDARY/USE DILUTION CONTAINER LABEL

[Note to reviewer: This secondary/use dilution container label will be used when the product is diluted at 2 oz. per gallon of water. Use dilution is to be prepared by end user and will not be sold or distributed.]

SANITIZING WASH 'N WALK

Concentrate Ingredient Statement

Active Ingredient:

N,N-Bis(3-aminopropyl)laurylamine2.06%

Inert Ingredients:.....97.94%**Total:**.....100.00%

The product in this container must be diluted at the use rate of 2 oz. per gallon of water as directed on the concentrate product label. Follow the directions for use on the concentrate label when applying this product.

KEEP OUT OF REACH OF CHILDREN**USE DILUTION PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

Caution. Harmful if absorbed through skin or inhaled. Avoid breathing vapor or spray mist. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

Use solution prepared by end user. **NOT TO BE SOLD OR DISTRIBUTED.**