PRECAUTIONARY STATEMENTS

HAZAROS TO HUMAN AND DOMESTIC ANIMALS -- CAUTION: Causes eye and skin imtattion. Harmful if avallowed, inhaled or absorbed through skin. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and tubber gloves when handling. Avoid inhaling dust. Keep children and pets out of treated area until dust has settled. Do not use or store near food or feed. Do not use on plants that are to be used for food or feed. During commercial exposure in seed treatment and loading operations, wear goggles, clean subber gloves, protective clothing, and a posticide respirator jointly approved by the Mine Salety and Health Administration (formerly in the U.S. Bureau of Mines) and by the National Institute of Occupational Safety and Health under provisions of 30 CFR, Part 11. Wash hands, arms, and face thoroughly with soap and water after handling and before eating or smoking. Routinely shower or bathe after work; wash all clothing with soap and water before reusing. ENMRONMENTAL HAZARDS: This pesticide product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes. Drift or runoff from treated areas may be hezardous to aquatic organisms in neighboring areas. Do not apply directly to water or wetlands.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GENERAL INFORMATION

When using Hormo-Root powder it is desirable to have bottom heat preferably between 70-75° F. Treated cuttings should not have less than a 60° F temperature. Any rooting medium may be used but a mixture of sand and peat has been found very satisfactory for most vegetative reproduction.

A scientifically balanced plant hormone preparation embodying highly effective fungicidal qualities for the stimulation of strong, healthy roots, and the control of rol.

Hormo Root "B", using the powder dipping procedure, is recommended for the treatment of Arborvitae in variety, Azalea Mollis, Blueberry, Clematis (large flowering hybrids), Gerdenias, Hazelnut, Hemlock in variety, Hibiscus, Holly (Japanese), Juniperus Chinensis, Oleander, Retinospora in variety, Rose, Wisteria, Yews in variety.

HORMO-ROOT "B"

PLANT HORMONE-LIKE POWDER
Semi Hard Wood and Hard Wood Cuttings or
Soft Wood Cuttings (where used as directed)

ACTIVE INGRÉDIENTS	•
Thram (tetramethyltiuram disulfide)	15.00%
Indole-3-butyne acid	
INERT INGREDIENTS	
	100.00%

EPA Reg. No. 1661-2

E BY ONLY!

STORAGE & US

FOR SALE TO, ROFESSIONAL EPA est, 01681 N.J. 01

KEEP OUT OF REACH OF CHILDREN CAUTION

See Side Panel For Additional Precautionary Statements.

STATEMENT OF PRACTICAL TREATMENT

IF SYMALLOWED: Call physician of Poson Control Center, Give one or two glasses of water and induce vomiting by touching finger to back of throat. Do not induce vomiting or give anything by mouth to an unconscious person. If IN EYES: Flush with plenty of water. Get medical attention if Inflation persists. IF INHALED: Remove victim to freeh air. IF ON SKIN: Remove contaminated clothing, wash, affected area with soop and water. Launder clothes before require; Consumption of alcoholic beverages increases the toxic effects of thiram.

NET WEIGHT 1 POUND

HORTUS PRODUCTS CO. P.O. Bex 275, New Foundland, N.J. 07435

Seedings and other plant meterials treated with this product must bear distinct labeling that instructs "CAUTION: Treated with thiram. Wear nutber gloves and protective cititing when handling products treated with Ciram. Direct exposure to skin may result in severe dermantis."

DIRECTIONS FOR USE

POWDER DIPPING PROCEDURE FOR SEMI HARD WOOD AND HARD WOOD CUTTINGS

Smooth stemmed cuttings should be slightly moistened before dipping in the powder to a depth that will cover the stem lightly to a point slightly trigher than the cutting will be set in the sand or other medium. This will give a great measure of protection from fungi which usually spread over the surface of the sand. To remove excess powder, tap on the edge of the

SOFT WOOD CUTTINGS

Soft wood cuttings may only be treated with this material when it is blown on the ends of the cuttings by means of a Jilly or other powder blower or duster for made into a liquid dip by using 1 : to 2 ounces added to water to make a total volume of 1 pin. The addition of enough "FLOTE" to cover a half-teaspoonful will aid in the suspending of the powder in the water so that it does not readily settle.

STORAGE AND DISPOSAL: Do not contanimate water, food or feed by storage or disposal. Store in tightly closed, original container in a dry, cool, dark tocked area away from children and domestic animals. For disposal, securely wrap closed container in several layers of newspaper and discard in trash. Do not reuse container.

MOTICE: SELLER MAKES NO WARRANTY OR GUARANTEE OF ANY KIND, EXPRESS OR MADJED. CONCERNING EFFECTS OF USE OF THIS PRODUCT, OTHER THAN THOSE SPECIFIED O' "IS LABEL. BUYER OR USER, ACCEPTS ALL RESPONSIBILITY FOR RESULTS DUE"

JUSE OR IMPROPER HANDLING OF THIS PRODUCT

ACCEPTED

SEP 1 2 1985

Under the Federal Insecticitie, Fungicide, on I Rodenticide , ot as are are in the peticide (105).