NET CONTENTS ONE GALLON

PINE OIL DISINFECTANT

ACTIVE INGREDIENTS:

Pine Oil 80% Soap 10%

INERT INGREDIENTS:

Water 10%

COEF 5 A O.A C. METHOD

CAUTION: KEEP OUT OF REACH OF CHILDREN

EPA REG. NO. 1683-23

"AUTHORIZED FOR USE UNDER USDA POULTRY, MEAT, RABBIT AND EGG PRODUCTS INSPECTION PROGRAMS'

Manufactured by

HARLEY CHEMICALS, DIV. OF CONCORD CHEMICAL CO. INC.

17TH & FEDERAL STS.

CAMDEN, N.J. 08105

See Precautions On Back Label

3-8-73 1683-23

DIRECTIONS:

THIS DISINFECTANT IS TO BE USED IN JAN-TURIAL MAINTENANCE ON FLOORS, WALLS AND WOODWORK IN BOTH COMMERICIAL AND INDUSTRIAL AREAS. CAN ALSO BE USED IN HOMES, HOTELS, MOTELS AND SCHOOLS.

As an aid in ordinary disinfection against S. Typhosa wash contaminated area with solution A. To aid in disinfection of URINALS and TOILETS - remove residual bowl water from toilet bowls, clean daily with solution A. Remove gross fifth and heavy soils from surfaces prior to disinfection. Wash toilet seats, vessels and floors making sure entire surfaces are thor oughly wetted. Utilize solution dy pouring down drains, in this way deodorizing traps and drains.

For GARBAGE CANS and RECEPTACLES: Wash all surfaces freely with solution A.

FOR CLEANING AND DEODORIZING WHERE DISINFECTION IS NOT DESIRED.

GENERAL CLEANING - Prepare solution B and use regularly for mopping floors, washing woodwork, walls, sinks, refrigerators, and in basements.

DILUTION TABLE

Solution A - Mix I part Disinfectant with 100 parts water.

I pint to 10 gallons of water

() o; G + yallong y rate.

Solution B - Mix I part disinfectant with 200 parts water. I pint to 25 gallons of water.

CAUTION: Harmful if swallowed. If swallowed, give raw egg white, milk, mucilage, gruel or cornstarch paste. Call a physician immediately. Avoid getting in eyes, or on skin. In case of eye contact, wash thoroughly with water. If eye irritation persists, get medical aid.

Rinse empty container thoroughly with water and disgard it.

Coef 5

3-8-73

NET CONTENTS ONE GALLON

PINE OIL DISINFECTANT

ACTIVE INGREDIENTS:

Pine Oil 80% Soap 10%

INERT INGREDIENTS:

Water 10%

COEF. 5 A.O.A.C. METHOD

CAUTION:

KEEP OUT OF REACH OF CHILDREN

EPA REG. NO. 1683-23

"AUTHORIZED FOR USE UNDER USDA POULTRY, MEAT, RABBIT AND EGG PRODUCTS INSPECTION PROGRAMS'

Manufactured by

HARLEY CHEMICALS, DIV. OF CONCORD CHEMICAL CO. INC.

17TH & FEDERAL STS.

CAMDEN, N.J. 08105

See Precautions On Back Label

3-8-73

1683-23

THIS DISINFECTANT IS TO BE USED IN JANITURIAL MAINTENANCE ON FLOORS, WILLS AND WOODWORK IN BOTH COMMERICIAL AND INDUSTRIAL AREAS. CAN ALSO BE USED IN HOMES, HOTELS, MOTELS AND SCHOOLS.

As an aid in ordinary disinfection against S. Typhosa, wash contaminated area with solution A. To aid in disinfection of URINALS and TOILETS - remove residual bowl water from toilet bowls, clean daily with solution A. Remove gross filth and heavy soils from surfaces prior to disinfection. Wash toilet seats, vessels and floors making sure entire surfaces are thoroughly wetted. Utilize solut. In dy pouring down drains, in this way deodorizing traps and down drains.

For GARBAGE CANS and RECEPTACLES: Wash all surfaces freely with solution A.

FOR CLEANING AND DEODORIZING WHERE DISINFECTION IS NOT DESIRED.

GENERAL CLEANING - Prepare solution B and use regularly for mopping floors, washing woodwork, walls, sinks, refrigerators, and in basements.

DILUTION TABLE

Solution A - Mix I part Disinfectant with 100 parts water.

(1 pint to 10 gallons of water)

(5 g to 4 guillone of cureter)

Solution B - Mix I part disinfectant with 200 parts water

Solution B - Mix I part disinfectant with 200 parts water. (I pint to 25 gallons of water)

CAUTION: Harmful if swallowed. If swallowed, give raw egg white, milk, mucilage, gruel or cornstarch paste. Call a physician immediately. Avoid getting in eyes, or on skin. In case of eye contact, wash thoroughly with water. If eye irritation persists, get medical aid.

Rinse empty container thoroughly with water and disgard it.

Coef. 5

3-8-73

- ACCEPTED WITH COMMENIS

1683-23