

2-18-72
1685-48

1685-48

FORMULA 220 BRUSH-KIL

SELECTIVE WEED AND BRUSH KILLER

- Low volatile — slow evaporation prevents vapor damage to surrounding plants
- Special emulsifiers permit mixing with water or oil

DIRECTIONS

FOLIAGE SPRAY — To control mixed species of susceptible herbaceous and woody plants growing in managed areas, on rights of way, fence rows, or treated areas. For spraying foliage with ground equipment in spring or summer, mix 1 1/2 to 2 gallons BRUSH-KIL thoroughly with 100 gallons of water, adding to the spray tank while filling. For spot areas, use 1 quart concentrate per gallon of water. Spray thoroughly. Complete spray coverage of leaves and stems is required for good results. Best results are those obtained when plants are growing actively. Lock-up material may cause less effective control. Re-treat misted areas and the more resistant species the fall with a contact herbicide spray.

BASAL SPRAY — This is a dormant treatment of susceptible herbaceous and woody plants. It is applied to the basal portion of the plant, usually by hand, and is most effective when applied in late fall or early spring. The product is applied to the basal portion of the plant, usually by hand, and is most effective when applied in late fall or early spring. The product is applied to the basal portion of the plant, usually by hand, and is most effective when applied in late fall or early spring.

STUMP TREATMENT — Cut stumps may also be treated at any time of year. To treat a stump, mix 4 gallons of BRUSH-KIL in 40 gallons of oil, use kerosene and thoroughly treat top and side of stump and any exposed roots. More resistant species may require 6 gallons in 50 gallons of oil for mature areas. Use 1 quart per gallon of oil.

WARNING

MAY CAUSE SKIN IRRITATION
KEEP OUT OF REACH OF CHILDREN

Do Not Use around the Home or Recreation Area

AVOID CONTACT WITH SKIN, EYES OR CLOTHING
HARMFUL IF SWALLOWED

DO NOT USE, POUR, SPILL OR STORE NEAR
HEAT OR OPEN FLAME

Do not store near food, fertilizer, seeds, insecticides or fungicides. Do not contaminate water used for irrigation, domestic or spray purposes. In case of fire, use water spray from dry chemical or CO₂. Do not graze dairy animals on treated areas within 6 weeks after application. Do not graze meat animals on treated areas within 4 weeks of treatment. This product is highly fish toxic. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of waste.

Do not flush contents. Destroy by burying in a safe place. Do not burn.

Plants susceptible to BRUSH-KIL include:

Alder	Elm	Maple
Ash	Elm	Oak
Aspen	Greenbrier	Osage orange
Birch	Wild grape	Salmonberry
Box elder	Gum	Poison Ivy
Bramble	Hawthorn	Sage olive
Burkwood	Honey suckle	Sassafras
Wild cherry	Liquidambar	Willows

WARRANTY NOTICE

This warranty is made by the manufacturer and conforms to the terms of the warranty printed on the label and in the literature accompanying the product. The manufacturer warrants that the product is free from defects in material and workmanship and will perform as described in the literature. The manufacturer does not warrant the results of the use of the product on any particular site or for any particular purpose. The manufacturer's liability is limited to the replacement of the product or a refund of the purchase price. The manufacturer's liability is limited to the replacement of the product or a refund of the purchase price. The manufacturer's liability is limited to the replacement of the product or a refund of the purchase price.

NET CONTENTS

EPA REG. NO. 1685-48

SOLD BY
The State CHEMICAL MANUFACTURING CO.
MAIN OFFICE AND PLANT / CLEVELAND, OHIO 44114