

DIRECTIONS FOR USE

Foliar Spray: Ornamental -- Use two (2) parts of MX-50 per 100 gallons of water for control of Aphids, leaf hoppers, thrips, spider mites, European pine shoot moth, tarnish plant bugs, Japanese beetle scale, whitefly and rhinolia scale. Apply sufficient amount for good plant surface coverage. Repeat application at 7-10 day intervals as needed.

Larvae: For the control of ground pearls in lawns - Apply MX-50 at the rate of 1 gallon in 100 gallons of water per acre. Make full coverage applications to soil surface when ground pearl nymphs are in the pink, "Crawler", or active stage and immediately wash into soil with additional water.

Outdoor Mosquitoes, flies and small flying insects. As a spray dilute MX-50 at the rate of 5 fluid oz. per gallon of water or oil. Apply 2-3 gallons of diluted solution per acre as mist or fog. Avoid applying oil-based formulations to valuable ornamental plants as injury may occur.

Mosquito Control Larvae in standing water -- Apply 15 fluid oz. of MX-50 per acre. Dilute with sufficient water or oil before application.

Poultry House Spray: For control of northern fowl mite, chicken red mite, poultry lice and flies - Use 7 fluid oz. of MX-50 per 2 gallons of water. For control of Ticks - Use 7 fluid oz. of MX-50 per one gallon of water. Apply with high pressure sprayer on walls, ceilings, in cracks and crevices.

Rough Spray: Use 7 fluid oz. of MX-50 per gallon of water. Apply by spray or brush to window sills, cracks, crevices, baseboards, drainboards, under sinks, around doors, in bathrooms and to other areas where insects move or hide to control. Use in and around buildings, dairies, warehouses, restaurants, sewage treatment plants and other industrial & institutional places.

Fly Control: For use in and around dairies, around yards and meat processing establishments - Dilute 8 oz. of MX-50 in 2 gallons of water and spray at a rate of 1 gallon diluted solution per 1000 sq. feet on painted surfaces and 2 gallons diluted solution per 1000 square feet on unpainted surfaces. DO NOT CONTAMINATE MILK, MILKING EQUIPMENT, FEED OR DRINKING WATER.

DO NOT USE IN FEEDIBLE PRODUCT AREAS OF FOOD PROCESSING PLANTS, RESTAURANTS OR OTHER AREAS WHERE FOOD IS COMMERCIALY PREPARED OR SERVED. DO NOT USE IN SERVING AREAS WHERE FOOD IS EXPOSED.

=State BRAND= Formula 262

MX-50

Provides immediate insect control with special residual action.

Emulsifiable Concentrate--dilute with either oil or water depending on usage.

ACTIVE INGREDIENTS:

Malathion* 50.00%
Xylene 42.50%

INERT INGREDIENTS: 7.50%

*0, 0 - dimethyl dithiophosphate of diethyl mercaptosuccinate


E.P.A. Reg. No. 1695-56

CAUTION

KEEP OUT OF REACH OF CHILDREN

See side panels for additional precautionary statements.

Net Contents _____



The State CHEMICAL MANUFACTURING CO.
1695-56
MAIN OFFICE AND PLANT ■ CLEVELAND, OHIO 44114

CAUTION

KEEP OUT OF REACH OF CHILDREN

CAUTION: Harmful if swallowed. Avoid breathing of spray mist. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. In case of contact with skin, wash with soap and water. In case of contact with eyes, get immediate medical attention. Do not contaminate feed or feed stuffs. Do not use, pour, spill or store near heat or open flame.

CONTAINER DISPOSAL: Do not reuse this container. When empty, flush with water and dispose of, safely.

NOTE TO PHYSICIAN: Malathion may cause Chuse and inhibit inhibition--Atropine is antidotal.

This product is toxic to fish. Keep out of lakes, ponds, and streams. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from area treated. Do not contaminate water by cleaning of equipment and disposal of wastes.

NOTICE: The State Chemical Manufacturing Company warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the use therein described when used in accordance with the directions for use.

The State Chemical Manufacturing Company makes no other express or implied warranty. Buyer assumes the risk of any use contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable by the State Chemical Manufacturing Company.