

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS  
& DOMESTIC ANIMALS**

**CAUTION**

Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes, or clothing. Remove fish, birds and other pets from area to be sprayed.

**FIRST AID**

In case of contact, immediately flush skin and eyes with plenty of water for at least 15 minutes. For skin and eyes call a physician.

Do not use in edible product areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

**PHYSICAL OR CHEMICAL  
HAZARDS**

Extinguish open flame before space spraying. This formulation is combustible. **DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.**

**DIRECTIONS FOR USE  
GENERAL CLASSIFICATION**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**STORAGE AND  
DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Pesticide, spray mixture, or rinsate that cannot be used or chemically processed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Reseal container and offer for reconditioning or Triple rinse (or equivalent) and: offer for recycling, reconditioning, or disposal in approved landfill, or bury in a safe place. Consult federal, state, or local disposal authorities for approved alternative procedures.

For use in hotels, motels, non-food areas of institutions, packaging and processing plants, seed houses and horse stables.

**FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY**

STATE  
FORMULA 64 A

**VAPORCIDE BRAND**

A synthetic Pyrethroid for controlling the following flying and crawling insects: *Houseflies, Mosquitos, Gnats, Roaches, Ants, Earwigs, Spiders, Grain Insects (Adults of confused flour beetles, Saw Toothed Grain beetles, Shiny spider beetles), Grain Mites, Sowbugs and centipedes.*

**Active Ingredients:**

*†(5-Benzyl-3-furyl) methyl 2,2-dimethyl-3-(2-methyl-propenyl) cyclopropanecarboxylate ..	0.250% w/w
Related compounds .....	0.034%
Aromatic petroleum hydrocarbons .....	0.331%
Petroleum distillate .....	99.375%
Inert Ingredients:	0.010%
	<u>100.000%</u>

\*Cis/trans isomers ratio: max. 30% (±) cis and min. 70% (±) trans.

†U.S. Patent No. 3,465,007

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**


**SEE SIDE PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS**

MANUFACTURED BY

The **State** CHEMICAL MANUFACTURING CO.  
MAIN OFFICE AND PLANT, CLEVELAND, OHIO 44114  
DISTRIBUTION CENTERS, SALES OFFICES, NATIONWIDE

EPA Reg. No. 1685-83 EPA Est. No. 1685-OH-1

**NET CONTENTS**



87N12

STOCK # SS64A

**SPACE SPRAY**—To kill flies, mosquitos and gnats. Close room or area to be treated. Shut off air-conditioner and ventilator system. Seal all open vents. Remove fish and pets. Apply undiluted as a very fine mist spray through manually operated equipment or with electrical and other powered applicators. Avoid staining by holding the spray nozzle at least five feet from objects. Direct the fine spray mist toward the upper corners of the room. Fill the room with a fine mist space spray, at the rate of 5 fluid ounces per 5,000 cubic feet. Leave room closed for one half hour. Ventilate thoroughly before re-entry. Sweep up and destroy fallen insects.

**CONTACT SPRAYS**—To kill roaches, ants, earwigs, grain mites, saw bugs, spiders and centipedes — Adjust spray to produce large wetting type spray particles. Direct spray to contact these insects in cracks and crevices in floors, baseboards, around pipes, behind cabinets, and other harbourages. Spray these infested areas until thoroughly wet. Repeat as necessary.

**TO KILL SPIDERS**—Spray directly on these pests and use repeated applications to the webbing and all cracks and crevices which harbor spiders.

**TO KILL ANTS**—Spray doors, window frames, ant trails and hills.

**TO KILL GRAIN INSECTS**—Adults of confused flour beetles, sawtoothed grain beetles, shiny spider beetles—Remove infested grain, cereal or flour, and destroy. Spray directly on exposed stages and into cracks and crevices where grain insects may be hiding. The shelves and drawers should be cleaned and thoroughly sprayed, so as to contact all pests, and covered with shelf paper after allowing shelves to dry. Any utensils that are contacted with spray should be washed before using. Repeat as necessary.

**THERMAL APPLICATIONS**—This formation is to be used undiluted in only such portable thermal applicator equipment that can deliver spray particle sizes within the aerosol size range.

**THERMAL APPLICATIONS INDOORS**—For the control of flies, mosquitos and gnats in non-food areas of warehouses, restaurants and industrial institutions. Remove or cover exposed food and food handling surfaces. Remove animals and plant life. Shut off ventilating systems, air ducts, air-conditioning equipment and close off room or area to be treated.

Extinguish all flames and pilot lights. Apply as a dry fog at the rate of 1-1/3 fluid ounces per 1,000 cubic feet of space. Direct nozzle of thermal applicator toward the upper corners of the room and along the ceiling. Close off room for at least one half hour. Do not remain in treated areas. Ventilate.

ACCEPTED  
FEB 8 1979

1685-83  
2-8-1979  
1685-83  
1/1