

Cross-contamination is of major housekeeping concern not only in hospitals, but in schools, institutions, and industry. TERG-O-CIDE CONCENTRATE 315 is formulated for this problem area. It both cleans and disinfects effectively and is virucidal when used as directed. Its hard surface disinfecting action will reduce the hazard of cross-contamination on environmental surfaces.

When used as directed, TERG-O-CIDE CONCENTRATE 315 is safe for toilet areas, bathing and under sinks and counter tops, kitchen sinks and garbage storage areas, and other places where bacteria and viruses can cause mal odors. Prevents odors caused by bacteria and viruses.

This product is economical to use because only a small amount should be handled with care.

Precautionary Statements

Hazards to Humans and domestic animals: Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

DANGER

Keep out of reach of children. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

OPEN DUMPING IS PROHIBITED.

DO NOT REUSE EMPTY CONTAINER.

PESTICIDE DISPOSAL

PESTICIDE SPRAY MIXTURE OR RINSATE THAT CANNOT BE USED OR CHEMICALLY REPROCESSED SHOULD BE DISPOSED OF IN A LANDFILL APPROVED FOR PESTICIDES OR BURIED IN A SAFE PLACE AWAY FROM WATER SUPPLIES.

CONTAINER DISPOSAL

TRIPLE RINSE (OR EQUIVALENT) AND DISPOSE IN AN INCINERATOR OR LANDFILL APPROVED FOR PESTICIDE CONTAINERS OR BURY IN A SAFE PLACE.

GENERAL

CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES SUCH AS LIMITED OPEN BURNING.

ACCEPTED
APR 10 1985
 U.S. DEPT. OF AGRICULTURE
 FEDERAL INSECTICIDE, FUNGICIDE, AND ROVANTICIDE ACT
 Reg. No. 1685-85

Terg-o-cide Concentrat 315

Highly Concentrated Germicide
Based on a Unique Blend of Quaternaries
with Organic Sulf Lead Tolerance

Cleaner-Disinfectant-Deodorizer-
Fungicide-Virucide—Sanitizer
for Hospital and Institutional Use

Active Ingredients

Octyl Decyl Dimethyl Ammonium Chloride	3.750%
Dioctyl Dimethyl Ammonium Chloride	1.875%
Dodecyl Dimethyl Ammonium Chloride	1.875%
Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%)	
Dimethyl Benzyl Ammonium Chloride	5.000%
Tetrasodium Ethylenediamine Tetraacetate	3.420%
Inert Ingredients	84.000%
	100.000%

KEEP OUT OF REACH OF CHILDREN
DANGER

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Registration No. 1685-85
 EPA Establishment No. 1685-0H-1
 Net Contents

The Star Chemical Manufacturing Co.

Directions for Use
GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

TERG-O-CIDE CONCENTRATE 315 is a proven "one-step" cleaner-disinfectant-sanitizer-fungicide-virucide in the presence of moderate amounts of organic soil.

Apply TERG-O-CIDE CONCENTRATE 315 to walls, floors and other hard (nonporous) nonporous surfaces such as tables, chairs, countertops, sinks and bathtubs with a cloth, mop or mechanical spray device so as to thoroughly wet surfaces. For heavily soiled areas, a preliminary cleaning is required. Prepare a fresh solution daily or when use solution becomes visibly dirty.

Disinfection—To disinfect hard nonporous surfaces, add 1/2 oz per gallon of water. Treated surfaces must remain wet for 10 minutes. At 1/2 oz use-level, TERG-O-CIDE CONCENTRATE 315 is also virucidal and fungicidal.

Sanitizing—To sanitize porous or nonporous, nonfood contact surfaces, add 1/4 oz per gallon of water.

1/4 oz. per gallon use-level. The broad spectrum activity of TERG-O-CIDE CONCENTRATE 315 has been evaluated in the presence of 5% serum and found to be effective against the following by the AOAC Use-Dilution test.

<i>Pseudomonas aeruginosa</i>	<i>Enterobacter aerogenes</i>
<i>Staphylococcus aureus</i>	<i>Salmonella schottmuller</i>
<i>Salmonella choleraesuis</i>	<i>Streptococcus faecalis</i>
<i>Escherichia coli</i>	<i>Shigella dysenteriae</i>
<i>Klebsiella pneumoniae</i>	<i>Brevibacterium ammoniagenes</i>

AOAC Fungicidal Test

TERG-O-CIDE CONCENTRATE 315 is effective against Trichophyton mentagrophytes (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, shower and bath areas, exercise areas, dressing rooms, etc.

Virucidal Performance

At 1/2 oz. per gallon use-level, TERG-O-CIDE CONCENTRATE 315 was evaluated in the presence of 10% serum and found to be effective against the following viruses: Herpes Simplex (a member of the virus family that causes infectious mononucleosis), Vaccine (representative of the pox viruses), and influenza A₁ (the Hong Kong flu virus) on manmade environmental surfaces.

Sanitizing-Non-Food Contact Surfaces (such as floors, walls, tables, etc.). At 1/4 oz. per gallon use-level, 30 second contact time, TERG-O-CIDE CONCENTRATE 315 is an effective sanitizing agent in waters of up to 800 ppm hardness against *Staphylococcus aureus* and *Klebsiella pneumoniae* in the presence of 5% serum on porous and nonporous environmental surfaces.