

PH 7/1 125-85 7/20 1 0

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

BEST AVAILABLE COPY

Cross-contamination is of major housekeeping concern not only in hospitals but in schools, institutions and industry. TERG-O-CIDE CONCENTRATE 315 is formulated for this problem area. It both cleans and disinfects effectively and is virucidal when used as directed. Its hard surface disinfecting action will reduce the hazard of cross-contamination from environmental surfaces.

When used as directed, TERG-O-CIDE CONCENTRATE 315 will deodorize toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and other places where bacterial growth can cause malodors. Prevents odors caused by mold and mildew.

This product is economical to use because it is highly concentrated and should be handled with care.

Precautionary Statements
Hazards to Humans and domestic animals

DANGER

Keep out of reach of children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

STORAGE AND DISPOSAL

STORAGE: Store this product only in its original container and place in a locked storage area out of the reach of children. Keep containers closed when not in use. Store at temperatures above 32°F.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility.

CONTAINER DISPOSAL:
55 and 35 gallon drums: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

20 gallon and 7 gallon (6 gallon) drums and pails: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

1 gallon and 1 pint containers: Do not reuse empty container. Wrap and put in trash.

Terg-o-cide Concentrate 315

Highly Concentrated Germicide Based on a Unique Blend of Quaternaries with Organic Soil Load Tolerance
Cleaner-Disinfectant-Deodorizer-Fungicide-Virucide*
Sanitizer for Hospital and Institutional Use

Active Ingredients

Octyl Decyl Dimethyl Ammonium Chloride	37.50%
Dioctyl Dimethyl Ammonium Chloride	18.75%
Didecyl Dimethyl Ammonium Chloride	18.75%
Alkyl (C ₁₂ 50%, C ₁₄ 40%, C ₁₆ 10%)	
Dimethyl Benzyl Ammonium Chloride	5.000%

Inert ingredients **87.500%**

KEEP OUT OF REACH OF CHILDREN DANGER

Statement of Practical Treatment
 In case of contact immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contact lenses if they are present.

If swallowed, drink promptly large quantities of milk, egg whites, gelatin solution, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: In case of severe damage may contraindicate the use of gastric lavage. Measures against respiratory shock, respiratory depression and convulsion may be needed.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

The **State** CHEMICAL MANUFACTURING CO.
 To order call 1-800 STA CHEM

Directions for Use
GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with the labeling.

Disinfection: To disinfect hard surfaces, apply 1.2 oz per gallon use level to the surface. Allow to remain on the surface for 10 minutes. Rinse with clean water. For disinfection of floors, apply 1.2 oz per gallon use level to the floor. Allow to remain on the floor for 10 minutes. Rinse with clean water.

Sanitizing: To sanitize hard surfaces, apply 1.2 oz per gallon use level to the surface. Allow to remain on the surface for 10 minutes. Rinse with clean water.

Use Dilution test: To test the effectiveness of the product, use the following procedure: 1. Prepare a 1% solution of the product in water. 2. Apply to a surface. 3. Allow to remain on the surface for 10 minutes. 4. Rinse with clean water. 5. Test the surface for bacteria.

ADAC Fungicidal Test: The product is effective against a wide range of fungi. For details, see the ADAC Fungicidal Test procedure.

Virucidal Performance: The product is effective against a wide range of viruses. For details, see the Virucidal Performance test procedure.

Sanitizing Non-Food Contact Surfaces (such as floors, walls, tables, etc.): Apply 1.2 oz per gallon use level to the surface. Allow to remain on the surface for 10 minutes. Rinse with clean water.

Disinfection of Floors: Apply 1.2 oz per gallon use level to the floor. Allow to remain on the floor for 10 minutes. Rinse with clean water.

Disinfection of Walls: Apply 1.2 oz per gallon use level to the wall. Allow to remain on the wall for 10 minutes. Rinse with clean water.

EPA Registration No. 100-100000
 EPA Establishment No. 100-100000
 Net Content: 88R12

FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY. NOT FOR HOUSEHOLD USE OR RESALE.