PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

Harmful of swallowed. Avoid contact with skin of clothing. Causes eye irritation. Do not get in eyes. Washaffer handling. Avoid breathing valor. Do not apray on humans or pets. Do not spray where food or drink is exposed or being consumed.

ENVIRONMENTAL HAZARDS

Keep out of falses streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. When used on ships do not wash or flush freshly sprayed surfaces into adjacent wellers.

FIRST AID

If swallowed induce vomiting by sticking finger in back of throat or by administration of syrup of speca gap administration of syrup of speca gap medical attention if in eyes flush with water for 15 minutes and see a physician For skin, wash with plenty of soap and water. If irritation develops, get medical attention.

PHYSICAL OR CHEMICAL HAZARDS DO NOT USE POUR SPILL OR STORE NEAR HEAT OR OPEN FLAME FLASH POINT MINIMUM 140°F

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is A siciation of federal law to use this product in a mainter inconsistent with its labering.

STORAGE AND DISPOSAL

Shore at temperatures above 32 F Diskingt reuse empty container. Wrap comminer and put in tresh collection.

On not use in edible product areas of food processing plants i restaurants for other areas, where food is commercially prepared or pronussed to not use in serving areas while food serposed. Avoid up-term ration of cocking lutens is and food preparation surfaces.

FOR INDUSTRIAL AND INSTITUTIONAL LISE ONLY

State CON KILL TRANSPARENT EMULSION** CONCENTRATE

A SYNTHETIC PYRETHROID

DUAL ACTION INSECT KILLER
KILLS AS CONTACT AND RESIDUAL
SPRAY KILLS ROACHES UP TO 4 WEEKS

ACTIVE INGREDIENTS

*teresmethrin([5-(phenylmethyl)-3-furanyl]methyl 2,2-dimethyl-

*Cls/trans isomers ratio max 30% (±)cls and min 70% (±)trans †U.S. Patent Nos. 3,465,007 and 3,542,928 *Penick's SBP-1382 brand of resmethrin insecticide Penick Corp. 1050 Wall Street West Lyndhurst, N.J. 07071

"U.S. PATENT NO. 3,683,078

Contains 0.17 pounds SBP-1382 per gallon

KEEP OUT OF REACH OF CHILDRL.. WARNING

HAVE CLEAN WATER SUPPLY AT HAND IN CASE OF AN EYE EMERGENCY WHEN DILUTING THIS CONCENTRATE SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

CAN BE USED IN NON-FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS



EPA Reg No 1685-87

EPA Est 1685-OH-1 NET CONTENTS

GAL.

QIRECTIONS FOR USE CILUXION INSTRUCTIONS

Freis where is a soring CON KILL dilute

Concentrate riuid Ounces

5 Billuid ounces
5 16 fluid ounces
6 32 fluid ounces
71 5 gatton
23 1 gatton

MIX WELL BEFORE USING. APPLICATIONS

INSTRUCTIONS FOR CONTACT AND RESIDUAL SPRAYS FOR INDOOR USE in non-food areas of food handling establishments commercial industrial office public institutional storage buildings hotels ship cabins and hospitals in hospitals patients should be removed prior to treatment. Also for use in buses automobiles and non-food areas of trucks, boxcars and ship cargo holds. Do not use on electrical equipment or on surfaces that can be harmed or stained by water. Also for use indoors in dog kennels and horse stables, not for application if horses will be used for food.

CONTACT SPRAY - KILLS AND REDUCES INFESTATIONS: COCKROACHES, CRICKETS, SILVERFISH, ANTS: Apply as a contact spray Fill spray tank with CON KILL Transparent Emulsion Spray formulation. Keep spray nozzle about 8 to 12 inches from surface to be treated. Adjust pressure and nozzle to deliver a coarse wet spray. When possible spray directly on pers to reduce infestations. Spray thoroughly into hiding places such as cracks crevices, moist areas openings around pipes and sinks, under refrigerators and other appliances, beaeboards, and storage areas. Apply spray until area is moist, but not to the point of run-off. Spray directly on insects where possible. Repeal as necessary.

ANTS: To kill ants. Spray trails, nests and points of anti-with;; buildings. Spray on ants where possible. Repeat as necessary.

FLEAS: Aids in the control of fleas on pet bedding and in horse stalls. Hold spray nozzle about 18 inches from areas to be treated. Direct spray on resting areas and floor around these areas. Apply spray until areas most. Treatpet be 5ding the same way. Also spray entire inside surface of dog houses. Repeat as necessary. Do not allow pets to contact treated areas until spray has dried. Remove or cover animal feed before spraying. Also, treat dogs, cats and horses with a registered flea control product before they re-enter the treated area.

RESIDUAL SPRAY: Aids in the control of COCKROACHES, CRICKETS SILVERFISH ANTS Kills for up to 4 weeks. Spray that aboards cracks and crevices around door and window frames and other hiding places such as closets in back of and under apphances sinks and cupboards in kitchens and baltirooms. In basements, spray hiding places in cracks and crevices fower walls and dark places. Apply as a coarse wet spray in a 4 to 6 inch band until area is thoroughly wet but not to the point of run-off. Repeat as necessary.

WARRANTY STATEMENT

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility including injury or damagn resulting from its misuse as such or in combination with other materials.

17