

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS**

AND

**DOMESTIC ANIMALS**

**CAUTION**

Harmful if swallowed. Avoid contact with skin or clothing. Causes eye irritation. Do not get in eyes. Wash after handling. Avoid breathing vapor. Do not spray on humans or pets. Do not spray where food or drink is exposed or being consumed.

**ENVIRONMENTAL HAZARDS**

Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. When used on ships do not wash into fresh water. Do not spray into adjacent waters.

**FIRST AID**

If swallowed, induce vomiting by sticking finger in back of throat or by administration of syrup of ipecac. Get medical attention. If in eyes, flush with water for 15 minutes and see a physician. For skin, wash with plenty of soap and water. If irritation develops, get medical attention.

**DIRECTIONS FOR USE**

**GENERAL**

**CLASSIFICATION**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL**

Store at temperatures above 32°F. Do not reuse empty container. Wrap container and put in trash collection.

Do not use in edible product areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while fruit is being used. Avoid contamination of cooking utensils and food preparation surfaces.

**DIRECTIONS FOR USE**

**APPLICATION**

**INSTRUCTIONS FOR CONTACT AND RESIDUAL SPRAYS FOR INDOOR USE:** In non-food areas of food handling establishments

FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY

**State**

**READY KILL  
TRANSPARENT  
EMULSION\*\*  
SPRAY**

**A SYNTHETIC PYRETHROID**

**DUAL ACTION INSECT KILLER  
KILLS AS CONTACT AND RESIDUAL  
SPRAY KILLS ROACHES UP TO 4 WEEKS**

**ACTIVE INGREDIENTS**

Permethrin ([5-(phenylmethyl)-3-furanyl] methyl 2,2-dimethyl-3-(2-methyl-1-propenyl)cyclopropanecarboxylate)	0.350%
Related compounds	0.048%
<b>INERT INGREDIENTS</b>	<b>99.602%</b>
	<b>100.000% w/w</b>

\*Cis/trans isomers ratio max 30% (+)cis and min 70% (+)trans

U.S. Patent Nos. 3,465,007 and 3,542,928

\*Penick's SBP-1382 brand of permethrin insecticide

Penick Corp. 1050 Wall Street West, Lyndhurst, N.J. 07071

\*\*U.S. PATENT NO. 3,683,078

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

**SEE SIDE PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS**

**CAN BE USED IN NON-FOOD AREAS  
OF FOOD HANDLING ESTABLISHMENTS**

The **State** CHEMICAL MANUFACTURING CO.  
MAIN OFFICE AND PLANT, CLEVELAND, OHIO 44114  
DISTRIBUTION CENTERS, ALL CITIES, NATIONAL DE

EPA Reg No 1685-88  
EPA Est. 1685-OH-1

NET CONTENTS

commercial, industrial, office, public, institutional, storage buildings, hotels, ship cabins and hospitals. In hospitals, patients should be removed prior to treatment. Ventilate for two hours after treatment. Do not return patients to rooms until after ventilation. Also for use in buses, automobiles, and in food areas of trucks, boxcars and ship cargo holds. Do not use on electrical equipment or on surfaces that can be harmed or stained by water. Also for use in dog kennels and horse stables. In horse stables, not for application if horses will be used for food.

**CONTACT SPRAY - KILLS AND REDUCES  
INFESTATION: COCKROACHES, CRICKETS,  
SILVERFISH, ANTS**

Apply as a contact spray. Fill spray tank with READY KILL Transparent Emulsion Spray formulation. Keep spray nozzle about 8 to 12 inches from surface to be treated. Adjust pressure and nozzle to deliver a coarse wet spray. When possible, spray directly on pests to reduce infestations. Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators and other appliances, baseboards and storage areas. Apply spray until area is moist, but not to the point of run-off. Spray directly on insects where possible. Repeat as necessary.

**ANTS:** To ants, spray trails, nests and points of entry within buildings. Spray on ants where possible. Repeat as necessary.

**FLEAS:** Aids in the control of fleas on pet bedding and in horse stalls. Hold spray nozzle about 18 inches from area to be treated. Direct spray on resting areas and floor around these areas. Apply spray until area is moist. Treat pet bedding the same way. Also spray entire inside surface of dog houses. Repeat as necessary. Do not allow pets to contact treated areas until spray has dried. Remove or cover animal feed before spraying. Also treat dogs, cats and horses with a registered flea control product before they re-enter the treated area.

**RESIDUAL SPRAY. Aids in the control of  
COCKROACHES, CRICKETS, SILVERFISH,  
ANTS. Kills for up to 4 weeks.**

Spray baseboards, cracks and crevices around door and window frames and other hiding places such as closets, in back of and under appliances, sinks and cupboards in kitchens and bathrooms. In basements, spray hiding places in cracks and crevices, lower walls and dark places. Apply as a coarse wet spray in a 4 to 6 inch band until area is thoroughly wet but not to point of run-off. Repeat as necessary.

**WARRANTY STATEMENT**

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage resulting from its misuse or such or in combination with other materials.