

## FOR INDUSTRIAL USE ONLY

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**SHAKE WELL BEFORE EACH USE.** Point valve away from face and press button. Hold can at least 3 feet from surfaces which may stain and 18 inches from plants.

#### FOR CONTROL OF PESTS INDOORS

**FLYING INSECTS:** To kill houseflies, mosquitoes, gnats (midges), deer flies, stable flies, flying moths and fruit flies. Close all doors and windows. Point nozzle upward. Direct spray mist to all parts of the room, especially window and other light sources which attract these insects. Fill the room with mist then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is complete.


**IN HOSPITALS:** Remove patients prior to treatment. Ventilate rooms for two hours before returning patients.

**FOOD AREAS:** Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using this product in these areas, apply only when the facility is not in operation.

**TO KILL WASPS, HORNETS, YELLOW JACKETS AND BEES:** Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, especially under attic rafters, contacting as many insects as possible. Repeat as necessary.

**CRAWLING INSECTS:** Ants, bedbugs, ticks, fleas, cockroaches, waterbugs, crickets, silverfish, earwigs, spiders, sowbugs, centipedes, millipedes and carpet beetles. Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, and storage areas. Spray directly on insects where possible.

**TO KILL FLEAS AND TICKS ON DOGS, CATS AND PREMISES:** Apply directly to animals along back, under forelegs, and on other areas except scrotum and anus. Part hair to contact skin and to insure good coverage. Hold nozzle one foot away while spraying. Apply until hair is moist. Do not spray directly into eyes or mouth of animal. Repeat within 24 hours of first treatment if necessary. To reduce infestation, thoroughly spray animal's bedding and other resting areas until the surface is slightly moist. Treat these areas at the rate of two seconds per linear foot at a distance of 12 to 18 inches. Also spray the entire inside surface of the dog houses. Hit as many insects directly as possible.



HORSE STABLES: STATE SOK SHOULD NOT BE USED IF HORSES WILL BE FED FOR FOOD.

#### FOR CONTROL OF PESTS ON ORNAMENTAL PLANTS

For control of aphids, exposed thrips, whiteflies, leaf hoppers, plant bugs, spittle bugs, two spotted mites, red spider mites, cutworms and slugs on African violet, false aralia, begonia, christmas cactus, chrysanthemum, coleus, daisy, dracena, asparagus fern, fuchs, a geranium, hibiscus, impatiens, ivy, jade plants, marigold, nasturtium, petunia, rhododendron, rose, snapdrag, wax plants and zinnias. Also for control on white birch, cypress, dogwood, forsythia, hemlock, holly, locust, maple, mimosa, non-bearing citrus and cranberry oak, palm, pine, rhododendron and spruce.

Hold container 18 inches from infested plants. Spray in short bursts from 1 to 3 seconds or spray at the rate of 1 linear foot of growth per second. Direct spray to all sides covering foliage until slightly moist. Avoid heavy wetting. Spray several plants at once and in an area not likely to come in contact with pets, children or food. When leaves are dry return plant to original location.

USE WITH CAUTION ON African violet, ash, azalea, Begonia, begonia, camellia, cypress, plumosa fern, gloxinia, impatiens, juniper, jade and primrose. As with all plants listed, especially carnations, roses and chrysanthemums, there exists a wide variety of species and therefore a wide variety of susceptibility to injury. To determine possible phytotoxicity (harmful effects) spray a few plants as directed, wait 24 hours and check for possible injury.

#### STORAGE AND DISPOSAL

Store the product in a locked storage area out of the reach of children. Store at temperature below 120° F. Store away from heat, sparks, open flame and direct sunlight. Keep from freezing.

**DISPOSAL:** Do not reuse empty container. Wrap container and put in trash. Do not incinerate or puncture cans.

48R12

Stock No. 43615



## MULTI - PURPOSE INSECT KILLER FOR CONTROL OF PESTS INDOORS AND IN THE GARDEN

**FAST KNOCKDOWN PLEASANT SCENT**

#### ACTIVE INGREDIENTS:

Permethrin ([5-(phenylmethyl)-3-furyl] methyl 2,2-dimethyl-3-(2-methyl-1-propenyl)cyclopropane carboxylate) ..... 0.200%  
p-Trans Allethrin (allyl homolog of Cisnerin I) ..... 0.400%

#### INERT INGREDIENTS

Cis:trans isomers ratio: max. 30% cis and min. 70% (±) trans  
{US Patent Nos. 3,465,007 and 3,542,927  
+Bioallethrin ..... 99.400%

### SHAKE WELL BEFORE USING

#### Precautionary Statements Hazards to Humans

### CAUTION:

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is under way. After space spraying in food processing plants, wash with potable U.S. tap water equipment, benches, shelving, etc. where exposed food will be handled. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.

Remove pets and birds, and cover fish aquariums before spraying.

**FIRST AID:** In case of contact, immediately flush eyes with plenty of water. Get medical attention if irritation persists.

**PHYSICAL OR CHEMICAL HAZARDS:** Contents under pressure. Do not puncture. Do not use near heat or open flame. Exposure to temperatures above 120°F may cause bursting.

### KEEP OUT OF REACH OF CHILDREN

EPA Reg. No. 1685-102

EPA Est. 10900-0H-1

NET CONTENTS 16 1/2 oz. (468 grams)

Sold By:

The **State** CHEMICAL MANUFACTURING CO.  
MAIN OFFICE AND PLANT CLEVELAND, OHIO 44114  
DISTRIBUTION CENTERS SALES OFFICES NATIONWIDE

FOR INDUSTRIAL USE ONLY

AC 100

FEB 20 1985

Under  
Function  
as an  
regulate  
EPA Reg.

1685-102