1675-113 PH 17 Photograph of the with the see 2

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Remove pets and cover fish aquaria before home use. This product should only be used in food processing plants when the plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using.

STATEMENT OF PRACTICAL TREATMENT

Contains petroleum distillate. IF SWALLOWED, do not induce vomiting because of aspiration hazard. Get medical attention. Avoid contact with eyes. IF EYE CONTACT OCCURS, immediately flush with plenty of water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Use only as directed and do not contaminate lakes, streams, or ponds by cleaning of equipment or disposal of wastes. Do not apply outdoors when conditions favor drift from intended area of treatment.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To control adult mosquitoes apply as a fog using State's THERMAL FOGGER or DYNA FOGGER. For best results, treat when wind velocity does not exceed 5 miles per hour. Application in the evening or early morning is recommended.

SEE OTHER SIDE PANEL FOR FURTHER DIRECTIONS

State FORMULA 425 MICROCIDE

- Ready-To-Use Insecticide
- Indoor And Outdoor Use
- Contains natural pyrethrins for highly effective insect killing power.

ACTIVE INGREDIENTS:

Pyrethrins	0.25%
*Piperonyl Butoxide, Technical	2.00%
WERT INGREDIENTST	97.75%
	100.00%

- + Contains periodeun distillates
- *Equivalent to 1.6% (butylcarbityl) (6-propyl-piperonyl) ether and 0.4% related compounds.

EPA Reg No. 1685-113

EPA Est. No. 1685-OH-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

MANUFACTURED BY:



88R3

NET CONTENTS

DIRECTIONS FOR USE, Continued

Treat area thoroughly with particular attention to low and marshy places, shore lines, stagnant pools of ponds and shlubbery or vegetation where mesquitees may fest Apply at a rate of 20 fluid ounces per acre (or 0.5 fluid ounces per 1900 square feet)

Using truck mounted or mobile equipment, the above application rate will result if a 300 foot swath is faid down traveling at 5 m.p.h. and dispersing spray at a rate of 28 gallons per hour

INDOOR USE: To control mosquitoes, housefiles, gnats, and small flying moths. Fill the room with mist, using one ounce per 1000-cubic feet of space, keep room closed for 10 minutes. Vacate during treatment and ventilate before reoccupying.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal

PESTICIDE STORAGE AND SPILL PROCEDURE: Store upright at room temperature. Avoid exposure to extreme termperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. and dispose of with chemical waste.

mixture or rinse water that cannot be used according to label instructions must be disposed of at or by an approved waste disposal facility

container disposal: Triple rinse for equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and local procedures.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

FOR INDUSTRIAL USE ONLY