

Reg no: 1685-120

PM-25

182

State CAN-CEL

Nonspecific Herbicide

DOUBLE ACTING FOLIAGE CONTACT AND ROOT ABSORPTION
LONG TERM CONTROL • WATER EMULSIFIABLE

One gallon covers up to 1200 square feet.

ACTIVE INGREDIENTS
Prometon 2, 4-D (2,4-Dichlorophenoxyacetic acid) 1.1%
NEAT INGREDIENTS

31.5%
N-25K
100 DPM

Prometon is a registered trademark of Ciba-Geigy Corp.

EPA REG. NO. 1685

EPA EST. NO. 1685-0H1

The product contains prometon 2,4-D. Contains 0.375 lbs. of prometon per gallon.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
KEEP OUT OF REACH OF CHILDREN
WARNING

Causes substantial but temporary eye injury. Do not get in eyes. Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with skin or clothing. Avoid breathing vapor or spray mist. Wear safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

STATEMENT OF PRACTICAL TREATMENT

If in eyes: Hold eyelids open and flush with a steady, gentle stream of water. Get medical attention.

If swallowed: Call a physician or Poison Control Center. Give water if conscious. May present aspiration hazard. DO NOT induce vomiting.

If on skin: Wash with plenty of soap and water. Get medical advice.

If inhaled: Remove victim to fresh air. Notes to Physician

If swallowed, lavage stomach, taking care to avoid aspiration of stomach contents into the lungs.

ENVIRONMENTAL HAZARDS

Do not use on slopes or in areas where runoff is likely to occur (apply only to level surfaces). Do not contaminate water used for irrigation or domestic purposes. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not contaminate water when disposing of equipment waste water. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame

State MANUFACTURING CO.

FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY - NOT FOR HOUSEHOLD USE OR RESALE

DIRECTIONS

This is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read the entire label before using the product.

This is a nonspecific herbicide that can be applied for control of weeds and grasses. It can be used in areas such as industrial sites, around buildings, roadways, airports, runways, lawns, cemeteries, driveways, parking lots, fence areas, etc.

For best results, apply to bare ground or when weed growth is just starting. Weeds taller than 4 inches should be hoed before treatment or it may be necessary to make a second application. A second application may be necessary to control deep rooted perennial weeds.

SPOT TREATMENT: For control of annual and susceptible perennials, weeds such as pigweed, goosegrass, quackgrass, purple top, and others, apply 2.3 pints of weed killer in 3 gallons of water to spray up to 24 square feet through uniform coverage.

LARGE AREA TREATMENT: Uniformly spray one gallon in 600 square feet of area over 1000 square feet. Thoroughly wet all weeds to insure control. Apply while weeds are young. Application is made while growth is succulent.

Apply to all perennial weeds and grasses such as quackgrass, bluegrass, and others. Use 10 to 12 gallons of water per 1200 square feet.

Apply to all weeds and grasses such as quackgrass, bluegrass, and others. Use 10 to 12 gallons of water per 1200 square feet.

PRECAUTIONS: (1) Apply when air is calm to avoid the possibility of drift onto desirable plants or grass. (2) Keep away from the roots of desirable plants and trees. (3) Use only in areas where complete control of all vegetation is desired. (4) IT SHOULD NOT BE USED ON CULTIVATED AREAS, ON GROUND THAT IS TO BE CULTIVATED, IN GREYHOUSES, OR NEAR THE DRAIN LINE OF TREES OR SHRUBS. (5) Do not use on slopes or in areas where runoff is likely to occur (apply only to level surfaces). (6) Avoid using where adjacent desirable trees, shrubs, or plants may be injured from leaching of the chemical through the soil. (7) Keep children and animals off treated areas until these areas are dry.

STORAGE AND DISPOSAL

Keep this material in original container and do not reuse. Do not use in areas where it may be a hazard to humans or animals. Do not use in areas where it may be a hazard to humans or animals.

RESIDUE DISPOSAL: Do not use in areas where it may be a hazard to humans or animals. Do not use in areas where it may be a hazard to humans or animals.

CONTAINER DISPOSAL: Do not use in areas where it may be a hazard to humans or animals. Do not use in areas where it may be a hazard to humans or animals.

Do not use in areas where it may be a hazard to humans or animals. Do not use in areas where it may be a hazard to humans or animals.

BEST AVAILABLE COPY

ACCEPTED

By the Federal Insecticide, Fungicide, and Rodenticide Act, as amended by the FIFRA Act of 1972, 29 USC 1601-1607, EPA Reg. 25.25-120

NET CONTENTS

State PARCH

Nonselective WEED KILLER

DOUBLE ACTING FOLIAGE CONTACT AND ROOT ABSORPTION
LONG TERM CONTROL • WATER EMULSIFIABLE

One gallon covers up to 1200 square feet.

ACTIVE INGREDIENTS

Prometon 2-Able (Propoxyfluralin) 5-methoxyethyl ester
INERT INGREDIENTS

*Prometon is a registered trademark of Ciba Geigy Corp.

This product contains petroleum distillates.

EPA REG. NO. 1000

EPA EST. 113 1000011

contains 0.375 lbs. of prometon per gallon.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS KEEP OUT OF REACH OF CHILDREN WARNING

Causes substantial but temporary eye injury. Do not get in eyes. Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with skin or clothing. Avoid breathing vapor or spray mist. Wear safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

STATEMENT OF PRACTICAL TREATMENT

If in eyes: Hold eyelids open and flush with a steady gentle stream of water. Get medical attention.

If swallowed: Call a physician or Poison Control Center. Give water if conscious. May present aspiration hazard. DO NOT induce vomiting.

If on skin: Wash with plenty of soap and water. Get medical advice.

If inhaled: Remove victim to fresh air.

Notes to Physician
If swallowed, lavage stomach, taking care to avoid aspiration of stomach contents into the lungs.

ENVIRONMENTAL HAZARDS

Do not use on slopes or in areas where runoff is likely to occur (apply only to level surfaces). Do not contaminate water used for irrigation or domestic purposes. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not contaminate water when disposing of equipment waste water. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

The State CHEMICAL MANUFACTURING CO.
200 SOUTH 10TH AVENUE, SUITE 100
DENVER, COLORADO 80202

FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY - NOT FOR HOUSEHOLD USE OR RESALE

DIRECTIONS

This product is a nonselective herbicide which can be applied to any type of vegetation. It is a contact herbicide and will kill any plant it touches. It is not a systemic herbicide and will not be absorbed by the plant.

This is a nonselective herbicide which can be applied to any type of vegetation. It is a contact herbicide and will kill any plant it touches. It is not a systemic herbicide and will not be absorbed by the plant.

For best results, apply to the weeds and grasses when they are young and tender. Apply to the weeds and grasses when they are young and tender. Apply to the weeds and grasses when they are young and tender.

For best results, apply to the weeds and grasses when they are young and tender. Apply to the weeds and grasses when they are young and tender. Apply to the weeds and grasses when they are young and tender.

For best results, apply to the weeds and grasses when they are young and tender. Apply to the weeds and grasses when they are young and tender. Apply to the weeds and grasses when they are young and tender.

For best results, apply to the weeds and grasses when they are young and tender. Apply to the weeds and grasses when they are young and tender. Apply to the weeds and grasses when they are young and tender.

For best results, apply to the weeds and grasses when they are young and tender. Apply to the weeds and grasses when they are young and tender. Apply to the weeds and grasses when they are young and tender.

For best results, apply to the weeds and grasses when they are young and tender. Apply to the weeds and grasses when they are young and tender. Apply to the weeds and grasses when they are young and tender.

For best results, apply to the weeds and grasses when they are young and tender. Apply to the weeds and grasses when they are young and tender. Apply to the weeds and grasses when they are young and tender.

For best results, apply to the weeds and grasses when they are young and tender. Apply to the weeds and grasses when they are young and tender. Apply to the weeds and grasses when they are young and tender.

For best results, apply to the weeds and grasses when they are young and tender. Apply to the weeds and grasses when they are young and tender. Apply to the weeds and grasses when they are young and tender.

For best results, apply to the weeds and grasses when they are young and tender. Apply to the weeds and grasses when they are young and tender. Apply to the weeds and grasses when they are young and tender.

For best results, apply to the weeds and grasses when they are young and tender. Apply to the weeds and grasses when they are young and tender. Apply to the weeds and grasses when they are young and tender.

For best results, apply to the weeds and grasses when they are young and tender. Apply to the weeds and grasses when they are young and tender. Apply to the weeds and grasses when they are young and tender.

For best results, apply to the weeds and grasses when they are young and tender. Apply to the weeds and grasses when they are young and tender. Apply to the weeds and grasses when they are young and tender.

For best results, apply to the weeds and grasses when they are young and tender. Apply to the weeds and grasses when they are young and tender. Apply to the weeds and grasses when they are young and tender.

For best results, apply to the weeds and grasses when they are young and tender. Apply to the weeds and grasses when they are young and tender. Apply to the weeds and grasses when they are young and tender.

For best results, apply to the weeds and grasses when they are young and tender. Apply to the weeds and grasses when they are young and tender. Apply to the weeds and grasses when they are young and tender.

For best results, apply to the weeds and grasses when they are young and tender. Apply to the weeds and grasses when they are young and tender. Apply to the weeds and grasses when they are young and tender.

For best results, apply to the weeds and grasses when they are young and tender. Apply to the weeds and grasses when they are young and tender. Apply to the weeds and grasses when they are young and tender.

BEST AVAILABLE COPY

NET CONTENTS