

PAID RECEIVED
 EPA REGISTRATION
 1685-69-AA

State® STATE Formula 296 ROACH AND ANT KILLER

DIRECTIONS FOR USE
 It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

- METHODS OF APPLICATION**
1. STATE ROACH AND ANT KILLER is a highly effective ready-to-use formulation and should be applied with low pressure sprayer with coarse spray nozzle.
 2. Spray cracks, crevices, along baseboards, door and window sills as well as inaccessible areas behind stoves, refrigerators, around garbage cans and utility installations. DO NOT spray open floor areas, carpets, furniture, beds or bedding.
 3. STATE ROACH AND ANT KILLER has a residual effect of approximately 4 to 6 weeks when applied indoors. Repeat application as necessary.

FOR THE CONTROL OF ROACHS AND WATERBUGS: Apply STATE ROACH AND ANT KILLER wherever these insects and their runways are suspected. Thoroughly treat baseboards, cracks and crevices around window and door frames, around garbage and waste containers, around floor drains, sinks and other places where these insects may harbor.

FOR THE CONTROL OF ANTS: Apply STATE ROACH AND ANT KILLER to trails and places where ants enter premises, around window and door frames. Spray hills and runways outdoors.

FOR CONTROL OF MOSQUITOES (also fleas, flies and gnats): **OUTDOOR USE ONLY** — Spray treated areas as thoroughly as possible on outside surfaces of screens, doors, window frames, foundations and other areas where insects may enter.

APPLICATIONS WITHIN FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS
 Use only for Crack and Crevice Treatment only — apply a small amount of STATE ROACH AND ANT KILLER directly into cracks and crevices, expansion joints between different elements of construction or between equipment bases and the floor, wall voids, motor housing, junction boxes or switch boxes, conduits or hollow equipment legs where roaches, ants, sowbugs, silverfish, millipedes, clover mites and spiders hide. Prior to application deenergize electrical equipment. After application allow time for product to evaporate before starting motors or placing switches in the "ON" position. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Proper spray equipment must be used to deliver pencil thin stream for applications. Avoid contamination of food or food processing surfaces.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT, ARE NOT PERMITTED
 FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY
 NOT FOR HOUSEHOLD USE OR RESALE

- PROVIDES**
- Wide Range Insect Control
 - Effective Flushing Action
 - Fast Knock-Down
 - Long Residual Control

For Residual Surface Treatment

ACTIVE INGREDIENTS
 2-(1-methylethoxy) phenol methylcarbamate†

INERT INGREDIENTS †

† Contains petroleum distillate.
 * U.S. Patent No. 3,111,539

ACCEPTED
 OCT 7

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, this pesticide is registered under EPA Reg. No. 1685-69

1.00%
 99.00%
 100.00%

CAUTION:
KEEP OUT OF REACH OF CHILDREN
 (See side panel for additional cautions.)

EPA Reg. No. 1685-69-AA
 NET CONTENTS:

To order call 1-800-STA-CHEM

The **State**® CHEMICAL MANUFACTURING CO.
 MAIN OFFICE AND PLANT, CLEVELAND, OHIO 44114
 DISTRIBUTION CENTERS, SALES OFFICES, NATIONWIDE
 To order call 1-800 STA CHEM

EPA Est. No. 1685-OH-1/CA-1

88R3

STORAGE AND DISPOSAL

Store this product only in its original container and place in a locked storage area out of the reach of children. Do not use, pour, spill or store near heat, sparks or open flame. Keep container closed when not in use. **PESTICIDE DISPOSAL:** Do not contaminate water, food or feed by storage or disposal. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **CONTAINER DISPOSAL:** 55, 35, 25 gallon containers: Triple rinse (or equivalent). Then offer for recycling, reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. 1 gallon container: Do not reuse empty container. Wrap container and put in trash.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

May be harmful if swallowed. Avoid contact with eyes, skin, or clothing. Avoid breathing spray mist. Wash thoroughly after handling. Do not use as a space spray. Provide adequate ventilation of areas being treated. Do not apply to animals. Remove pets and cover fish bowls before spraying. Keep children and pets off the treated areas until surfaces are thoroughly dry.

ENVIRONMENTAL HAZARDS

Do not apply where weather conditions favor drifts from area treated. Do not spray on plants or vegetation.

PHYSICAL OR CHEMICAL HAZARDS

Flammable. Do not use, pour, spill or store near heat, sparks or open flame.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Do not induce vomiting unless instructed to do so by a physician since aspiration of the product is a potential hazard. In case of contact, immediately flush skin and eyes with plenty of water and call a physician.

IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.
IF ON SKIN: Remove contaminated clothing and wash affected area with soap and water.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated. Get medical attention.

NOTE TO PHYSICIAN: Administer atropine sulfate in large therapeutic doses. Repeat as necessary to point of tolerance.