

CONCENTRATE FOR LAWN OR HOUSEHOLD PURPOSES

DIRECTIONS

LAWN OR TURF APPLICATIONS

For the control of ants, armyworms, crickets, grasshoppers and spiders, add 1.5 tablespoonfuls of 46% chlordane concentrate to enough water to thoroughly treat or spray the lawn, turf or ornamental plants of 1000 square feet area.

For the control of chiggers, earwigs, or ticks, add 1.5 to 3 tablespoonfuls of 46% chlordane concentrate to enough water to thoroughly spray or treat the lawn, turf or ornamental plants of 1000 square feet area.

For the control of boxelder bugs, add 1.5 to 3 tablespoonfuls of 46% chlordane concentrate to enough water to treat 1000 square feet. Spray around the base or trunks of boxelder trees, along porches or foundation of buildings or other protected places.

For the control of mosquitoes, add 1 to 2 tablespoonfuls of 46% chlordane concentrate to enough water to thoroughly treat the lawns, turf or ornamental plants of 1000 square feet area.

For the control of mole crickets, add 1.5 to 3 tablespoonfuls of 46% chlordane concentrate to enough water to thoroughly treat or spray the lawn or turf of 1000 square feet. Sprinkle the lawn before the chlordane spray is applied.

For the control of chinch bugs, sod webworms or lawn moths, add 3 to 4.5 tablespoonfuls of 46% chlordane concentrate to enough water to thoroughly treat 1000 square feet of lawn or turf.

For the control of white grubs, Japanese beetle grubs, white-fringed beetle and wireworms, add 4 to 8 tablespoonfuls of 46% chlordane concentrate to enough water to thoroughly treat the lawn or turf of 1000 square feet. Wash the chlordane into the soil immediately after the application.

HOUSEHOLD APPLICATION

For the control of roaches or waterbugs, add 3 to 4 tablespoonfuls of 46% chlordane concentrate to 1 quart of water and thoroughly spray infested cracks and other hiding places and of adjacent exposed surfaces where they crawl when they come out of hiding. Repeat treatment when necessary.

For the control of ants, add 3 to 4 tablespoonfuls of 46% chlordane concentrate to 1 quart of water and thoroughly spray ant trails and areas around door sills and window frames where they enter. It is desirable to treat the openings around water pipes, heat ducts, electrical outlets and baseboards where ants may come into rooms from wall spaces or partitions. Repeat treatments as often as necessary to maintain effective control.

For the control of flies, mosquitoes and wasps, add 3 to 4 tablespoonfuls of 46% chlordane concentrate to 1 quart of water and thoroughly spray selected surfaces such as doors, around windows and areas frequented by these pests. Also thoroughly treat screens, window frames, door sills, and selected areas of porches where these insects tend to alight or congregate. Repeat application if necessary for effective control.

QUIST

46% Emulsifiable CHLORDANE

4 LBS. PER GALLON

Active Ingredients:

Table with 2 columns: Ingredient and Percentage. Chlordane\* 46%, Petroleum Distillate 49%, Inert Ingredients 5%, Total 100%.

\*Consists of 28% Octachloro-4, 7-methano-tetrahydroindane and 18% related compounds.

CAUTION:

Harmful if swallowed. Repeated or prolonged contact with skin can cause toxic symptoms. Avoid breathing spray mist. In case of contact with skin, wash with soap and water. Avoid contamination of feed and foodstuffs. Keep out of reach of children.

ANTIDOTE:

External - In case of spillage on skin, wash promptly with soap and water.

Internal - Emetic of 1 tablespoonful mustard in tumbler of water.

Call a physician.

For the control of silverfish, add 3 to 4 tablespoonfuls of 4 concentrate to 1 quart of water and thoroughly spray base behind shelving, book cases and storage areas. Repeat maintain effective control.

For the control of brown dog ticks, add 3 to 4 tablespoonfuls of 46% chlordane concentrate to 1 quart of water and thoroughly spray areas around baseboards, window and door frames, walling quarters of household pets and localized areas of floor coverings. Fresh bedding should be placed in animal quarters. Do not treat pets or other animals.

For the control of boxelder bugs, add 3 to 4 tablespoonfuls of 46% chlordane concentrate to 1 quart of water and thoroughly spray door sills, window frames or wherever these pests may enter.

For the control of crickets, add 3 to 4 tablespoonfuls of 46% chlordane concentrate to 1 quart of water and thoroughly spray base of closets and storage places and other hiding places. Repeat as necessary to maintain effective control.

For the control of spiders and centipedes, add 3 to 4 tablespoonfuls of 46% chlordane concentrate to 1 quart of water and thoroughly spray infested baseboards and corners, around pipes, storage areas and other infested areas in basements. Repeat application as necessary to maintain effective control.

TERMITE CONTROL APPLICATION

For the control of termites, add 1 quart of 46% chlordane to 12 gallons of water. Apply 2 gallons per 5 linear feet deeper than 18 inches around the foundations or 4 gallons when deeper than 18 inches. Apply 1 gallon per 10 square feet overall treatment under the slab, and under attached porches.

FOR THE PREVENTION OF GROWTH OF CRABGRASS

Apply 1 1/2 pounds Chlordane per 1000 square feet of lawn or turf to suppress crabgrass seedlings before germination or sprouting occurs. It is for use as an early season preventative treatment and is not effective for the control of crabgrass plants. Timing of application is important and should be applied before any germination which in many areas is during the period April 15 to May 1. This treatment will not burn or injure established lawns.

NOTE:

Quantities needed for 1 1/2 pounds of Chlordane:

46% Emulsifiable Concentrate - 3 Pints

BT

able

ANE

DN

..... 46%  
..... 49%  
..... 5%  
..... 100%

ro-4, 7-methano-  
% related com-

nd or prolonged  
toxic symptoms.  
case of contact  
d water. Avoid  
oodstuffs. Keep

e on skin, wash  
o and water.

poonful mustard  
r.

For the control of silverfish, add 3 to 4 tablespoonfuls of 46% chlordane concentrate to 1 quart of water and thoroughly spray baseboards, areas behind shelving, book cases and storage areas. Repeat application to maintain effective control.

For the control of brown dog ticks, add 3 to 4 tablespoonfuls of 46% chlordane concentrate to 1 quart of water and thoroughly spray infested areas around baseboards, window and door frames, wall cracks, sleeping quarters of household pets and localized areas of floors and floor coverings. Fresh bedding should be placed in animal quarters following treatment. Do not treat pets or other animals.

For the control of boxelder bugs, add 3 to 4 tablespoonfuls of 46% chlordane concentrate to 1 quart of water and thoroughly spray around door sills, window frames or wherever these pests may enter the home.

For the control of crickets, add 3 to 4 tablespoonfuls of 46% chlordane concentrate to 1 quart of water and thoroughly spray baseboards, floors of closets and storage places and other hiding places. Repeat application as necessary to maintain effective control.

For the control of spiders and centipedes, add 3 to 4 tablespoonfuls of 46% chlordane concentrate to 1 quart of water and thoroughly spray infested baseboards and corners, around pipes, storage localities and other infested areas in basements. Repeat application as necessary to maintain effective control.

**TERMITE CONTROL APPLICATION**

For the control of termites, add 1 quart of 46% chlordane concentrate to 12 gallons of water. Apply 2 gallons per 5 linear feet in trenches not deeper than 18 inches around the foundations or 4 gallons per 5 linear feet when deeper than 18 inches. Apply 1 gallon per 10 square feet as an overall treatment under the slab, and under attached porches.

**FOR THE PREVENTION OF GROWTH OF CRABGRASS**

Apply 1½ pounds Chlordane per 1000 square feet of lawn or turf to suppress crabgrass seedlings before germination or sprouting occurs. It is for use as an early season preventative treatment and is not effective for the control of crabgrass plants. Timing of application is important and should be applied before any germination which in many areas is during the period April 15 to May 1. This treatment will not burn or injure established lawns.

**NOTE:**

Quantities needed for 1½ pounds of Chlordane:

46% Emulsifiable Concentrate—3 Pints

CHEMICAL COMPOUNDING CORPORATION, NEW YORK, N. Y.

ACCEPTED

JUL 18 1967

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
UNDER NO. 1691-62 SUBJECT  
TO ATTACHED COMMENTS.