

5 GALLONS

FED. SPEC. 0-1-515

INSECTICIDE, CHLORDANE, 72 PERCENT, WATER EMULSIFIABLE CONCENTRATE
(Approx. 6 lbs. Chlordane per Gallon)

Percent By Weight

ACTIVE INGREDIENTS:

CHLORDANE*, TECHNICAL	72
Petroleum Hydrocarbons	25

INERT INGREDIENTS 03

* Equivalent to 43.2% octachloro-4,7-methanotetrahydroindane and 29.8% of related compounds.

CAUTION

KEEP OUT OF REACH OF CHILDREN.
DO NOT USE WITHOUT DILUTING.

Harmful if swallowed. Contact with skin can cause toxic symptoms. Avoid breathing spray mist. In case of contact with skin, wash with soap and water. Avoid contamination of feed and foodstuffs. Keep out of reach of children. In living quarters, use as strip treatment (not for complete coverage of all walls). To be applied by trained personnel only. When extensive use is involved, operators should wear respirators approved by the U. S. Dept. of Agriculture. See manual "Insect and Rodent Control" (AFM 85-7, TM 5-632, NAVDOCKS TP-Pu-2) for details.

This product is toxic to fish. Keep out of any body of water. Apply this product only as specified on this label.

outdoor spray. Apply in accordance with current instructions for termite control. See manual "Insect and Rodent Control" (AFM 85-7, TM 5-632 NAVDOCKS TP-Pu-2) for details.

1. Slab type construction:

(a) Apply 1 gallon per 10 sq. ft. as an overall pre-construction treatment under the slab and under attached porches.

(b) Apply 2 gallons per lineal feet to critical areas under the slab as pre-construction treatment, such as along the inside of foundation walls and around utility entrances and interior partition foundation walls.

(c) Apply 2 gallons per 5 lineal feet along the outside of the foundation using a trench to the depth of the foundation.

July 26 - 1968

1691-84

CARE. See Manual Insect and Rodent Control
(AFM 85-7, TM 5-632, NAVDOCKS
TP-Pu-2) for details.

This product is toxic to fish.
Keep out of any body of water.
Apply this product only as
specified on this label.

DIRECTIONS FOR USE

RESIDUAL SPRAY IN BUILDINGS

(approx. 3 percent).—Add 1 part of concentrate, while stirring, to 30 parts of water. (About 4 ounces of concentrate makes 1 gallon of emulsion.) Apply as a coarse spray to surfaces at the rate of approximately 1 gallon per 1000 or 1 pint per 125 lineal feet to cracks, crevices and other harborages of roaches, and to runways of ants.

OUTDOOR SPRAY (approx. 1 percent).

—Add 1 part of concentrate, while stirring to 90 parts of water (about 7 ounces for 5 gallons of emulsion). Apply as coarse spray. For the control of mosquitoes, flies and sand flies, apply lightly to vegetation, tree trunks, etc. at a rate of 10 to 15 gallons per acre depending on the amount of vegetation and type of terrain to be treated.

For the control of mites (chiggers) and ticks, apply to low vegetation and to ground surface at the rate of approximately 20 gallons per acre depending on the amount of vegetation. For the control of fleas, apply at 10 to 20 gallons per acre around and under buildings. For the control of ants, apply at rate of 10 to 20 gallons per acre.

TERMITE CONTROL.—Use 1 percent emulsion as prepared and described under

1651-84
walls and around utility entrances and interior partition foundation walls.

(c) Apply 2 gallons per 5 lineal feet along the outside of the foundation using a trench to the depth of the foundation.

2. Crawl-space houses and homes with basement:

(a) Apply 2 gallons per 5 lineal feet as a trenching application to critical areas under the house, such as along the inside of foundation walls and around piers and utility entrances. If trench is deeper than 15-18 inches, apply 4 gallons per 5 lineal feet.

(b) Apply 2 gallons per 5 lineal feet in a trench along the outside of foundation walls, including entrance platforms and porches where the foundation is not more than 15-18 inches deep. If over 15-18 inches deep but not over 30 inches deep, apply 4 gallons per 5 lineal feet of trench.

(c) Apply 1 gallon per 10 square feet of soil surface as a pre-construction treatment where the attached porches, entrance platforms, utility entrances, etc., have covering slab on fill of ground.

Do not reuse empty drum.
Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place.

RESIDUAL SPRAY IN BUILDINGS
(approx. 3 percent).—Add 1 part of concentrate, while stirring, to 30 parts of water. (About 4 ounces of concentrate makes 1 gallon of emulsion.) Apply as a coarse spray to surfaces at the rate of approximately 1 gallon per 1000 or 1 pint per 125 lineal feet to cracks, crevices and other harborages of roaches, and to runways of ants.

OUTDOOR SPRAY (approx. 1 percent).—Add 1 part of concentrate, while stirring to 90 parts of water (about 7 ounces for 5 gallons of emulsion). Apply as coarse spray. For the control of mosquitoes, flies and sand flies, apply lightly to vegetation, tree trunks, etc. at a rate of 10 to 15 gallons per acre depending on the amount of vegetation and type of terrain to be treated.

For the control of mites (chiggers) and ticks, apply to low vegetation and to ground surface at the rate of approximately 20 gallons per acre depending on the amount of vegetation. For the control of fleas, apply at 10 to 20 gallons per acre around and under buildings. For the control of ants, apply at rate of 10 to 20 gallons per acre.

TERMITE CONTROL.—Use 1 percent emulsion as prepared and described under

Basement:

- (a) Apply 1 gallon per 10 square feet of soil surface as a pre-construction treatment where the attached porches, entrance platforms, utility entrances, etc., have covering slab on fill of ground.
- (b) Apply 1 gallon per 10 square feet of soil surface as a pre-construction treatment where the attached porches, entrance platforms and porches where the foundation is not more than 15-18 inches deep. If over 15-18 inches deep but not over 30 inches deep, apply 4 gallons per 5 lineal feet of trench.
- (c) Apply 1 gallon per 10 square feet of soil surface as a pre-construction treatment where the attached porches, entrance platforms, utility entrances, etc., have covering slab on fill of ground.

Do not reuse empty drum.
Return to drum reconditioner
or destroy by perforating or
crushing and burying in a
safe place.

USDA Reg. No. 1691-84

CHEMICAL COMPOUNDING CORPORATION
Jersey City, N.J.