

## DISINFECTANT, CHLORAL AND PHENOLIC, CONCENTRATE

(PHENOLIC, DRY-TYPE)

100-0-51000B

For all disinfecting latrine buckets and their contents, urinals, toilet bowls  
 and other areas requiring cleaning for floors, walls, sinks, shower stalls, garbage  
 cans and refuse can platforms.

## CHEMICAL COMPOUNDING CORPORATION

Jersey City, N.J.

Date of pack:

Lot No.

NET WEIGHT 1 Ounce

ACTIVE INGREDIENTS:Sodium-4-chloro-2-phenylphenoate, ( $\text{NaC}_{12}\text{H}_9\text{OCl}$ )  
 (anhydrous basis) 28.0%Sodium 4-chloro-2-phenylphenoate, ( $\text{NaC}_{12}\text{H}_8\text{OCl}$ )  
 (anhydrous basis) 37.0%Sodium 6-chloro-2-phenylphenoate, ( $\text{NaC}_{12}\text{H}_8\text{OCl}$ )  
 (anhydrous basis) 12.0%Sodium-para-phenylphenoate, ( $\text{NaC}_{12}\text{H}_9\text{O}$ ) 9.0%INERT INGREDIENTS:

Moisture 16.0%

Cameraman's Note

Poor Copy

Directions:

1. For housekeeping disinfectant - Dissolve contents of one pouch in a scrub bucket and add four gallons of water, proportionately less for smaller amounts of water. Preferably, use without soap as a rinse for best disinfection.

2. For field latrine buckets - Dissolve contents of one pouch in two quarts of water. After disinfectant has thoroughly dissolved, pour one quart of resulting solution into each latrine bucket (14-quart capacity). Empty each bucket when it becomes half full.

3. Make fresh solutions for each use.  
 DANGER: keep out of reach of children.

Caution:

PHENOL. Harmful or fatal if swallowed.

RAPIDLY ABSORBED THROUGH SKIN.

CAUSES SEVERE BURNS.

DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING.

AVOID BREATHING DUST OR VAPOR.

WHEN HEATED TO DECOMPOSITION, HIGHLY TOXIC VAPORS ARE EMITTED.

DO NOT TAKE INTERNALLY.

NOT FOR USE AS A DISINFECTANT WITH FOOD SERVICE ITEMS.


IN CASE OF CONTACT, IMMEDIATELY REMOVE ALL CONTAMINATED CLOTHING,  
 INCLUDING SHOES AND FLUSH SKIN OR EYES WITH PLENTY OF WATER FOR  
 AT LEAST 15 MINUTES; FOR EYES, GET MEDICAL ATTENTION BEFORE  
 FLUSHING.

WASH CLOTHING BEFORE RE-USE.

4. Do not reuse container. Destroy when empty.

NOV 1967

1691165

Antidotes:

If swallowed, administer milk or raw egg and give large amounts of water. Then cause vomiting by inserting finger down throat. Report to Medical Officer at once.

Storage:

Store in a cool, dry and ventilated space.

USDA Reg. No. 1091-