

4-16-73
1696-51

HC-45

DISINFECTANT CLEANER

For Hospital, School, Institutional and Industrial Use

ACTIVE INGREDIENTS:

Alkyl (C ₁₄ 50%, C ₁₂ 40%, C ₁₆ 10%) Dimethyl Benzyl Ammonium Chlorides.....	5.0%
Sodium Carbonate.....	2.75%
Sodium Metasilicate.....	1.29%
Trisodium Phosphate.....	0.97%
Tetrasodium Ethylene Diamine Tetraacetate.....	0.39%
INERT INGREDIENTS.....	89.6%

Note: Contains Sodium Nitrite

Controlling cross-infection is of major housekeeping concern not only in Hospitals, but in Schools, Institutions and Industry as well. HC-45 Disinfectant Cleaner is formulated for this purpose. It both cleans and disinfects effectively when used as directed. Its hard surface disinfecting action will reduce the hazard of cross-infection.

USE DIRECTIONS

For normal cleaning and disinfecting of floors, woodwork, walls, furniture, fixtures, equipment and similar hard inanimate surfaces, use 1 ounce of HC-45 to each gallon of water. Apply this solution with a sprayer, cloth, sponge or mop in such a manner as to wet surfaces thoroughly with the recommended use dilution. For heavily soiled areas, a preliminary cleaning may be necessary.

DANGER

KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Avoid breathing spray mist. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food. Dilute with water as directed. Do not mix with soap or anionic detergent. Rinse empty container thoroughly and discard it.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large container of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

E. P. A. Reg. No. 1696-51

Manufactured by
METRO PRODUCTS COMPANY
Manufacturing Chemists
Atlanta, Georgia 30336

Net Contents..... Gallons