

DIRECTIONS:

Use in spot treatments for silverfish, crickets, and cockroaches. Sprays formed by the spray are effective against wasps and mosquitoes.

~~wasps and mosquitoes:~~

Winru 3% Malathion in oil spray is effective in controlling the exposed stages of rice weevil, granary weevil, saw-toothed grain beetle, flat grain beetle, red flour beetle, confused flour beetle, lesser grain borer and Indian meal moth in storage warehouses and boxcars and trailers before cooping. Use as a spot treatment, thoroughly spraying infested cracks and crevices and areas behind side walls of boxcars or trailers and in the open studding of warehouse walls. Allow spray application to dry thoroughly before cooping boxcars or trailers.

For the control of roaches, crickets, spiders, and silverfish in homes, thoroughly spray infested cracks and other hiding or resting places. Use beneath drainboards, cabinets, stoves and processing equipment. Spray should also be applied behind moldings or baseboards and around pipes through walls or floors.

ANTS: Paint or wet the surface with a coarse spray of Winru 3% Malathion oil spray. Treat areas around door sills and window frames where these insects may enter. Treat any obvious ant trails, the openings around pipes, heat ducts, electrical outlets and baseboards. Use coarse spray liberally in cracks and crevices. Repeat as often as necessary.

CARPET BEETLES: Shelves and cracks in closets and storage cabinets should be treated. The underside of carpets should also be treated wherever possible, particular attention being given to that part of the carpeting at the wall edge and in corners. Repeat as need to maintain residual action.

FLIES, WASPS, JUNE BUGS AND FLYING MOTHS: Winru 3% Malathion in oil may be used outdoors as an aid in reducing annoyance from these insects. Paint or spray the outside surfaces of screens, doors and window frames. Areas around lights, porches or vestibules, should also be sprayed. Repeat the treatment as often as needed to maintain residual action.

FOOD HANDLING: Use in storage areas and processing residences in which

PEST CONTROL INDUSTRY

WINRU

3% MALATHION IN OIL SPRAY

A ready-to-use solution designed for home and food manufacturing plant use for indoor and outdoor application.

ACTIVE INGREDIENTS:

*Malathion	-----	3.00%
Aromatic petroleum hydrocarbons	-----	96.85%

INERT INGREDIENTS:

-----	0.15%
-----	<u>100.00%</u>

*O,O-dimethyl dithiophosphate of diethyl mercaptosuccinate. The malathion contained in this formulation is from Premium Grade technical Cythion.[®]

[®]Reg. U.S. Pat. Off. (Amer. Cyanamid)

**CAUTION: KEEP OUT OF REACH OF CHILDREN.
HARMFUL IF SWALLOWED.**

Avoid breathing of spray mist. Avoid contact with skin. Wash thoroughly after using. Avoid contamination of feed or food-stuffs. Malathion may cause cholinesterase inhibition. If poisoning occurs get prompt medical aid. Atropine is antidotal.

E.P.A. Reg. No. 1700-168AA

E.P.A. Est. No. 485-MO-1

NET CONTENTS _____ GALLONS

Manufactured by
WINRU CHEMICAL & SALES COMPANY
KANSAS CITY, MISSOURI

WINRU

3% MALATHION IN OIL SPRAY

Ready-to-use solution designed for home and food manufacturing use for indoor and outdoor application.

ACTIVE INGREDIENTS:

Malathion	-----	3.00%
Aromatic petroleum hydrocarbons	-----	96.85%
INERT INGREDIENTS:	-----	0.15%
		<u>100.00%</u>

Malathion is a dimethyl dithiophosphate of diethyl mercaptosuccinate. The malathion used in this formulation is from Premium Grade technical Cythion.[®] U.S. Pat. Off. (Amer. Cyanamid)

**CAUTION: KEEP OUT OF REACH OF CHILDREN.
HARMFUL IF SWALLOWED.**

Avoid breathing of spray mist. Avoid contact with skin. Wash thoroughly after using. Avoid contamination of feed or foodstuffs. Malathion may cause cholinesterase inhibition. If poisoning occurs get prompt medical aid. Atropine is the antidote.

Reg. No. 1700-168AA
Est. No. 485-MO-1

NET CONTENTS _____ GALLONS

Manufactured by

AGRI-CHEMICAL & SALES COMPANY

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED.

Includes areas for receiving, storage, bottling, wrapping, boxing, preparing, edible waste storage, and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas (where food is exposed and facility is in operation also would be considered a food area).

Apply in small amounts directly into cracks and crevices using equipment capable of delivering a pin stream of insecticide in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases, in conduits, motor housings and junction or switch boxes. Prior to application to these areas de-energize electrical equipment. After application, allow time for oil to evaporate before starting motors or placing switches in the "on" position.

Aids in the control of pantry pests (exposed stages of saw-toothed grain beetle, flour beetles, rice weevil, cigarette beetle, drug store beetle, and Indian meal moth) and roaches, silverfish, ants or spiders which are likely to be found hiding in these areas.

Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED.

NON-FOOD AREAS—Includes garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Apply 3% Malathion in oil spray as a spot treatment to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter.

DO NOT PERFORM THIS OPERATION BY PERFORATING OR CUTTING THE CAN. PLACE AWAY FROM