



NALCON 248



MICROORGANISM CONTROL CHEMICAL

ACTIVE INGREDIENTS: (% by weight)

Tetrahydro-3,5 dimethyl-2H-1,3,6-
thiadiazine-2-thione 24.0%

INERT INGREDIENTS*: 76.0%
Total 100.0%

*Inert ingredients contain dispersants, penetrants and stabilizers.

Weight per gallon - 9.7 lbs
EPA Registration No. 1706-42

NALCO CHEMICAL COMPANY

6216 WEST 66TH PLACE CHICAGO, ILLINOIS 60638

EPA Est. No. 1706-IL-1

NET CONTENTS SHOWN ELSEWHERE ON CONTAINER

DIRECTIONS:

For control of bacterial and fungal slime in pulp, paper and paper-board mill systems use 0.4-1.2 pounds of NALCON 248 per ton of pulp or paper, dry basis, depending on severity of contamination. Applications may be anywhere in the system prior to sheet forming or to the recirculating white water. Typical application sites are beaters and pulpers.

For preservative application in coating formulations and chemical solutions (starch and protein) add slug doses of 1.5-7.5 ounces NALCON 248 per 100 gallons of formulation or solution (100-500 ppm). For glue solutions add slug doses of 7.5-15 ounces NALCON 248 per 100 gallons of glue solution (500-1000 ppm).

Feed NALCON 248 directly from drum or diluted with water. Technical assistance on individual site problems obtainable from your Nalco Representative.

NOTE: NALCON 248 INTENDED FOR INDUSTRIAL USE ONLY. Do not apply to potable water or domestic water systems.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public waters. Do not contaminate water by cleaning of equipment or disposal of wastes, apply this product only as specified on this label.

Do not reuse this container. Destroy when empty.

WARNING: HARMFUL IF SWALLOWED. MAY CAUSE EYE INJURY AND SKIN IRRITATION.

Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Remove contaminated clothing and wash before reuse. Keep container closed when not in use. Use with adequate ventilation.


FIRST AID

Internal: If swallowed drink large quantities of water and milk. Follow with citrus fruit or diluted vinegar. Call a physician.

External: In case of contact, immediately flush eyes, or skin with large amounts of water for at least 15 minutes; for eyes, also get medical attention.



NALCO 248



MICROORGANISM CONTROL CHEMICAL

ACTIVE INGREDIENTS: (% by weight)

Tetrahydro-3, 5 dimethyl-2H-1, 3, 5-
thiadiazine-2-thione 24.0%

INERT INGREDIENTS*: 76.0%
Total 100.0%

*Inert ingredients contain dispersants, penetrants and stabilizers.

Weight per gallon = 9.7 lbs
EPA Registration No. 1706-42

NALCO CHEMICAL

6216 WEST 66TH PLACE

EPA Est. No. 1706-IL-1

NET CONTENTS SHOWN ELSEWHERE

DIRECT

board mill
basis, dep
system pr
sites are b

For preser
protein) a
tion or so
NALCON

Feed NAL
individual

NOTE: N
potable w

This prod
drain into
ing of equ
label.

Do not re

WARN

INJURY

Do not ge
gloves wh
container

FIRST A

Internal:

External