

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

WARNING: HARMFUL IF SWALLOWED. MAY CAUSE EYE INJURY AND SKIN IRRITATION. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Remove contaminated clothing and wash before reuse. Keep container closed when not in use. Use with adequate ventilation.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public waters unless in accordance with an NPDES permit. For guidance contact your Regional Office of the EPA.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

Disposal: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Metal Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Plastic Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

EPA Reg. No. 1708-42

EPA Est. No. 1708-11-1


NALCO CHEMICAL COMPANY

6216 WEST 66TH PLACE

NET CONTENTS SHOWN
ELSEWHERE ON CONTAINER

CHICAGO, ILLINOIS 60638

EMERGENCY TELEPHONE NUMBER - (312) 920-1510



**NALCON[®]
248
MICROORGANISM
CONTROL CHEMICAL**

ACTIVE INGREDIENTS: (% by weight)

Tetrahydro-3, 6-dimethyl-2H-1, 3, 5-
thiadiazine-2-thione.....

INERT INGREDIENTS:

Total

24.0%

76.0%

100.0%

Weight per gallon = 9.7 lbs

KEEP OUT OF REACH OF CHILDREN

WARNING:

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink large quantities of water or milk. Followed with citrus fruit or diluted vinegar. CALL A PHYSICIAN.

IN case of personal contact, immediately flush eyes, or skin with large amounts of water for at least 15 minutes; for eyes also get medical attention.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

PULP AND PAPERMILL SYSTEMS

For control of bacterial and fungal slime in pulp, paper and paperboard mill systems use 0.4-1.2 pounds of NALCON 248 per ton of pulp or paper, dry basis, depending on severity of contamination. Applications may be anywhere in the system prior to sheet forming or to the recirculating white water. Typical application sites are beaters and pulpers.

PRESERVATIVE APPLICATIONS

NALCON 248 is an effective preservative at use levels between 0.04 and 0.125% (w/w) based on the total formulation in slurries of starch, clay, calcium carbonate or titanium dioxide; paper coatings, high viscosity suspensions (e.g. polymers; silica-polymer combinations; SBR latexes); polyvinyl alcohol/polyvinyl acetate based adhesives, starch based adhesives, dextrin based adhesives and refractory starches.

The exact dosage necessary for preservation of any given formulation will depend upon the components, storage time, temperature, etc., and can best be determined by actual test. Your Nalco Representative can assist you in determining optimum dosage for your particular problem.

For preservation of slurries and high viscosity suspensions, NALCON 248 should be added at a point in the processing where there will be sufficient time and agitation for good dispersion.

Where treated slurries are to be used in paper and paperboard manufacture, NALCON 248 complies with Title 21 Code of Federal Regulations Section 176.230 (Preservatives used in manufacture and coating of paper and paperboard intended for use in contact with food) when used under conditions specified in the regulation.

FEEDING

Feed NALCON 248 directly from drum or diluted with water. Technical assistance on individual site problems obtainable from your Nalco Representative.

NOTE: NALCON 248 INTENDED FOR INDUSTRIAL USE ONLY. Do not apply to potable or domestic water systems.