


ACCEPTED

MAY 2 1972

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
UNDER NO. 1706-44 SUBJECT  
TO ATTACHED COMMENTS.



**NALCO**®

**202**

MICROORGANISM CONTROL CHEMICAL

<sup>2,3</sup>	
ACTIVE INGREDIENTS: (% by Weight)	
Methyl- <del>12</del> -dibromopropionate	29.7%
INERT INGREDIENTS*:	70.3%
Total	100.0%

\* Inert ingredients contain dispersants, penetrants and stabilizers.

Weight per gallon=8.05 lb.

E.P.A. Registration No. 1706-44

**DIRECTIONS:**

For bacterial and fungal slime and algae control in recirculating cooling water systems use 150 - 200 ppm (1 - 1 1/2 - 2 gallons per 10,000 gallons of water) NALCO 202 initially followed, as needed by 50 - 100 ppm (1/2 - 1 gallon per 10,000 gallons of water) NALCO 202 depending on the severity of contamination.

Feed NALCO 202 directly from the drum or as an aqueous solution (up to 5%) through a chemical proportioning pump. Feeding equipment should be plastic or plastic lined. NALCO 202 may typically be applied with the make up water, before or after heat exchangers, in cooling tower basins or distribution decks and in cooling tower sumps. Technical assistance on individual site problems can be obtained from your NALCO representative.

*See attached for copy.*

**NOTE:**

NALCO 202 IS INTENDED FOR INDUSTRIAL USE ONLY.

Do not apply to potable water or domestic water systems. This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams or ponds. Do not reuse container. Destroy when empty. Apply this product only as specified on this label.

**WARNING!**

VAPOR AND ABSORPTION THROUGH SKIN HARMFUL, IRRITATING TO EYES, NOSE AND THROAT. KEEP OUT OF THE REACH OF CHILDREN.

Do not get in eyes, on skin, on clothing. Wear goggles or face shield and rubber gloves when handling. Use only with adequate ventilation. Avoid breathing of vapor. Do not use, pour, spill or store near heat or open flame. Keep container closed when not in use. Do not take internally. In case of contact, immediately wash skin with plenty of soap and water for at least 15 minutes; for eyes, immediately flush with large amounts of water for at least 15 minutes, and get medical attention. Remove and wash contaminated clothing before reuse.

**NALCO CHEMICAL COMPANY**

6216 WEST 66TH PLACE

CHICAGO, ILLINOIS 60638

NET CONTENTS SHOWN ELSEWHERE ON CONTAINER

DIRECTIONS:

For bacterial and fungal slime control in industrial recirculating cooling water systems add slug doses of 150-200 ppm (1½ - 2 gallons per 10,000 gallons of system water) Nalco 202 once a week or as needed to achieve control. Badly fouled systems may require precleaning. Once the desired degree of control has been achieved microbiological control slug doses of 50-100 ppm (½-1 gallon per 10,000 gallons of system water) Nalco 202 should be added weekly or as needed to maintain control.

Nalco 202 should be fed directly from the drum or use a proportioning pump. Feeding equipment should be plastic or plastic lined. Nalco 202 should be applied at a point in the system where it will be uniformly mixed and evenly distributed, such as in the tower basin or tower sump. Technical assistance on individual site problems can be obtained from your Nalco representative.

NOTE: NALCO 202 INTENDED FOR INDUSTRIAL USE ONLY. Do not apply to potable or domestic water systems.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams or ponds.

Do not reuse this container. Destroy when empty. Apply this product only as specified on this label.

