

MICROORGANISM CONTROL CHEMICAL

| ACTIVE INGREDIENTS: (% by weight) | |
|--|--------|
| Potassium Pentachlorophenate | 15.7% |
| Potassium 2,4,5Trichlorophenate | 9.0% |
| Potassium Salts of Other Chlorophenols | 1.8% |
| INERT INGREDIENTS* | 73.5% |
| Total | 100.0% |

^{*}Inert ingredients contain depersants, penetrants and stabilizers.

Weight per gallon = 9.8 lb EPA Registration No. 1706-54 Directions: For bacterial and fungal slime and algae control in industrial recirculating cooling water towers add slug doses of 150-300 ppm (14-2½ gallons per 10,000 gallons of system water) NALCO 401. Repeat dosage as needed until control is achieved. Badly fouled systems may require precleaning. Once the desired degree of control has been achieved slug doses of 75-150 ppm (2½ quarts to 1¼ gallons per 10,000 gallons of system water) NALCO 401 should be added weekly or as needed to maintain control.

For preservation of cooling tower lumber use 100-200 pounds (10.2-20.4 gallons) NALCO 401 per 10,000 cubic feet of plenum section.

Add NALCO 401 directly from the drum to a point in the system where it will be uniformly distributed and evenly mixed such as in the cooling tower sump or basin. Technical assistance on individual site problems may be obtained from your Nalco representative.

NOTE: CO 401 INTENDED FOR INDUSTRIAL USE ONLY. Do not all potable water or domestic water systems. Use this product only as specified on this label.

This product is toxic to fish and wildlife. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public waters.

Do not contaminate water by cleaning of equipment or disposal of waste. Do not reuse container. Destroy when empty.

WARNING: KEEP OUT OF THE REACH OF CHILDREN. HARMFUL IF SWALLOWED. MAY CAUSE EYE INJURY AND SKIN IRRITATION. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid breathing of vapor. Use with adequate ventilation. Keep container closed when not in use. Do not take internally. In case of contact, immediately flush eyes or skin with large amounts of water for at least 15 minutes; for eyes, also get medical attention. Remove contaminated clothing.

NALCO CHEMICAL COMPANY

6216 WEST 66TH PLACE

CHICAGO, ILLINOIS 60638

NET CONTENTS SHOWN ELSEWHERE ON CONTAINER