



7620-WB

MICROORGANISM CONTROL CHEMICAL

FOR CONTROL OF BACTERIAL AND FUNGAL SLIME

ACTIVE INGREDIENT:

Methylene bis(thiocyanate) 10%

INERT INGREDIENTS: 90%

Total 100%

Weight per gallon = 8.1 lb

EPA Registration No. 1706-112-AA

NALCO CHEMICAL COMPANY

6216 WEST 66TH PLACE

EPA Est 1706 IL 1

CHICAGO, ILLINOIS 60638

NET CONTENTS SHOWN ELSEWHERE ON CONTAINER

DIRECTIONS: For slime (bacterial and fungal) control in pulp, paper, and paperboard mills, use 0.05 to 1.0 pound of NALCON 7620 WB per ton of pulp or paper, dry basis, depending upon degree of contamination.

Feed NALCON 7620 WB directly from drum. Materials of construction should be stainless steel, aluminum, Teflon or Penlon. Polyethylene or polypropylene are suitable for feed tubing. Application may be continuous or intermittent, depending upon system characteristics. Technical assistance on individual site problems can be obtained from your Nalco Representative. NALCON 7620 WB may be added anywhere in the system prior to the sheet forming area or in the recirculating white water system.

NOTE: NALCON 7620 WB INTENDED FOR INDUSTRIAL USE ONLY. Do not apply to potable water or domestic water systems.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, or ponds.

Do not reuse container. Destroy when empty.

DANGER: MAY BE FATAL IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. CAUSES SEVERE SKIN IRRITATION AND EYE DAMAGE. KEEP OUT OF REACH OF CHILDREN. Do not breathe vapor or mist. Do not get in eyes, on skin, on clothing. Wear goggles or face shield and rubber gloves when handling. Do not use, pour, spill or store near heat or open flame. Keep container closed when not in use. In case of contact immediately flush with large amounts of water for at least 15 minutes, and get medical attention. Remove and wash contaminated clothing before reuse. If swallowed, promptly give a large amount of milk, egg whites, gelatin solution, or if these are not available, give large quantities of water. Never give an unconscious person anything by mouth. Call a physician.