

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER. Corrosive. Causes irreversible eye damage or skin burns. Fatal if swallowed or inhaled. Harmful if absorbed through skin. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, rubber gloves and rubber apron when handling. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS
This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.
PESTICIDE STORAGE - Keep container tightly closed. Protect from freezing. Store in a dry place. Do not store at elevated temperatures.

PESTICIDE DISPOSAL - Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Metal and Plastic Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerate or burn, if allowed by state and local authorities. If burned, stay out of smoke.

Do not apply this product in a way that will contact workers or other persons.

USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

If pesticide gets inside clothing, remove clothing immediately, wash thoroughly, and put on clean clothing.

Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothes.



NALCON® 7619

**MICROORGANISM CONTROL CHEMICAL
FOR CONTROL OF BACTERIAL AND FUNGAL
SLIME**

ACTIVE INGREDIENT:

Methylene bis(thiocyanate).....10%

INERT INGREDIENTS.....90%

Total.....100%

Weight per gallon = 8.5 lbs.

**KEEP OUT OF REACH OF CHILDREN
DANGER**

FIRST AID

If in eyes:

- Hold eyes open and rinse slowly and gently with water for 15-20 minutes.
- After at least 15 minutes of rinsing or after it is judged that nearly all of the contamination has been removed. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.

- Call a poison control center or a doctor immediately for treatment advice.

If swallowed:

- Call a poison control center or a doctor immediately for treatment advice.
- **DO NOT INDUCE VOMITING.**
- Do not give anything to drink.

If on skin or clothing:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or a doctor for treatment advice.

If inhaled:

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, and then give artificial respiration, preferably mouth-to-mouth if possible.
- Call a poison control center or a doctor for further treatment advice.

NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage. Have the MSDS and, if available, the product container or label with you when calling a poison control center or a doctor, or going for treatment.

EPA Reg. No. 1706-112

EPA Est. No. 67869-PA-1

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Ondeo Nalco Company

Ondeo Nalco Center

St. Louis, MO 63163

ACCEPTED
EMERGENCY PHONE NO. (800) 424-9300

NOV 12 2003

Under the Federal Insecticide, Fungicide, and
Rodenticide Act as amended, for the
pesticide, registered under
EPA Reg. No. 1706-112

DIRECTIONS FOR USE:

GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

PULP AND PAPER MILL SYSTEMS

For slime (bacterial and fungal) control in pulp, paper and paperboard mills, use 0.05 to 1.0 lbs. of NALCON 7619 per ton of pulp or paper, dry basis, depending upon degree of contamination.

NALCON 7619 may be added anywhere in the system prior to the sheet forming area or in the recirculating white water system.

FUEL OIL STORAGE TANKS

(This use not currently registered in California)

For control of bacterial and fungal growth in distillate fuel oil storage tank bottom water add a slug dose of 50-100 ppm Nalcon 7619. Repeat as needed to gain control.

To maintain control feed 25-50 ppm Nalcon 7619 once a month or as needed.

Should disposal of tank bottom water become necessary, wait at least 48 hours after last Nalcon 7619 treatment before draining tank. Do not discharge water directly to ground where it can enter streams, lakes or ponds.

PRESERVATION OF AQUEOUS SOLUTIONS

For the preservation of solutions, emulsions, adhesives and other aqueous liquid products, the addition of 75 to 750 ppm of NALCON 7619 is effective. Add NALCON 7619 at a point in the processing system where there will be sufficient time and agitation for good mixing and dispersion. The exact amount of NALCON 7619 to be added for the preservation of given formulations will depend on the components as well as local storage time and condition. Dosage rates should be determined by actual test. This product is not cleared for use in the manufacture of adhesives that may come in contact with food.

FEEDING

Feed NALCON 7619 directly from drum. Materials of construction should be stainless steel, Teflon, Penton or aluminum. Polyethylene or polypropylene is suitable for feed tubing. Application may be continuous or intermittent depending upon system characteristics. Technical assistance on individual site problems can be obtained from your ONDEO Nalco Representative.

NET CONTENTS SHOWN ELSEWHERE ON CONTAINER

SVEZ

1706-112

11/12/2003

11