# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

AUG - 4 2005

Nalco Company 1601 W. Diehl Road Naperville, IL 60563-1198

Attention: Jan R. Wright

Staff Product Specialist

Subject: Nalcon 7619

EPA Registration No. 1706-112

Your Notification Dated June 27, 2005

This will acknowledge receipt of your notification to update the label to add the company name and logo, submitted under the provisions of FIFRA Section 3(c)(9). Based on a review of the submitted material, the following comments apply.

The Notification is in compliance with PR Notice 98-10, and is acceptable. This information has been made a part of your file.

Please note that a stamped label cannot be granted under the Notification process.

If you have any questions concerning this letter, please contact Martha Terry at (703) 308-6217.

Sincerely

Marshall Swindell

Product Manager (33)

Regulatory Management Branch I Antimerobials Division (7510C)

CONCURRENCES							
SYMBOL							
SURNAME							
DATE					_		
ACCIDING FILE CORV							



Nalco Company 1601 West Diehl Road Naperville, IL 60563-1198 phone 630.305.1000 www.nalco.com

June 30, 2005

Mr. Marshall Swindle
Product Manager 33
Regulatory Management Branch II
Antimicrobial Division (7510C)
SEPAL
Washington DC 20460

Subject:

Updated Label With New Company Name and Logo for

Nalcon® 7619 (EPA Reg. No. 1706-112)

Dear Mr. Swindle:

As required, Nalco Company is submitting the following items in support of a request to update our label with our new company name and logo information. It appears the EPA does not have our new label on file.

- 1. EPA Form 8570-1
- 2. Five (5) copies of the draft label

In addition, I am sending you a copy of your letter and previous EPA Stamped-Approved label (dated November 12, 2003). We await your stamped accepted copy of the label.

If you have any questions, please feel free to contact me.

Very truly yours,

Jan R. Wright

Staff Product Specialist - Innovation Delivery Group

Phone: (630) 305-1449 • FAX: (630) 305-2986 • Email: jwright@nalco.com

PERSONS TO SERVICE TO

3/4

United States  Environmental Protection Agency Weshington, DC 20460					Registration Amendment Other		OPP Identifier Number		
	Appl	ication for	Pesticide - Sec	tion	1		ربر نور نور نور نواستان داده استان کار داده استان		
1. Company/Product Number		2. EPA Product Manager			3. Pr	3. Proposed Classification			
Nalco Compa	iny/1706-112		Marshall Swindeli			<b></b>   [ <b>X</b>	None Restricted		
4. Company/Product (Name) Nalco Compa	ny/Nalcon 7619		РМ# 33						
5. Name and Address of Applicant Nalco Comp 1601 West D Naperville, II		6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to:  EPA Reg. No. 1706-112  Product Name Nalcon 7619							
L	<del></del>	Sec	tion - II						
Amendment - Explain below.    Final printed labels in repsonse to Agency letter dated									
Explanation: Use additional page(s) if necessary. (For section I and Section II.)  This is to notify the EPA of an update to label: Company Name and Logo									
		Sec	tion - III	<del></del>					
1. Material This Product Will Se Pad	skaged in:								
Child-Resistant Packaging Yes X No X	Water	Soluble Packaging Yes No		2. Type of C	Container Metal Plastic Glass				
* Certification must be submitted If "Yes" No. per Unit Packaging wgt. container			140. ha.			Paper Other (S	pecify)		
3. Location of Net Contents Informs	tion 4. Size	(s) Retail Contai	ner	5, Loc	stion of Labo	l Directio	na		
Label X Contains	, 15 8	55 GAL dru	ms and bulk	<u> </u>	ON LA	BEL			
6. Manner in Which Lebel is Affixed to Product   Lithograph   Other   X Paper glued   Stendied									
Section - IV									
1. Contact Point (Complete items of	firectly below for ident	ification of indiv	idual to be contected, i	i nece	esery, to pro	case this	application.)		
Name			Title T			Felephone	elephone No. (Include Area Code)		
Jan R. Wright			Staff Product Specialist			((	630) 305-1449		
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete.					6. Date Application Received (Stamped)				
2. Signature			3. Title Staff Product Specialist				DECEMBE		
4. Typed Name Jan R. Wright			5. Date June 27, 2005				W SOLEILI		

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage or skin burns. Fatal if swallowed or inhaled. Harmful if absorbed through skin. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, rubber gloves and rubber apron when handling Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Remove contaminated clothing and wash before reuse.

#### ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

# STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. **PESTICIDE STORAGE** – Keep container tightly closed. Protect from freezing. Store in a dry place. Do not store at elevated temperatures.

PESTICIDE DISPOSAL - Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

#### CONTAINER DISPOSAL

Metal and Plastic Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerate or burn, if allowed by state and local authorities. If burned, stay out of smoke.

Do not apply this product in a way that will contact workers or other persons.

#### USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

If pesticide gets inside clothing, remove clothing immediately, wash thoroughly, and put on clean clothing.

Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothes.



# NALCON® 7619

MICROORGANISM CONTROL CHEMICAL FOR CONTROL OF BACTERIAL AND FUNGAL SLIME

ACTIVE INGREDIENT:	
Methylene bis(thiocyanate)	10%
INERT INGREDIENTS:	
Total	100%
Weight per gallon - 9 5	

# KEEP OUT OF REACH OF CHILDREN DANGER

#### FIRST AID

#### If in eves:

- · Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- After at least 15 minutes of rusing or after it is judged that nearly all of the contamination has been removed. Remove contact lenses, if present, after the first 5 minutes, then continue rusing.
- Call a poison control center of a doctor immediately for treatment advice. If swallowed:
- · Call a poison control center or a doctor immediately for treatment advice.
- · DO NOT INDUCE VOMITING.
- · Do not give anything to drink.

## If on skin or clothing:

- · Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- · Call a poison control center or a doctor for treatment advice.

#### If inhaled:

#### · Move person to fresh air.

- If person is not breathing, call 911 or an ambulance, and then give artificial respiration, preferably mouth-to-mouth if possible.
- · Call a poison control center or a doctor for further treatment advice. NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage.

Have the MSDS and, if available, the product container or label with you when calling a poison control center or a doctor, or going for treatment.

EPA Reg. No. 1706-112

EPA Est. No. 67869-PA-1

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Nalco Company 1601 West Diehl Road Naperville, IL 60563 EMERGENCY PHONE NO. (800) 424-9300

# DIRECTIONS FOR USE:

### GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

#### PULP AND PAPERMILL SYSTEMS

For slime (bacterial and fungal) control in pulp, paper and paperboard mills, use 0.05 to 1.0 lbs. of NALCON 7619 per ton of pulp or paper, dry basis, depending upon degree of contamination.

NALCON 7619 may be added anywhere in the system prior to the sheet forming area or in the recirculating white water system.

#### FUEL OIL STORAGE TANKS

#### (This use not currently registered in California)

For control of bacterial and fungal growth in distillate fuel oil storage tank bottom water add a slug dose of 50-100 ppm Nalcon 7619. Repeat as needed to gain control

To maintain control feed 25-50 ppm Nalcon 7619 once a month or as needed.

Should disposal of tank bottom water become necessary, wait at least 48 hours after last Nalcon 7619 treatment before draining tank. Do not discharge water directly to ground where it can enter streams, lakes or ponds.

## PRESERVATION OF AQUEOUS SOLUTIONS

For the preservation of solutions, emulsions, adhesives and other aqueous liquid products, the addition of 75 to 750 ppm of NALCON 7619 is effective. Add NALCON 7619 at a point in the processing system where there will be sufficient time and agitation for good mixing and dispersion. The exact amount of NALCON 7619 to be added for the preservation of given formulations will depend on the components as well as local storage time and condition. Dosage rates should be determined by actual test. This product is not cleared for use in the manufacture of adhesives that may come in contact with food.

#### **FEEDING**

Feed NALCON 7619 directly from drum. Materials of construction should be stainless steel, Teflon, Penton or aluminum. Polyethylene or polypropylene is suitable for feed tubing. Application may be continuous or intermittent depending upon system characteristics. Technical assistance on individual site problems can be obtained from your Nalco Representative.

NET CONTENTS SHOWN ELSEWHERE ON CONTAINER

Revised: 1/14/2004

