

SODIUM ARSENITE CONCENTRATE

(Contains approx. 6 lbs. AS_2O_3 per gal.)
FOR USE AS A NON-SELECTIVE SOIL TREATMENT TO
KILL VEGETATION AND INHIBIT NEW GROWTH.

Active Ingredients:	Percent by weight
SODIUM ARSENITE	53.86

Inert Ingredients	46.14
-------------------	-------

Total arsenic calculated as elemental, all in
water soluble form 31.05 percent. Contains the
equivalent of 6 lbs. AS_2O_3 per gallon.

ACCEPTED

DANGER: KEEP OUT OF REACH OF CHILDREN

ANTIDOTE:

Give a tablespoon of salt in a
glass of warm water and repeat
until vomit fluid is clear. Then
give two tablespoonsful of Epsom
Salt or Milk of Magnesia in water
and plenty of milk and water. Have
victim lie down and keep quiet.
Call a physician immediately.

WARNING:

Poisonous if swallowed.
Keep children and animals off treated
areas until washed into soil.
Do not apply to areas underlaid by
roots of desirable plants.
Avoid contact with skin, eyes or
clothing.
Wash thoroughly after using.
Avoid breathing dust or spray mist.
Do not use or store in or around the home.

UTION: This product is toxic to wildlife. Birds and other wildlife in
treated areas may be killed. Do not apply where runoff is likely
to occur. Do not contaminate water by cleaning or equipment, or
disposal of waste. Apply this product only as specified on this
label.

Do not contaminate water used for irrigation or domestic purpose.
Avoid spray drift to desirable plants. Keep out of lakes, streams
or ponds. Do not allow domestic animals to graze treated area.

Recommendations for use are limited to areas to be
covered by pavement after treatment.

DIRECTIONS FOR USE

Mix two-thirds of a gallon of the concentrate with ten gallons of water.
Apply with sprayer to undesired vegetation on 1000 to 1200 square feet.
Make sure to wet all leaves, stems and root crowns.
Application should be made when weeds are present and growing.
Do not use on or near desirable plants.
Do not reuse empty drum. Return to drum reconditioner or destroy by
perforating or crushing and burying in a safe place.

RPA Reg. No. 1691-85

CHEMICAL COMPOUNDING CORPORATION
Jersey City, N.J.



ACCEPTED

October 25, 1974

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
EPA REG. NO. 1706-131

NALKIL®

250 LIQUID

WITH ENDRIFT®

WEED KILLER

ACTIVE INGREDIENTS

Petroleum oil	95.83%
2,4-Dichlorophenoxyacetic acid, isooctyl ester*	1.10%
Bromacil (5-bromo-3-sec-butyl-6-methyluracil)	0.61%
Pentachlorophenol	0.80%
Other chlorophenols	0.08%

INERT INGREDIENTS

	1.58%
Total	100.00%

EPA Registration No. 1706-131

DIRECTIONS:

To control most weeds and grasses on non-cropland areas such as railroad rights of way and industrial sites for an extended time, apply 43.5 gallons per acre of undiluted NalKil 250 after the most predominant weeds have emerged. No agitation is required. NalKil 250 should be applied with railroad on track, truck mounted, or other standard spraying equipment. For treating small areas a tank type hand sprayer or sprinkling can may be used.

NOTE: Users should consult State Agricultural Experiment Stations or Extension Service Weed Specialists for recommendations as to use of NalKil 250 Liquid with Endrift in their particular area or write Nalco.

IMPORTANT: Do not apply directly to, or otherwise permit NalKil 250 Liquid with Endrift to contact desirable, woody or herbaceous plants or areas where their roots may extend. Avoid spray drift to such plants (coarse sprays are less likely to drift). Vapors from this product may injure susceptible plants in the immediate vicinity. Thoroughly clean spray equipment with a suitable chemical cleaner before using for other purposes (or do not use same equipment for other purposes). Do not store near fertilizers, seeds, insecticides or fungicides. Do not contaminate water used for irrigation or domestic purposes. Do not reuse container. Destroy when empty by perforating or crushing followed by burial in a safe place away from water supplies.

NalKil 250 Liquid with Endrift is toxic to fish and wildlife. Birds and other wildlife may be killed. Do not apply when weather conditions favor drift from treated areas. Keep out of lakes, streams, ponds or public water. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

WARNING: HARMFUL IF SWALLOWED. CAUSES SKIN AND EYE IRRITATION.

Do not get in eyes, on skin or on clothing. Avoid repeated breathing of vapor. Wash thoroughly after handling. In case of contact, flush with large amounts of water. For eyes, get medical attention. Remove and wash contaminated clothing before reuse.

FOR INDUSTRIAL USE ONLY

NALCO CHEMICAL COMPANY

6216 WEST 66TH PLACE

CHICAGO, ILLINOIS 60638

EPA REG. 1706-131

NET CONTENTS SHOWN ELSEWHERE ON CONTAINER