

ACCEPTED 30 1975 DE COMPANY DE LA COMPANY DE

MICROORS ANISM CONTROL CHEMICAL

ACTIVE INGREDIENT:

> Weight/Gal = 10.5 pounds EPA Reg. No. 1706-138

> > SOLD BY

DIRECTIONS: For control of bacterial growths in industrial recirculating cooling water towers add Nalco 7320 to the basin (or any other point of uniform mixing). Add 0.00095—0.0095 gallon Nalco 7320/1000 gallons of system water depending on the severity of contamination. Addition should be made with a metering pump; it may be continuous or intermittent depending on the severity of the contamination when treatment is begun, and the retention time in the system.

Intermittent or Slug Method — Initial dose: When the system is noticeably fouled, add 0.0048—0.0095 gallon Nalco 7320/1000 gallons of system water. Repeat until control is achieved. Subsequent dose: When microbial control is evident, add 0.0024—0.0095 gallon Nalco 7320/1000 gallons of system water every 4 days or as needed to maintain control. Badly fouled systems must be cleaned before treatment is begun.

Continuous Feed Method — Initial dose: When the system is noticeably fouled, add 0.0048-0.0095 gallon Nalco 7320/1000 gallons of system water. Subsequently, maintain this level by pumping a continuous feed of 0.00048-0.0048 gallon Nalco 7320/1000 gallons system water lost by blowdown. Badly fouled systems must be cleaned before treatment is begun.

Optimum performance with this product is attained by continuous or intermittent treatment.

FOR INDUSTRIAL USE ONLY. DO NOT APPLY TO POTABLE OR DOMESTIC WATER SYSTEMS.

Do not reuse container, destroy it when empty by burying it with waste or burning. Stay out of smoke or fumes.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

DANGER: KEEP OUT OF REACH OF CHILDREN. CAUSES SEVERE BURNS OF EYES. MAY BURN SKIN. MAY BE HARMFUL OR FATAL IF SWALLOWED.

Do not get in eyes, on skin or on clothing. Wear goggles or face shield when handling.

FIRST AID. In case of eye contact, flush eyes immediately with plenty of water for at least 15 minutes and get medical attention. In case of skin contact, wash with soap and plenty of water. Wash contaminated clothing before reuse. If swallowed, induce vomiting by sticking finger down the throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Call a physician. Never give anything by mouth to an unconscious person.

WASH THOROUGHLY AFTER HANDLING THIS PRODUCT. KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE.

NALCO CHEMICAL COMPANY

6216 WEST 66TH PLACE

CHICAGO, ILLINOIS 60638

EPA est: 454-MI-1

NET CONTENTS SHOWN ELSEWHERE ON CONTAINER