

ACCEPTED
1706-142
OCT 17 1975

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO.



4WC-264

MICROORGANISM CONTROL CHEMICAL

ACTIVE INGREDIENT:

Sodium dichloro-s-triazinetriane dihydrate 18.0%

INERT INGREDIENTS: 82.0%

TOTAL 100.0%

Available chlorine = 10.1%
EPA Reg. No. 1706-142

EPA Est. No. 1706-1L-1

NALCO CHEMICAL COMPANY

6216 WEST 66TH PLACE

CHICAGO, ILLINOIS 60638

NET CONTENTS SHOWN ELSEWHERE ON CONTAINER

D.O.T. SHIPPING NAME: OXIDIZING MATERIAL, NOS

DIRECTIONS: For bacterial, fungal and algal slime control in industrial recirculating cooling water towers use 12.5–16.7 pounds NALCO 4WC-264/10,000 gallons of system water (150–200 ppm product which is equivalent to 15.1 or 20.2 ppm as available chlorine) initially. Repeat as needed to achieve control. Begin treatment when the system is in jeopardy of becoming affected or after cleaning systems whose efficiency is already impaired. Treatment should provide at least 1 ppm of available chlorine residual in the system for 4 hours. Test water to insure proper chlorine residual. Badly fouled systems must be precleaned. Once the desired degree of control has been achieved, apply 4.2–8.3 pounds NALCO 4WC-264/10,000 gallons of system water (50–100 ppm product which is equivalent to 5 – 10.1 ppm as available chlorine) weekly or as needed to maintain control.

Feed NALCO 4WC-264 directly from the drum to a point in the system where it will be evenly mixed and uniformly distributed.

DANGER: KEEP OUT OF REACH OF CHILDREN. CORROSIVE, CAUSES EYE DAMAGE. MAY BE FATAL IF SWALLOWED.

Do not get in eyes, on skin or on clothing. Irritating to nose and throat. Avoid breathing dust. May cause burns to broken skin. Wash hands after handling.

FIRST AID: If swallowed feed gruel, cooked cereal, or bread soaked in milk, followed by olive oil or cooking oil. In case of personal contact, remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes get medical attention. Remove and wash contaminated clothing before reuse.

DANGER: STRONG OXIDIZING AGENT.

Mix only with water. Use clean dry utensils. Contamination by moisture, organic matter, or other chemicals may liberate hazardous gases. Store in a cool, dry, well ventilated area away from heat or open flame. Decomposes at 350°–475°F with liberation of harmful gases. In case of decomposition, if possible, isolate container in open air. Flood with large amounts of water. Keep container tightly closed when not in use. Rinse empty container thoroughly with water to dissolve all material before discarding.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public waters. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

BEST DOCUMENT AVAILABLE

ACCEPTED

1706-142

OCT 17 1975

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO.



NALCO

4WC-264

MICROORGANISM CONTROL CHEMICAL

BEST DOCUMENT AVAILABLE

ACTIVE INGREDIENT:

Sodium dichloro-s-triazinetrione dihydrate 18.0%

INERT INGREDIENTS: 82.0%

TOTAL 100.0%

Available chlorine = 10.1%
EPA Reg. No. 1706-142

EPA Est. No. 1706 IL-1

NALCO CHEMICAL COMPANY
6216 WEST 66TH PLACE CHICAGO, ILLINOIS 60638

NET CONTENTS SHOWN ELSEWHERE ON CONTAINER

D.O.T. SHIPPING NAME: OXIDIZING MATERIAL, NOS

DIRECTIONS: For bacterial, fungal and algal slime control in industrial recirculating cooling water towers use 12.5-16.7 pounds NALCO 4WC-264/10,000 gallons of system water (150-200 ppm product which is equivalent to 15.1 or 20.2 ppm as available chlorine) initially. Repeat as needed to achieve control. Begin treatment when the system is in jeopardy of becoming affected or after cleaning systems whose efficiency is already impaired. Treatment should provide at least 1 ppm of available chlorine residual in the system for 4 hours. Test water to insure proper chlorine residual. Badly fouled systems must be precleaned. Once the desired degree of control has been achieved, apply 4.2-8.3 pounds NALCO 4WC-264/10,000 gallons of system water (50-100 ppm product which is equivalent to 5 - 10.1 ppm as available chlorine) weekly or as needed to maintain control.

Feed NALCO 4WC-264 directly from the drum to a point in the system where it will be evenly mixed and uniformly distributed.

DANGER: KEEP OUT OF REACH OF CHILDREN. CORROSIVE, CAUSES EYE DAMAGE. MAY BE FATAL IF SWALLOWED.

Do not get in eyes, on skin or on clothing. Irritating to nose and throat. Avoid breathing dust. May cause burns to broken skin. Wash hands after handling.

FIRST AID: If swallowed feed gruel, cooked cereal, or bread soaked in milk, followed by olive oil or cooking oil. In case of personal contact, remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes get medical attention. Remove and wash contaminated clothing before reuse.

DANGER: STRONG OXIDIZING AGENT.

Mix only with water. Use clean dry utensils. Contamination by moisture, organic matter, or other chemicals may liberate hazardous gases. Store in a cool, dry, well ventilated area away from heat or open flame. Decomposes at 350°-475°F with liberation of harmful gases. In case of decomposition, if possible, isolate container in open air. Flood with large amounts of water. Keep container tightly closed when not in use. Rinse empty container thoroughly with water to dissolve all material before discarding.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public waters. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

14.1119.003.2

received OCT 15 1975

15